



Chemicals

TOP Offers



Flame Test Kits

Set for the identification of minerals in the Bunsen burner flame through the characteristic flame colouring of the salts in the "flame test".

Our flame test kits also contain 10 magnesia rods and a wooden clamp for better handling. This provides the materials needed to demonstrate the flame colours of six different metals. During combustion, the metal or semi-metal ion contained in each chemical gives the flame a characteristic colour.

Application:

- Dip the magnesia rod into diluted hydrochloric acid (not included in the scope of delivery)
- Pick up some of the salt with the moistened magnesia rod
- Hold the end of the rod with the salt in the swooshing burner flame

Directions for use

If necessary, burn out the magnesia rods in the burner flame. The flame must be colourless. Otherwise there will still be residues of chemicals from previous experiments.

Product name	Composition	Art. No.	Pack Qty.	€	€
Flame Test Kit 1	Ca ²⁺ , Na ⁺ , K ⁺ , Li ⁺ , Ba ²⁺ , Sr ²⁺	1PE8.1	1 set	58,60	46,85
Flame Test Kit 2	Ba ²⁺ , Cu ²⁺ , In ³⁺ , Cs ⁺ , Rb ⁺	1PE6.1	1 set	91,95	73,50

incl. magnesia rods (10 pcs.) and a wooden clamp.



Platinum wire in glass rod

melted down

For tests on flame colouring, spectroscopy, etc.

Glass rod 100 x 3 mm

Pt wire 50 x 0.2 mm

Pt · M 195,08 g/mol

Art. No.	Pack Qty.	Pack.	€	€
23XE.1	1 unit(s)	cardboard	21,40	17,05

Valid from 4 March to 31 May 2024

Carl Roth GmbH + Co. KG · Schoemperlenstr. 3-5 · 76185 Karlsruhe

Tel.: 0180 516704 · Fax: +49 721 / 5606-260 · E-Mail-Bestellungen: bestellingen@carlroth.nl · ROTH E-Mail: info@carlroth.nl · ROTH op Internet: www.carlroth.nl
Contact: www.carlroth.com/nl/nl/Sales-representatives

Vanaf Euro 250,- zonder kosten! Prijzen excl. BTW. De verkoop en leveringsvoorraarden van Carl Roth GmbH + Co. KG zijn van toepassing.

Bij opdrachten met een bestelwaarde minder dan Euro 250,- wordt Euro 16,00 verzendkosten in rekening gebracht.

De algemene verkoop- en leveringsvoorraarden van Carl Roth GmbH + Co. KG, Karlsruhe zijn van toepassing.

NL-EN

Standard solutions

ROTI®Volum, Volumetric Solutions in Ampoules



Advantages:

- Concentrated standard solutions packaged in practical ampoules
- Designed for flexible and easy handling, and as a space-saving alternative to ready-to-use custom solutions
- Standard solutions are prepared through dilution to a final volume of exactly one litre

New Packaging

Product name	Brand/Purity	Art. No.	Pack Qty.	€	€
Ammonium thiocyanate solution	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YP4.1	1 unit(s)	33,90	27,05
EDTA disodium salt solution	ROTI®Volum 0,01 mol/l – 0,01 N, volumetric standard solution	1YP5.1	1 unit(s)	26,35	21,05
	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YP6.1	1 unit(s)	33,90	27,05
Hydrochloric acid	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YPN.1	1 unit(s)	26,35	21,05
	ROTI®Volum 0,5 mol/l – 0,5 N, volumetric standard solution	1YPP.1	1 unit(s)	26,35	21,05
	ROTI®Volum 1 mol/l – 1 N, volumetric standard solution	1YPT.1	1 unit(s)	26,35	21,05
Nitric acid	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YPK.1	1 unit(s)	26,35	21,05
	ROTI®Volum 1 mol/l – 1 N, volumetric standard solution	1YPL.1	1 unit(s)	41,40	33,10
Oxalic acid solution	ROTI®Volum 0,05 mol/l – 0,1 N, volumetric standard solution	1YPH.1	1 unit(s)	26,35	21,05
Potassium hydroxide solution	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YP7.1	1 unit(s)	26,35	21,05
	ROTI®Volum 1 mol/l – 1 N, volumetric standard solution	1YT1.1	1 unit(s)	38,60	30,85
Silver nitrate solution	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YT0.1	1 unit(s)	83,35	
Sodium chloride solution	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YP8.1	1 unit(s)	26,35	21,05
	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YPA.1	1 unit(s)	26,35	21,05
Sodium hydroxide solution	ROTI®Volum 0,5 mol/l – 0,5 N, volumetric standard solution	1YPC.1	1 unit(s)	26,35	21,05
	ROTI®Volum 1 mol/l – 1 N, volumetric standard solution	1YPE.1	1 unit(s)	26,35	21,05
Sodium thiosulphate solution	ROTI®Volum 0,1 mol/l – 0,1 N, volumetric standard solution	1YP9.1	1 unit(s)	26,35	21,05
	ROTI®Volum 0,05 mol/l – 0,1 N, volumetric standard solution	1YPX.1	1 unit(s)	26,35	21,05
Sulphuric acid	ROTI®Volum 0,5 mol/l – 1 N, volumetric standard solution	1YPY.1	1 unit(s)	26,35	21,05

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Volumetric Standard Solutions, ready-to-use



The advantages of this over making them yourself are:

- Manufactured and tested using modern manufacturing and analytical methods
- Ready-to-use solutions

NEW ready-to-use

Product name	Purity	Pack.	Art. No.	Pack Qty.	€	€
Ammonia solution	1 mol/l – 1 N, volumetric standard solution	plastic	255L.1	1 l	127,95	102,30
	2 mol/l – 2 N, volumetric standard solution	plastic	255N.1	1 l	170,95	136,70
	3 mol/l – 3 N, volumetric standard solution	plastic	255P.1	1 l	149,45	119,50
Barium chloride solution	1 mol/l – 2 N, volumetric standard solution	plastic	1YNC.1	1 l	120,95	96,75
Citric acid solution	1 mol/l – 1 M	plastic	255K.1	500 ml	106,45	85,10
Hydrochloric acid	0,005 mol/l – 0,005 N, volumetric standard solution	plastic	221T.1	1 l	78,40	62,65
	0,25 mol/l – 0,25 N, volumetric standard solution	plastic	221X.1	1 l	78,40	62,65
	0,3 mol/l – 0,3 N, volumetric standard solution	plastic	221Y.1	1 l	78,40	62,65
	0,75 mol/l – 0,75 N, volumetric standard solution	plastic	222A.1	1 l	78,40	62,65
	1,5 mol/l – 1,5 N, volumetric standard solution	plastic	222C.1	1 l	78,40	62,65
	2,5 mol/l – 2,5 N, volumetric standard solution	plastic	222E.1	1 l	78,40	62,65
Iodine solution	0,01 mol I ₂ /l – 0,02 N, volumetric standard solution	glass	255X.1	500 ml	74,20	59,30
	0,025 mol I ₂ /l – 0,05 N, volumetric standard solution	glass	255T.1	500 ml	74,20	59,30
Potassium permanganate solution	0,2 mol/l – 1 N, volumetric standard solution	glass	1YOT.1	1 l	89,80	71,80
Sodium hydroxide solution	0,025 mol/l – 0,025 N, volumetric standard solution	plastic	221A.1	1 l	78,40	62,65
	0,04 mol/l – 0,04 N, volumetric standard solution	plastic	221C.1	1 l	78,40	62,65
	0,4 mol/l – 0,4 N, volumetric standard solution	plastic	221E.1	1 l	78,40	62,65
	0,6 mol/l – 0,6 N, volumetric standard solution	plastic	221H.1	1 l	78,40	62,65
	1,5 mol/l – 1,5 N, volumetric standard solution	plastic	221K.1	1 l	78,40	62,65
	2,5 mol/l – 2,5 N, volumetric standard solution	plastic	221L.1	1 l	78,40	62,65
Sulphuric acid	3 mol/l – 3 N, volumetric standard solution	plastic	221N.1	1 l	78,40	62,65
	8 mol/l – 8 N, volumetric standard solution	plastic	221P.1	1 l	78,40	62,65
	3 mol/l – 6 N, volumetric standard solution	plastic	1YOX.1	1 l	84,85	67,80
	4 mol/l – 8 N, volumetric standard solution	plastic	1YOY.1	1 l	192,45	153,90
	5 mol/l – 10 N, volumetric standard solution	plastic	1Y10.1	1 l	61,20	48,90

For safety information and additional data, see our current catalogue or at www.carlroth.nl



Dried Solvents

ROTIDRY® plus – Dried Solvents with Molecular Sieve

Properties:

- Very low water content
- Extremely high product purity
- Good price-performance ratio
- Contains molecular sieve 3 Å



Product name	Purity	Art. No.	Pack Qty.	€	€
Acetic acid ethyl ester	≥99,8 % (≤50 ppm H ₂ O), with molecular sieve	1A9P.1	1 l	68,90	54,60
Acetonitrile	≥99,7 % (≤50 ppm H ₂ O), with molecular sieve	25A8.1	1 l	96,65	77,25
Dichloromethane	≥99,9 % (≤30 ppm H ₂ O), with molecular sieve	1A9K.1	1 l	75,15	60,05
Diethyl ether	≥99,5 % (≤60 ppm H ₂ O), with molecular sieve, stabilised	1A9X.1	1 l	84,85	67,80
Dimethyl sulphoxide (DMSO)	≥99,5 % (≤50 ppm H ₂ O), with molecular sieve	25A9.1	1 l	170,95	136,70
1,4-Dioxane	≥99 % (≤50 ppm H ₂ O), with molecular sieve	25AA.1	1 l	102,05	81,55
Methanol	≥99,8 % (≤50 ppm H ₂ O), with molecular sieve	1A9L.1	1 l	77,30	61,80
Tetrahydrofuran	≥99,5 % (≤50 ppm H ₂ O), with molecular sieve, stabilised	1A9Y.1	1 l	91,90	72,95
Toluene	≥99,5 % (≤50 ppm H ₂ O), with molecular sieve	1A9T.1	1 l	82,25	65,75
Trichloromethane/Chloroform	≥99,9 % (≤30 ppm H ₂ O), with molecular sieve, stabilised	1A9N.1	1 l	79,45	63,50

For safety information and additional data, see our current catalogue or at www.carlroth.nl



Molecular Sieves For drying or keeping dry

Product name	Purity	Pack.	Art. No.	Pack Qty.	€	€
Molecular sieve 3 Å	0,3 nm, type 564, beads	glass	8487.1	250 g	39,25	31,35
			8487.2	750 g	91,90	72,95
		plastic	8487.3	2.5 kg	299,20	191,35
	0,3 nm, type 562 C, beads	glass	8487.7	5 kg	439,70	351,70
			P729.1	250 g	39,25	31,35
		plastic	P729.2	750 g	91,90	72,95
Molecular sieve 4 Å	0,4 nm, type 514, beads	glass	P729.3	2.5 kg	299,20	191,35
			8471.1	250 g	41,85	33,40
		plastic	8471.2	750 g	98,45	74,70
		plastic	8471.3	2.5 kg	244,60	195,65

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Dyes

Dyes and Indicators in p.a. Quality

Product name	Purity	Pack.	Art. No.	Pack Qty.	€	€
Bromothymol blue	p.a., ACS	glass	T117.1	5 g	31,10	24,80
			T117.2	25 g	78,40	62,65
			T117.3	50 g	134,40	107,50
			T117.7	100 g	295,45	188,30
Crystal violet (C.I. 42555)	p.a.	glass	T123.2	5 g	23,15	18,45
			T123.1	25 g	37,55	29,95
			T123.3	100 g	91,30	72,95
Murexide (C. I. 56085)	ACS	glass	T124.1	5 g	34,95	27,95
			T124.2	25 g	80,55	64,35
			T124.3	50 g	134,40	107,50
Ninhydrin	≥99 %, p.a., ACS	glass	4378.1	25 g	53,25	42,55
			4378.2	100 g	134,40	107,50
			4378.3	500 g	525,70	420,50
Phenolphthalein (C.I. 764)	≥97 %, p.a., ACS	plastic	T126.2	50 g	22,50	17,95
			T126.1	100 g	31,10	24,80
			T126.3	500 g	85,50	68,35
Tiron	≥99 %, p.a.	glass	7302.1	10 g	21,40	17,05
			7302.2	25 g	34,30	27,40
			7302.3	100 g	88,05	70,40

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Fluorescent Dyes

Product name	Purity	Pack.	Art. No.	Pack Qty.	€	€
Acridine orange (C.I. 46005)	for microscopy	glass	0249.1	10 g	32,15	25,65
			0249.2	25 g	59,70	47,70
DAPI	≥98 %, p.a.	glass	6335.1	25 mg	117,20	93,70
			6335.2	100 mg	338,65	270,90
Eosin Y (C.I. 45380)	for microscopy	glass	7089.1	50 g	46,80	37,40
			7089.2	100 g	81,20	64,90
			7089.3	500 g	263,40	210,70
Erythrosine B (C.I. 45430)	for microscopy	glass	0331.2	5 g	17,75	14,15
			0331.1	25 g	44,00	35,15
			0331.3	100 g	121,50	97,15
Fluorescein disodium salt (C.I. 45350)	extra concentrated	glass	5283.3	25 g	28,50	22,75
			5283.1	100 g	47,20	37,70
			5283.2	500 g	155,90	124,70
Luminol	≥95 %, for synthesis	plastic	4203.1	5 g	64,40	51,45
			4203.2	25 g	252,65	202,10
Nile red	extra pure	glass	7726.1	1 g	53,65	42,85
			7726.2	5 g	209,65	167,70
			7726.3	10 g	403,15	322,50
Propidiumiodide	≥95 %, p.a.	glass	CN74.1	25 mg	96,65	77,25
			CN74.2	50 mg	166,65	133,30
			CN74.3	100 mg	295,65	236,50

For safety information and additional data, see our current catalogue or at www.carlroth.nl





Synthesis Reagents

Quaternary ammonium compounds are organic ammonium compounds, for which all four valences of a nitrogen atom are bonded organically. These ammonium compounds are often used as phase-transfer catalysts and ion pair reagents.

Quaternary Ammonium Compounds

Structural formula	Product name	Purity	Molecular formula	CAS No.	Art. No.	Pack Qty.	€	€
	Tetrabutylammonium bromide (TBAB)	≥99 %, for synthesis	$C_{16}H_{36}BrN$	1643-19-2	6633.1	50 g	36,45	29,10
					6633.2	250 g	104,20	83,30
					6633.3	500 g	177,40	141,90
	Tetrabutylammonium iodide (TBAI)	≥99 %, p.a.	$C_{16}H_{36}IN$	311-28-4	1448.1	25 ml	30,25	26,55
					1448.2	100 ml	99,90	79,85
					1448.3	250 ml	188,15	150,50
	Tetramethylammonium chloride (TMAC)	≥98 %, for synthesis	$C_4H_{12}ClN$	75-57-0	5026.1	25 ml	30,00	23,95
					5026.2	100 ml	66,15	52,85
					5026.3	250 ml	117,20	93,70
	Tetramethylammonium chloride (TMAC)	≥98 %, for synthesis	$C_4H_{12}ClN$	75-57-0	5026.4	1 l	407,45	325,90
					4735.1	25 g	20,35	16,20
					4735.2	100 g	54,75	43,75
	Tetramethylammonium chloride (TMAC)	≥98 %, for synthesis	$C_4H_{12}ClN$	75-57-0	4735.3	500 g	231,15	184,90
					4747.1	100 g	35,40	28,25
					4747.2	500 g	138,70	110,90

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Phosphine Ligands

Structural formula	Product name	Purity	CAS No.	Art. No.	Pack Qty.	€	€
	(rac)-BINAP	≥97 %	98327-87-8	1845.1	1 g	41,40	33,10
				1845.2	5 g	110,20	88,15
				1845.3	10 g	166,65	133,30
	SPhos	≥98 %	657408-07-6	1911.1	1 g	32,80	26,20
				1911.2	5 g	127,95	102,30
	Triphenylphosphine	≥99,5 %, for synthesis	603-35-0	4110.1	10 g	16,05	12,75
				4110.2	100 g	28,95	23,10
				4110.3	250 g	55,80	44,60
				4110.4	1 kg	177,40	141,90
	XPhos	≥98 %	161265-03-8	2058.1	1 g	42,50	33,95
				2058.2	5 g	138,70	110,90
				1445.1	1 g	35,40	28,25
				1445.2	5 g	127,95	102,30
	XPhos	≥97 %	564483-18-7	1445.3	10 g	219,95	171,10

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Chiral Phosphine Ligands

Structural formula	Product name	Purity	CAS No.	Art. No.	Pack Qty.	€	€
	(R)-BINAP	≥98 %	76189-55-4	2040.1	250 mg	24,65	19,65
				2040.2	1 g	55,80	44,60
				2040.3	5 g	155,90	124,70
	(S)-BINAP	≥98 %	76189-56-5	1950.1	250 mg	23,15	18,45
				1950.2	1 g	48,30	38,55
				1950.3	5 g	138,70	110,90

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Determination of the Hydrocarbon Index

Determination of the Hydrocarbon Index

The hydrocarbon index is defined as the total of all organic substances that can be extracted with hexane, but cannot be adsorbed in Florisil® (magnesium silicate). On a covalent GC column, these elute between *n*-decane and *n*-tetracontane and have a boiling range of 175–525 °C. These include heating oils, diesel fuels, kerosene, lubricants and transmission fluids. Petrols are not detected using this method. Carl ROTH offers an extensive range of products for the determination of the hydrocarbon index in accordance with EN ISO 9377-2-Mod. (DIN H53).

Standards

According to EN ISO 9377-2-Mod. (DIN H53)

- Manufactured in accordance with ISO 17034 in an accredited environment
- Tested in a laboratory accredited to ISO/IEC 17025
- Ideal for calibration of GC-FID, GC-TCD, GC-ECD, GC-MS, GC-MS/MS, LC-UV, LC-MS and LC-MS/MS
- With an detailed, batch-related certificate of analysis



Determination of the Hydrocarbon Index

Product name	Purity	Pack.	Art. No.	Pack Qty.	€	€
Diesel	≥99 %	glass amp.	1PHK.1	1 ml	107,40	80,50
		glass	1PHK.2	100 ml	478,40	358,75
			1PHK.3	250 ml	682,65	511,95
<i>n</i> -Alkane standard solution (C ₁₀ –C ₄₀ , all even)	16 components (each 50 mg/l) in <i>n</i> -hexane	glass amp.	1772.1	1 ml	145,15	108,80
<i>n</i> -Alkane standard solution (C ₇ , C ₈ , C ₉ , C ₁₀ –C ₄₀ , all even)	16 components (each 100 mg/l) in <i>n</i> -hexane/petroleum ether	glass amp.	1772.2	5 ml	220,40	165,25
Extraction solvent stock solution	19 components (each 50 mg/l) in isoctane	glass amp.	9331.1	5 ml	317,15	237,80
Florisil® quality control standard	20 µl/l <i>n</i> -decane and 20 mg/l <i>n</i> -tetracontane in <i>n</i> -hexane	glass amp.	1750.2	10 ml	134,40	100,75
Standard mixture of mineral oils	1 000 mg/l mineral oil and diesel in <i>n</i> -hexane	glass amp.	9334.1	5 ml	96,25	72,10
	500 mg/l mineral oil and diesel in acetone	glass amp.	1774.2	5 ml	134,40	100,75
	5 000 mg/l mineral oil and diesel in <i>n</i> -hexane	glass amp.	1773.2	5 ml	117,20	87,85
	10 000 mg/l mineral oil and diesel in <i>n</i> -hexane	glass amp.	1XX9.1	5 ml	160,20	120,10
	50 000 mg/l mineral oil and diesel in <i>n</i> -hexane	glass amp.	1LCE.1	1 ml	231,15	173,30
	10 000 mg/l mineral oil and diesel in <i>n</i> -heptane	glass amp.	1LCE.2	5 ml	869,70	652,25
	50/50 mineral oil and diesel, solvent-free	glass amp.	1XXA.1	10 ml	256,95	192,65
		glass amp.	1LCH.1	1 ml	134,40	100,75
		glass amp.	1LCH.2	5 ml	256,95	192,65
Stearyl stearate test solution	2 000 mg/l in <i>n</i> -hexane	glass amp.	1760.2	10 ml	155,90	116,90

For safety information and additional data, see our current catalogue or at www.carlroth.nl

Additional Chemicals for Determination of the Hydrocarbon Index

Product name	Brand/Purity	Pack.	Art. No.	Pack Qty.	€	€
Acetone	ROTISOLV® Pestilyse® plus ≥99,9 %	glass	7535.1	2.5 l	81,60	61,15
Florisil®	for hydrocarbon index analysis, 60–100 mesh	plastic	CN39.1	100 g	73,65	55,20
			CN39.3	500 g	284,90	213,65
			CN39.2	1 kg	478,40	358,75
			CN39.4	2.5 kg	998,70	749,00
<i>n</i> -Hexane	ROTISOLV® ≥95 %, GC Ultra Grade	glass	KK48.1	2.5 l	145,15	108,80
	ROTISOLV® Pestilyse® plus ≥96 %	glass	7567.1	2.5 l	138,70	104,00
	ROTISOLV® Pestilyse® ≥97,5 %	glass	T165.2	1 l	57,95	43,40
		glass	T165.1	2.5 l	131,70	98,70
		glass	T165.3	4 l	155,90	116,90
Hydrochloric acid	ROTIPURAN® ≥25 %, p.a., ISO	glass	6331.1	1 l	26,35	19,70
		plastic	6331.3	1 l	24,20	18,10
		glass	6331.2	2.5 l	46,15	34,55
		plastic	6331.4	2.5 l	44,00	32,95
		plastic	6331.5	10 l	123,65	92,70
		plastic	6331.7	25 l	268,25	201,10
Magnesium sulphate heptahydrate	≥99 %, p.a., ACS	plastic	P027.1	500 g	32,15	24,05
		plastic	P027.2	1 kg	51,50	38,55
		plastic	P027.3	2.5 kg	97,75	73,25
Petroleum ether 40–60 °C	ROTISOLV® Pestilyse® plus	glass	7588.1	2.5 l	99,90	74,85
	ROTISOLV® Pestilyse®	glass	T170.2	1 l	47,85	35,85
		glass	T170.1	2.5 l	94,50	70,80
		glass	T170.3	4 l	134,40	100,75
Sodium sulphate	≥99 %, p.a., ACS, anhydrous, grained	plastic	0966.1	500 g	26,80	20,05
			0966.2	1 kg	40,35	30,20
			0966.3	5 kg	163,95	122,90

For safety information and additional data, see our current catalogue or at www.carlroth.nl



Accessories for the determination of the Hydrocarbon Index



SPE glass column CHROMABOND® Na₂SO₄/Florisil®

Macherey-Nagel. Material: glass (borosilicate type I) with glass fiber (GF) filter elements.

For environmental analysis

Extraction of hydrocarbons from water according to DIN H53 / ISO DIS 9377-4

Special combination phase of sodium sulphate and Florisil®

Column volume (ml)	Filling quantity (mg)	Pack.	Art. No.	Pack Qty.	€	€
6	2000/2000	6 x 5 units	N744.1	30 unit(s)	299,90	198,25
6	2000/2000	5 x 50 units	N744.2	250 unit(s)	1.558,75	1.324,90



GC Capillary Columns ROTI®Cap-5 HT

Silarylene Phase

- Non-polar
- Selectivity similar to a 5 % phenyl – 95 % methylpolysiloxane phase
- Low column bleed
- Application areas: simulated distillation, hydrocarbon, fuel, oil analysis, high boiling analytes, ideal for MS detectors

Similar phases:

- DB-5HT, VF-5HT, HT-5, XTI-5HT, ZB-5HT
- Equivalent to USP phases G27/G36

Column length	Ø internal	Film thickness	Art. No.	Pack Qty.	€	€
15 m	0.25 mm	0.10 µm	3883.1	1 unit(s)	342,95	308,60
	0.32 mm	3884.1	1 unit(s)	359,70	318,30	
	0.25 mm	0.25 µm	3885.1	1 unit(s)	342,95	308,60
	0.32 mm	0.25 µm	3888.1	1 unit(s)	359,70	318,30
30 m	0.25 mm	0.10 µm	3889.1	1 unit(s)	553,65	498,25
	0.32 mm	3890.1	1 unit(s)	585,90	527,25	
	0.25 mm	0.25 µm	3891.1	1 unit(s)	553,65	498,25
	0.32 mm	0.25 µm	3892.1	1 unit(s)	585,90	527,25

GC Capillary Columns ROTI®Cap-5

5 % Phenyl – 95 % Methylpolysiloxane

- Non-polar
 - Application areas: standard phase with large range of applications
- Similar phases:
- SE-54, SE-52, HP-5, SPB®-5, CP-SIL 8, Rtx-5, 007-5, BP5, MDN-5, AT™-5, ZB-5
 - Équivalent aux phases USP G27 / G36

Column length	Ø internal	Film thickness	Art. No.	Pack Qty.	€	€
10 m	0.25 mm	0.25 µm	6253.1	1 unit(s)	224,70	202,20
25 m	0.20 mm	0.50 µm	6283.1	1 unit(s)	478,40	430,50
25 m	0.32 mm	1.00 µm	6298.1	1 unit(s)	510,65	459,55
30 m	0.32 mm	0.10 µm	1387.1	1 unit(s)	510,65	459,55
30 m	0.25 mm	0.25 µm	CN11.1	1 unit(s)	478,40	430,50
50 m	0.32 mm	1.00 µm	6324.1	1 unit(s)	858,95	773,00

GC Capillary Columns ROTI®Cap-1

100 % Dimethylpolysiloxane

- Non-polar
- Application areas: Excellent column for routine applications.

Similar phases:

- OV-1, DB-1, SE-30, HP-1, SPB®-1, CP-SIL 5 CB, Rtx®-1, 007-1, BP1, MDN-1, AT™-1, ZB-1, OV-101
- Equivalent to USP phases G1/G2/G38

Column length	Ø internal	Film thickness	Art. No.	Pack Qty.	€	€
10 m	0.25 mm	0.25 µm	6081.1	1 unit(s)	224,70	202,20
15 m	0.53 mm	1.00 µm	2849.1	1 unit(s)	332,20	298,95
15 m	0.32 mm	0.25 µm	6074.1	1 unit(s)	306,40	275,70
25 m	0.25 mm	0.25 µm	6135.1	1 unit(s)	478,40	430,50
25 m	0.32 mm	0.25 µm	6148.1	1 unit(s)	510,65	459,55
30 m	0.32 mm	0.25 µm	1220.1	1 unit(s)	510,65	459,55
50 m	0.53 mm	5.00 µm	6222.1	1 unit(s)	919,75	822,35

Hydrocarbons in water acc. to ISO DIS 9377-4 / DIN H-53

Internal standard solution:

Solve 20 mg *n*-tetracontane ($C_{20}H_{42}$) in cyclohexane, add 20 ml *n*-nonane (C_9H_{20}) and fill up to 1 l with cyclohexane (corresponds to extraction agent stock solution, Art. No. 1750.2). To prepare the extraction standard solution dilute the stock solution with cyclohexane 1:10 immediately before use.

Sample pretreatment:

Adjust 900 ml water (10 °C) to pH 2 with HCl and add 80 g $MgSO_4$. Add 50 ml of the extraction solution, close the bottle, and stir the suspension intensively for 30 min. Add water and separate the organic from the aqueous phase.

Column conditioning:
5 ml cyclohexane

Sample application:

Slowly force or aspirate the organic solution through the column (SPE glass column CHROMABOND® Na₂SO₄/Florisil®, Réf. N744.1).

Elution:

Wash with 10 mL cyclohexane.

Evaporation:

Evaporate the combined organic solutions carefully to 1 ml or less. If necessary, fill up to 1 ml exactly. (Evaporation to 1 ml can be unnecessary, if the hydrocarbon content is high.)

Further analysis:

Gas chromatography (GC Capillary Columns ROTI®Cap-5 HT, ROTI®Cap-5, ROTI®Cap-1)



Metallo-organic single element standards

ROTI®Star

- Certified and traceable to NIST standard reference materials
- Manufactured in accordance with ISO 17034 in an accredited environment
- Tested in a laboratory accredited to ISO/IEC 17025
- Detailed, batch-specific certificate of analysis is available online



Properties:

- Metallo-organic compounds in 75 cSt hydrocarbon oil
- Trace metal concentrations determined by ICP-OES
- Suitable for use with ASTM D4927, D4951, D5185, D5708, D6443, D6481, D6595 and other standard test methods for elemental analysis
- Many of these standards are sulfonate-based and thus contain high levels of sulfur
- Excellent for AAS, ICP, RDE, XRF and other elemental analysis techniques
- 12 months shelf life for unopened bottle

Product name	Purity	Art. No.	Pack Qty.	€	€
Aluminium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Al, Metallo-Organic Certified Reference Material	1PN8.1	50 g	112,90	95,90
Antimony Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Sb, Metallo-Organic Certified Reference Material	1PLN.1	50 g	112,90	95,90
Arsenic Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g As, Metallo-Organic Certified Reference Material	1PN7.1	50 g	123,65	105,05
Barium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ba, Metallo-Organic Certified Reference Material	1PLP.1	50 g	112,90	95,90
Beryllium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Be, Metallo-Organic Certified Reference Material	1PLL.1	50 g	127,95	108,70
Bismuth Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Bi, Metallo-Organic Certified Reference Material	1PNC.1	50 g	112,90	95,90
Boron Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g B, Metallo-Organic Certified Reference Material	1PN2.1	50 g	112,90	95,90
Cadmium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Cd, Metallo-Organic Certified Reference Material	1PP1.1	50 g	112,90	95,90
Calcium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ca, Metallo-Organic Certified Reference Material	1PNK.1	50 g	155,90	132,45
Cerium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ce, Metallo-Organic Certified Reference Material	1PN1.1	50 g	112,90	95,90
Chromium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Cr, Metallo-Organic Certified Reference Material	1PNN.1	50 g	127,95	108,70
Cobalt Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Co, Metallo-Organic Certified Reference Material	1PNX.1	50 g	123,65	105,05
Copper Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Cu, Metallo-Organic Certified Reference Material	1PLC.1	50 g	91,40	77,65
Iron Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Fe, Metallo-Organic Certified Reference Material	1PLA.1	50 g	112,90	95,90
Lanthanum Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g La, Metallo-Organic Certified Reference Material	1PNP.1	50 g	91,40	77,65
Lead Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Pb, Metallo-Organic Certified Reference Material	1PLH.1	50 g	112,90	95,90
Lithium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Li, Metallo-Organic Certified Reference Material	1PP3.1	50 g	112,90	95,90
Magnesium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Mg, Metallo-Organic Certified Reference Material	1PNA.1	50 g	112,90	95,90
Manganese Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Mn, Metallo-Organic Certified Reference Material	1PN0.1	50 g	209,65	178,15
Mercury Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Hg, Metallo-Organic Certified Reference Material	1PLK.1	50 g	127,95	108,70
Molybdenum Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Mo, Metallo-Organic Certified Reference Material	1PNH.1	50 g	112,90	95,90
Neodymium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Nd, Metallo-Organic Certified Reference Material	2STA.1	50 g	83,50	72,95
Nickel Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ni, Metallo-Organic Certified Reference Material	1PL9.1	50 g	107,00	90,85
Phosphorus Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g P, Metallo-Organic Certified Reference Material	1PLX.1	50 g	107,00	90,85
Potassium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g K, Metallo-Organic Certified Reference Material	1PNY.1	50 g	112,90	95,90
Scandium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Sc, Metallo-Organic Certified Reference Material	1PL8.1	50 g	177,40	150,75
Selenium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Se, Metallo-Organic Certified Reference Material	1PN3.1	50 g	127,95	108,70
Silicium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Si, Metallo-Organic Certified Reference Material	1PN6.1	50 g	112,90	95,90
Silver Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ag, Metallo-Organic Certified Reference Material	1PL7.1	50 g	107,00	90,85
Sodium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Na, Metallo-Organic Certified Reference Material	1PP2.1	50 g	112,90	95,90
Strontium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Sr, Metallo-Organic Certified Reference Material	1PLY.1	50 g	91,40	77,65
Sulphur Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g S, Metallo-Organic Certified Reference Material	1PNT.1	50 g	107,00	90,85
Thallium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Tl, Metallo-Organic Certified Reference Material	1PN4.1	50 g	127,95	108,70
Tin Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Sn, Metallo-Organic Certified Reference Material	1PN9.1	50 g	112,90	95,90
Titanium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Ti, Metallo-Organic Certified Reference Material	1PN5.1	50 g	160,20	136,15
Tungsten Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g W, Metallo-Organic Certified Reference Material	1PNE.1	50 g	97,75	83,00
Vanadium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g V, Metallo-Organic Certified Reference Material	1PP0.1	50 g	112,90	95,90
Yttrium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Y, Metallo-Organic Certified Reference Material	1PLT.1	50 g	91,40	77,65
Zinc Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Zn, Metallo-Organic Certified Reference Material	1PNL.1	50 g	155,90	132,45
Zirconium Standard Solution in 75 cSt Hydrocarbon Oil	1 000 µg/g Zr, Metallo-Organic Certified Reference Material	1PLE.1	50 g	112,90	95,90

For safety information and additional data, see our current catalogue or at www.carlroth.com

RECHTSTREEKSE BESTELLINGEN

0180 516704 · bestellingen@carlroth.nl

®
ROTH
CARL