

date of compilation: 30.11.2015

Revision: 06.05.2022

## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: **KK67** Version: **3.0 en** Replaces version of: 22.05.2020 Version: (2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Article number

Identification of the substance

**Potassium hydroxide solution in methanol** 0,5 mol/l - 0,5 N volumetric standard solution

KK67

Registration number (REACH)

not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement	
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318	
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370	

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### Pictograms



#### Hazard statements

	ghly flammable liquid and vapour ay be corrosive to metals
H301+H311+H331 To H314 Ca	xic if swallowed, in contact with skin or if inhaled uses severe skin burns and eye damage uses damage to organs (eye)

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P260	Do not breathe mist/vapours/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
P305+P351+P338	with water [or shower] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Hazardous ingredients for labelling:

Methanol, Potassium hydroxide

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





#### Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

#### article number: KK67

H301+H311+H331 H314 H370	Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to organs (eye).
	Do not breathe mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
contains:	Methanol, Potassium hydroxide

#### Other hazards 2.3

#### **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1	≥ 50	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311		GHS-HC IOELV
	EC No 200-659-6		Acute Tox. 3 / H331 STOT SE 1 / H370		
	Index No 603-001-00-X				
	REACH Reg. No 01-2119433307- 44-xxxx				
Potassium hydroxide	CAS No 1310-58-3	2,5 - < 5	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1A / H314		GHS-HC
	EC No 215-181-3		Eye Dam. 1 / H318	· ·	
	Index No 019-002-00-8				
	REACH Reg. No 01-2119487136- 33-xxxx				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value

according to Regulation (EC) No. 1907/2006 (REACH)



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

#### article number: KK67

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>/</sub> /4h	oral dermal inhalation: va- pour
Potassium hy- droxide	CAS No 1310-58-3 EC No 215-181-3 Index No 019-002-00-8	Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Dam. 1; H318: C ≥ 2 % Eye Irrit. 2; H319: 0,5 % ≤ C < 2 %	-	333 <sup>mg</sup> / <sub>kg</sub>	oral

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,

Following skin contact: Has degreasing effect on the skin, Corrosion,

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye), Risk of serious damage to eyes,

Following ingestion: Abdominal pain, Malaise, Vomiting, Gastric perforation, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Large doses may result in coma and death

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH)



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260					Н	2006/15/ EC
MT	methanol	67-56-1	OELV	200	260					Н	CAP. 424

Notation

Ceiling-C

H STEL

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects			
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects			
Potassium hydrox- ide	1310-58-3	DNEL	1 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects			

### **Relevant PNECs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	20,8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Methanol	67-56-1	PNEC	77 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Methanol	67-56-1	PNEC	7,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)			
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)			

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

#### • breakthrough times of the glove material


>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)



article number: KK67

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

Physical state	liquid
Colour	colourless
Odour	like: - alcohol
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	64 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	5,5 vol% (LEL) - 44 vol% (UEL)
Flash point	<21 °C
Auto-ignition temperature	455 °C
Decomposition temperature	not relevant
pH (value)	not determined (alkaline)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient Partition coefficient n-octanol/water (log value):	this information is not available
	this information is not available 128 hPa at 20 °C
Partition coefficient n-octanol/water (log value):	
Partition coefficient n-octanol/water (log value): Vapour pressure	
Partition coefficient n-octanol/water (log value): Vapour pressure Density and/or relative density	128 hPa at 20 °C



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

9

	Other safety parameters				
	Oxidising properties	none			
9.2	Other information				
	Information with regard to physical hazard classes:				
	Corrosive to metals	category 1: corrosive to metals			
	Other safety characteristics:				
	Miscibility	completely miscible with water			
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C			

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Substance or mixture corrosive to metals. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Danger of explosion:** Oxidisers, Perchlorates, Nitrogen oxides (NOx), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid, **Exothermic reaction with:** Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic, **Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

#### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

different metals, aluminium, iron, zinc, different plastics, Rubber articles

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution



#### article number: KK67

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ΑΤΕ	
Methanol	67-56-1	oral	100 <sup>mg</sup> / <sub>kg</sub>	
Methanol	67-56-1	dermal	300 <sup>mg</sup> / <sub>kg</sub>	
Methanol	67-56-1	inhalation: vapour	3 <sup>mg</sup> /ı/4h	
Potassium hydroxide	1310-58-3	oral	333 <sup>mg</sup> / <sub>kg</sub>	

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Methanol	67-56-1	inhalation: va- pour	LC50	131 <sup>mg</sup> / <sub>l</sub> /4h	rat
Methanol	67-56-1	oral	LD50	5.628 <sup>mg</sup> / <sub>kg</sub>	rat
Methanol	67-56-1	oral	LDLo	143 <sup>mg</sup> / <sub>kg</sub>	human
Methanol	67-56-1	dermal	LD50	15.800 <sup>mg</sup> / <sub>kg</sub>	rabbit
Potassium hydroxide	1310-58-3	oral	LD50	333 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness, large doses may result in coma and death, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

conjunctivitis (pink eye), causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

vertigo, cough, headache

#### • If on skin

has degreasing effect on the skin, causes severe burns, causes poorly healing wounds

#### • Other information

none

#### **11.2** Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Methanol	67-56-1	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Methanol	67-56-1	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h

#### **Biodegradation**

Data are not available.

#### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA

according to Regulation (EC) No. 1907/2006 (REACH)



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Methanol	67-56-1		-0,77	

#### 12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

6
6
6

#### 14.2 UN proper shipping name

FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

according to Regulation (EC) No. 1907/2006 (REACH)



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

	IMDG-Code	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
	ICAO-TI	Flammable liquid, toxic, corrosive, n.o.s.
	Technical name (hazardous ingredients)	Methanol, Potassium hydroxide
14.3	Transport hazard class(es)	
	ADR	3 (6.1) (8)
	IMDG-Code	3 (6.1) (8)
	ICAO-TI	3 (6.1) (8)
14.4	Packing group	
	ADR	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
UN3286, FLAMMABLE LIQUID, TOXIC, CORROS- IVE, N.O.S., (contains: Methanol, Potassium hy- droxide), 3 (6.1+8), II, (D/E)
FTC
3+6.1+8
274, 802(ADN)
E2
1 L
2
D/E
368

according to Regulation (EC) No. 1907/2006 (REACH)



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

International Maritime Dangerous Goods Code (IMDG) - Additional information				
Proper shipping name	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.			
Particulars in the shipper's declaration	UN3286, FLAMMABLE LIQUID, TOXIC, CORROS- IVE, N.O.S., (contains: Methanol, Potassium hy- droxide), 3 (6.1+8), II, <21°C c.c.			
Marine pollutant	-			
Danger label(s)	3+6.1+8			
Special provisions (SP)	274			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	1 L			
EmS	F-E, S-C			
Stowage category	В			
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information			
Proper shipping name	Flammable liquid, toxic, corrosive, n.o.s.			
Particulars in the shipper's declaration	UN3286, Flammable liquid, toxic, corrosive, n.o.s., (contains: Methanol, Potassium hydroxide), 3 (6.1+8), II			
Danger label(s)	3+6.1+8			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	0,5 L			

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture


Relevant provisions of the European Union (EU)

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Potassium hydroxide solution in methanol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Potassium hydroxide	substances in tattoo inks and perman- ent make-up		R75	75
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40

Legend

R3 1. Shall not be used in:





#### article number: KK67

#### Legend

ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  Articles not complying with paragraph 1 shall not be placed on the market.
  Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they
  - can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

 Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 metallic glitter intended mainly for decoration,
 artificial snow and frost,

 R40

- 'whoopee' cushions,

- silly string aerosols,
- imitation excrement

- horns for parties,
  decorative flakes and foams,
- artificial cobwebs,

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

For professional users only. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69

Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

#### article number: KK67

Legend

weight;

R75



(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.



## Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

#### article number: KK67

#### Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Deco-Paint Directive**

VOC content	>50 % 463,7 <sup>g</sup> /l	
-------------	--------------------------------	--

#### Industrial Emissions Directive (IED)

VOC content	>50 %
VOC content (Water content was discounted)	463,7 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium hydroxide	Metals and their compounds		a)	
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A)

Indicative list of the main pollutants


#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### Regulation on drug precursors

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)





article number: KK67

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS) DSL Domestic Substances List (DSL) ECSI EC Substance Inventory (EINECS, ELINCS, NLP) IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances KECI Korea Existing Chemicals Inventory NZIoC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution



article number: KK67

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term expos- ure. The product is combustible and can be ig- nited by potential ignition sources.	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

according to Regulation (EC) No. 1907/2006 (REACH)



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit

according to Regulation (EC) No. 1907/2006 (REACH)



# Potassium hydroxide solution in methanol 0,5 mol/l - 0,5 N volumetric standard solution

article number: KK67

Abbr.	Descriptions of used abbreviations	
STOT SE	Specific target organ toxicity - single exposure	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H370	Causes damage to organs (eye).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.