

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: **4260**
Version: **1.0 en**

date of compilation: 2016-06-27

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	3-methylbutan-1-ol
Article number	4260
Registration number (REACH)	01-2119493725-26-xxxx
Index No	603-006-00-7
EC number	204-633-5
CAS number	123-51-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.6	flammable liquid	(Flam. Liq. 3)	H226
3.1I	acute toxicity (inhal.)	(Acute Tox. 4)	H332
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	(STOT SE 3)	H335

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Warning

Pictograms



Hazard statements

H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective clothing/eye protection.

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool.

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	3-methylbutan-1-ol
Index No	603-006-00-7
Registration number (REACH)	01-2119493725-26-xxxx
EC number	204-633-5
CAS number	123-51-3
Molecular formula	C ₅ H ₁₂ O
Molar mass	88 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye), Corneal opacity,
Following skin contact: Pruritis, Localised redness, Has degreasing effect on the skin,
After ingestion: Irritant effects, Nausea, Vomiting,
Following inhalation: Cough, pain, choking, and breathing difficulties

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Special protective equipment for firefighters

Protective clothing against liquid and gaseous chemicals, including liquid aerosols and solid particles. Self-contained breathing apparatus (SCBA). Self-contained breathing apparatus (EN 133).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

- Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Notation	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
IE	isoamylalcohol	123-51-3		OELV	100	360	125	450	S.I. No. 619 of 2001

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	73,16 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	292 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	73,16 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	292 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	0,105 mg/cm ³	marine sediment	continuous
PNEC	0,0255 mg/cm ³	marine water	continuous
PNEC	37 mg/cm ³	air	continuous
PNEC	1,05 mg/cm ³	freshwater sediment	continuous
PNEC	0,255 mg/cm ³	freshwater	continuous
PNEC	0,061 mg/cm ³	soil	continuous
PNEC	0,255 mg/l	freshwater	short-term (single instance)
PNEC	0,025 mg/l	marine water	short-term (single instance)
PNEC	2,55 mg/l	water	continuous
PNEC	37 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	1,05 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,105 mg/kg	marine sediment	short-term (single instance)
PNEC	0,061 mg/kg	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm.

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	characteristic
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	7 (25 g/l, 20 °C)
Melting point/freezing point	-147 °C at 1.013 hPa
Initial boiling point and boiling range	130,7 °C at 1.013 hPa
Flash point	43,5 °C at 1.013 hPa
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)

Explosive limits

• lower explosion limit (LEL)	1,2 vol% (44 g/m ³)
• upper explosion limit (UEL)	10,5 vol% (385 g/m ³)
Explosion limits of dust clouds	not relevant
Vapour pressure	3 hPa at 20 °C
Density	0,81 g/cm ³ at 20 °C
Vapour density	3,04 (air = 1)
Bulk density	Not applicable
Relative density	Information on this property is not available.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

Solubility(ies)

Water solubility 30 g/l at 20 °C

Partition coefficient

n-octanol/water (log KOW) 1,35 (pH value: 6,5) (ECHA)

Soil organic carbon/water (log KOC) 0,726 (ECHA)

Auto-ignition temperature 335 °C - ECHA

Decomposition temperature no data available

Viscosity

• dynamic viscosity 4,3 mPa s at 20 °C

Explosive properties none

Oxidising properties none

9.2 Other information

Refractive index 1,406

Temperature class (EU, acc. to ATEX) T2 (Maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

risk of ignition. In case of warming: Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Chlorine, Hydrogen peroxide, Sulphuric acid, Violent reaction with: Alkali metals, Alkaline earth metal, Oxygen, Strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful in contact with skin.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>5.000 mg/kg	rat	ECHA
dermal	LD50	3.216 mg/kg	rabbit	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

May cause respiratory irritation.

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, abdominal pain, nausea

• If in eyes

corneal opacity, conjunctivitis (pink eye), causes tears

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

has degreasing effect on the skin, localised redness, Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

Other information

None

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	700 mg/l	fish	ECHA	96 h
EC50	255 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	>500 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	320 mg/l	aquatic invertebrates	ECHA	24 h

12.2 Process of degradability

The substance is readily biodegradable.
Theoretical Oxygen Demand: 2,727 mg/mg
Theoretical Carbon Dioxide: 2,501 mg/mg
Biochemical Oxygen Demand: 1,5 g/g

Process	Degradation rate	Time
biotic/abiotic	84 %	27 d
oxygen depletion	84 %	27 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 1,35 (pH value: 6,5)

12.4 Mobility in soil

Henry's law constant 1,34 Pa m³/mol at 25 °C

The Organic Carbon normalised adsorption coefficient 0,726

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Slightly hazardous to water.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1105
14.2	UN proper shipping name	PENTANOLS
	Hazardous ingredients	Isoamyl alcohol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	1105
	Proper shipping name	PENTANOLS
	Particulars in the transport document	UN1105, PENTANOLS, 3, III, (D/E)
	Class	3
	Classification code	F1
	Packing group	III
	Danger label(s)	3

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260



Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30

• International Maritime Dangerous Goods Code (IMDG)

UN number	1105
Proper shipping name	PENTANOLS
Particulars in the shipper's declaration	UN1105, PENTANOLS, 3, III, 43,5°C c.c.
Class	3
Packing group	III
Danger label(s)	3



Special provisions (SP)	223
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**
Not listed.
- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**
Not listed.
- **Regulation 850/2004/EC on persistent organic pollutants (POP)**
Not listed.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

- **Restrictions according to REACH, Annex XVII**

not listed

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- REACH (Europe)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Isoamyl alcohol ROTICHROM® GC

article number: 4260

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	flammable liquid and vapour
H332	harmful if inhaled
H335	may cause respiratory irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.