

Technical Info



Nutrient Dry Media

Summary acc. to usage for microorganisms

| Art. No. | Medium | Media Specialised for... | | | | | | | | | | | | | |
|----------|---|--------------------------|-------|------------|----------|-------------------|------------|-------------|-------------|--------------------|------------|--------------|-----------|---------|----------|
| | | Ph. Eur. | Water | Whole Germ | Coliform | Clo & Bruc & Camp | Enterobac. | Yeast Mould | Lacto & Bac | Pseudo & Leg & Lis | Sal & Shig | Staph & Stre | Chromogen | Special | Mol Biol |
| X967 | 2x YT Agar | | | | | | | | | | | | | | |
| X966 | 2x YT Broth | | | | | | | | | | | | | | |
| 6676 | 2x YT Broth, granulated | | | | | | | | | | | | | | |
| CP61 | Acetamide Broth (Solution A) | | Water | | | | | | | Pseu | | | | | |
| CL53 | Antibiotic Medium No. 1 | | | | | | | | | | | | Special | | |
| CL54 | Antibiotic Medium No. 23 | | | | | | | | | | | | Special | | |
| CL79 | Azide Dextrose broth | | | | | | Enterobac. | | | | | | | | |
| X913 | Baird Parker Agar | | | | | | | | | | | Staph | | | |
| AE24 | Bengal Red Agar (with chloroamphenicol) (RBC) | | | | | | | Yeast Mould | | | | | | | |
| CP62 | Bile Esculine Azide Agar | | Water | | | | Enterobac. | | | | | | | | |
| 8281 | Blood Agar No. 2 (Base) | | | | | | | | Bac | Lis | | Strep | | | |
| X914 | Blood Agar (Base) | | | | | | | | | | | Strep | | Special | |
| X915 | Brain Heart Infusion Agar | | | Whole Germ | | | | | | | | | | | |
| X916 | Brain Heart Infusion Broth | | | Whole Germ | | | | | | | | | | | |
| CL06 | Brilliant Green Bile Broth | | Water | | Coliform | | | | | | | | | | |
| AE43 | Brilliant Green Lactose Sucrose Agar | | | | | | | | | | Sal | | | | |
| AE42 | Brilliant Green Tetrathionate Bile Broth | | | | | | | | | | Sal | | | | |
| 5752 | Brucella Agar | | | | | Bruc | | | | | | | | | |
| 5754 | Brucella Bouillon | | | | | Bruc | | | | | | | | | |
| 5756 | Campylobacter Agar, blood-free (Base) | | | | | Camp | | | | | | | | | |
| 8847 | Campylobacter Selective Agar (Base) | | | | | Camp | | | | | | | | | |
| 2922 | Candida Chromogenic Agar | | | | | | | Yeast Mould | | | | | Chromogen | | |
| X937 | CASO Agar (Soy Broth, TSB Agar) | | | Whole Germ | | | | | | | | | | | |
| 8848 | CASO Agar with Lecithin/Polysorbate 80 | | | Whole Germ | | | | | | | | | | Special | |
| X938 | CASO Bouillon (Soy Broth, TSB) | | | Whole Germ | | | | | | | | | | | |
| 6678 | CASO Bouillon, granulated (Soy Broth, TSB) | | | Whole Germ | | | | | | | | | | | |
| 0139 | CASO Bouillon, vegetal (Soy Broth, TSB) | | | Whole Germ | | | | | | | | | | | |
| X918 | Cetrimide Agar | | | | | | | | | Pseu | | | | | |
| 2835 | CLED Agar | | | | | | | | | | | | | Special | |
| 2836 | CLED Agar plus | | | | | | | | | | | | | Special | |
| 2923 | Coli Fluoro Medium | | | | Coliform | | | | | | | | Chromogen | | |
| CL45 | Coliforme Chromogenic Agar | | Water | | Coliform | | | | | | | | Chromogen | | |
| 8849 | Coliforme Chromogenic Agar (ISO) | | Water | | Coliform | | | | | | | | Chromogen | | |
| X919 | Columbia Agar (Base) | | | Whole Germ | | | | | | | | | | Special | |
| 2997 | Cronobacter Chromogenic Agar | | | | Coliform | | Enterobac. | | | | | | Chromogen | | |



Technical Info

Well advised with Roth.

| Art. No. | Medium | Media Specialised for... | | | | | | | | | | | | | |
|----------|--|--------------------------|-------|------------|----------|-------------------|------------|-------------|-------------|--------------------|--------------|--------------|-----------|---------|----------|
| | | Ph. Eur. | Water | Whole Germ | Coliform | Clo & Bruc & Camp | Enterobac. | Yeast Mould | Lacto & Bac | Pseudo & Leg & Lis | Sal & Shig | Staph & Stre | Chromogen | Special | Mol Biol |
| 8850 | D/E Neutralisierungs-Agar | | | | | | | | | | | | | | |
| AE44 | Desoxycholat Citrate Agar | | | | | | | | | | Sal, S hi | | | | |
| AE25 | Dichlorane Bengal Red Agar (with chloroamph.) (DRBC) | | | | | | | | | | | | | | |
| AE26 | Dichlorane Glycerol Agar (DG18) (Base) | | | | | | | | | | | | | | |
| CL78 | Differential Reinforced Clostridial Medium (DRMC) | | | | | Clo | | | | | | | | | |
| 8295 | DNase Test Agar | | | | | | | | | | | Staph | | | |
| 8310 | EC Broth | | | | | | | | | | | | | | |
| X920 | Endo Agar | | | | | | | | | | | | | | |
| HP17 | Fraser Broth (Base) | | | | | | | | | | Lis | | | | |
| HP18 | Fraser Half Broth (Base) | | | | | | | | | | Lis | | | | |
| HP07 | Gelatine Agar (DEV) | | | | | | | | | | | | | | |
| CP64 | King's B Medium (Base) | | | | | | | | | | Pseu | | | | |
| 5758 | Kligler Iron Agar | | | | | | | | | | | | | | |
| X921 | Lactose Broth | | | | | | | | | | Sal | | | | |
| CL76 | Lactose Broth (DEV) | | | | | | | | | | | | | | |
| CL77 | Lactose Peptone Broth (DEV) | | | | | | | | | | | | | | |
| AE46 | Lactose Sulfite Broth | | | | | Clo | | | | | | | | | |
| CL80 | Laurylsulphat Broth | | | | | | | | | | | | | | |
| X965 | LB Agar (Lennox) | | | | | | | | | | | | | | |
| 6671 | LB Agar (Lennox), granulated | | | | | | | | | | | | | | |
| 0159 | LB Agar (Lennox), vegetal | | | | | | | | | | | | | | |
| X969 | LB Agar (Luria/Miller) | | | | | | | | | | | | | | |
| 6675 | LB Agar (Luria/Miller), granulated | | | | | | | | | | | | | | |
| X964 | LB Broth (Lennox) | | | | | | | | | | | | | | |
| 6669 | LB Broth (Lennox), granulated | | | | | | | | | | | | | | |
| 0155 | LB Broth (Lennox), vegetal | | | | | | | | | | | | | | |
| X968 | LB Broth (Luria/Miller) | | | | | | | | | | | | | | |
| 6673 | LB Broth (Luria/Miller), granulated | | | | | | | | | | | | | | |
| CL48 | Legionella Agar (Base) | | | | | | | | | | Leg | | | | |
| 5759 | Lethen Agar modified | | | | | | | | | | | | | | |
| 5761 | Lethen Broth modified | | | | | | | | | | | | | | |
| 3008 | Listeria Chromogenic Agar | | | | | | | | | | Lis | | | | |
| 8322 | Lysin Iron Agar | | | | | | | | | | Sal, S hi | | | | |
| X922 | MacConkey Agar | | | | | | | | | | | | | | |
| AE47 | MacConkey Broth | | | | | | | | | | | | | | |
| X923 | Malt Extract Agar | | | | | | | | | | | | | | |
| CP75 | Malt Extract Broth | | | | | | | | | | | | | | |
| CL81 | Mannitol Salt Agar | | | | | | | | | | | Staph | | | |
| 5765 | Mannitol Egg Yolk Polymyxin Agar (Base) | | | | | | | | | Bac | | | | | |
| CP73 | Marine Broth | | | | | | | | | | | | | | |
| 5766 | Maximum Recovery Solution | | | | | | | | | | | | | | |
| CL55 | m-CP Agar (Base) | | | | | Clo | | | | | | | | | |
| 3014 | mEI Chromogenic Agar | | | | | | | | | | | | | | |
| AE65 | Mossel-Enrichment Broth | | | | | | | | | | Sal | | | | |
| X924 | MRS Agar | | | | | | | | | Lac | | | | | |





Technical Info

Well advised with Roth.

| Art. No. | Medium | Media Specialised for... | | | | | | | | | | | | | |
|----------|---|--------------------------|-------|------------|----------|-------------------|------------|-------------|-------------|--------------------|------------|--------------|-----------|---------|----------|
| | | Ph. Eur. | Water | Whole Germ | Coliform | Clo & Bruc & Camp | Enterobac. | Yeast Mould | Lacto & Bac | Pseudo & Leg & Lis | Sal & Shig | Staph & Stre | Chromogen | Special | Mol Biol |
| HP65 | MRS Agar pH 5.7 | | | | | | | | Lac | | | | | | |
| X925 | MRS Broth | | | | | | | | Lac | | | | | | |
| HP64 | MRS Broth pH 5.7 | | | | | | | | Lac | | | | | | |
| 3026 | MRSA Chromogenic Agar | | | | | | | | | | | Staph | | | |
| 1E1K | MR/VP Broth | | | | | | | | | | | | | | |
| X926 | Mueller Hinton Agar | | | | | | | | | | | Staph | | | |
| X927 | Mueller Hinton Broth | | | | | | | | | | | | | | |
| 8323 | Mueller Kauffmann Broth (Base) | | | | | | | | | | Sal | | | | |
| X928 | Nutrient Agar | | | | | | | | | | | | | | |
| CL02 | Nutrient Agar (DEV) | | | | | | | | | | | | | | |
| CP66 | Nutrient Agar (DEV/ISO) | | | | | | | | | Pseu | | | | | |
| X929 | Nutrient Broth | | | | | | | | | | | | | | |
| X974 | NZCYM Broth | | | | | | | | | | | | | | |
| X973 | NZYM Broth | | | | | | | | | | | | | | |
| HP09 | Orange Serum Agar | | | | | | | | | | | | | | |
| 5767 | Oxford Listeria Agar | | | | | | | | | Lis | | | | | |
| 5768 | Palcam Listeria Agar | | | | | | | | | Lis | | | | | |
| X917 | Peptone Water, buffered | | | | | | | | | | | | | | |
| 6680 | Peptone Water, buffered, granulated | | | | | | | | | | | | | | |
| AE67 | Peptone Water, buffered (Ph. Eur.) | | | | | | | | | | | | | | |
| X930 | Plate Count Agar | | | | | | | | | | | | | | |
| HP08 | Plate Count Agar with Powdered Milk | | | | | | | | | | | | | | |
| X931 | Potato Extract Glucose Agar | | | | | | | | | | | | | | |
| CP74 | Potato Extract Glucose Broth | | | | | | | | | | | | | | |
| 3075 | Pseudomonas Chromogenic Agar | | | | | | | | | Pseu | | | | | |
| CP67 | Pseudomonas Selective Agar (CN Agar) (Base) | | | | | | | | | Pseu | | | | | |
| CL01 | R2A Agar | | | | | | | | | | | | | | |
| CL03 | Rappaport Vassiliadis Broth (RVS) | | | | | | | | | | Sal | | | | |
| AE66 | Reinforced Clostridial Medium (RCM) | | | | | | | | | | | | | | |
| 8329 | Rogosa Agar | | | | | | | | | Lac | | | | | |
| AE22 | Sabouraud 2% Glucose Agar | | | | | | | | | | | | | | |
| AE23 | Sabouraud 2% Glucose Broth | | | | | | | | | | | | | | |
| X932 | Sabouraud 4% Glucose Agar | | | | | | | | | | | | | | |
| X933 | Sabouraud 4% Glucose Agar (with chloramphenicol) | | | | | | | | | | | | | | |
| AE48 | Sabouraud 4% Glucose Agar (with chloramph.) (Ph.Eur.) | | | | | | | | | | | | | | |
| CL46 | Salmonella Chromogenic Agar | | | | | | | | | | Sal | | | | |
| X934 | Salmonella Shigella Agar | | | | | | | | | | Sal | | | | |
| 5771 | Schaedler Agar | | | | | | | | | | | | | | |
| 5772 | Schaedler Bouillon | | | | | | | | | | | | | | |
| 5774 | Simmons Citrate Agar | | | | | | | | | | | | | | |
| X935 | Slanetz Bartley Agar | | | | | | | | | | | Strep | | | |
| CP68 | Slanetz Bartley Medium (with tetrazolium chloride) | | | | | | | | | | | | | | |
| AE27 | SOB Broth | | | | | | | | | | | | | | |
| 5778 | Sorbitol MacConkey Agar | | | | | | | | | | | | | | |



| Art. No. | Medium | Media Specialised for... | | | | | | | | | | | | | |
|----------|--|--------------------------|-------|------------|-----------|-------------------|------------|-------------|-------------|--------------------|------------|--------------|-----------|---------|----------|
| | | Ph. Eur. | Water | Whole Germ | Colliform | Clo & Bruc & Camp | Enterobac. | Yeast Mould | Lacto & Bac | Pseudo & Leg & Lis | Sal & Shig | Staph & Stre | Chromogen | Special | Mol Biol |
| AE91 | Standard Count Agar | | | | | | | | | | | | | | |
| AE93 | Standard Nutrient Agar I | | | | | | | | | | | | | | |
| AE92 | Standard Nutrient Broth I | | | | | | | | | | | | | | |
| 3935 | TAT-Bouillon | | | | | | | | | | | | | | |
| CL47 | TBX Chromogenic Agar | | | | | | | | | | | | | | |
| 8333 | TCBS Agar | | | | | | | | | | | | | | |
| X972 | Terrific Broth | | | | | | | | | | | | | | |
| 0161 | Terrific Broth, vegetale | | | | | | | | | | | | | | |
| HP61 | Terrific Broth modified | | | | | | | | | | | | | | |
| 3556 | Terrific Broth granulated | | | | | | | | | | | | | | |
| 1E12 | Thioglycolate Broth | | | | | | | | | | | | | | |
| X936 | Todd Hewitt Broth | | | | | | | | | | | | | | |
| AE49 | Triple Sugar Iron Agar (Base) | | | | | | | | | | | | | | |
| CP69 | Tryptone Bile Agar (TBA) | | | | | | | | | | | | | | |
| CP70 | Tryptone Soy Agar (TSA) | | | | | | | | | | | | | | |
| CP71 | Tryptophane Broth | | | | | | | | | | | | | | |
| CL51 | TSC Agar (Base) | | | | | | | | | | | | | | |
| CP65 | TTC Chapman Agar (with sod. heptadecylsulph.) (Base) | | | | | | | | | | | | | | |
| 8337 | Universal-Bier-Agar (Basis) | | | | | | | | | | | | | | |
| 3089 | UTI Chromogenic Agar | | | | | | | | | | | | | | |
| X939 | Violet Red Bile Agar with Dextrose (VRBD) | | | | | | | | | | | | | | |
| AE45 | Violet Red Bile Agar with Dextrose and Lactose | | | | | | | | | | | | | | |
| X940 | Violet Red Bile Agar with Lactose (VRB) | | | | | | | | | | | | | | |
| CL04 | Wort Agar | | | | | | | | | | | | | | |
| 5779 | Wort Broth | | | | | | | | | | | | | | |
| X941 | XLD Agar | | | | | | | | | | | | | | |
| CP63 | Yeast Extract Agar | | | | | | | | | | | | | | |
| CL00 | Yeast Glucose Agar (with chloramphenicol) | | | | | | | | | | | | | | |
| HP26 | Yeast Nitrogen Base (without Amino Acids) | | | | | | | | | | | | | | |
| 5780 | Yersinia Selective Agar (Base) | | | | | | | | | | | | | | |
| X971 | YPD Agar | | | | | | | | | | | | | | |
| X970 | YPD Broth | | | | | | | | | | | | | | |





Well advised with Roth.

Technical Info

Legend:

| | |
|--------------------|--|
| Ph. Eur. | Media acc. to European Pharmacopeia |
| Water | Media acc. to DEV or drinking water directives |
| Whole Germ | Detection of whole germs or unspecific microorganisms |
| Coliform | Detection of coliforms and <i>E. coli</i> |
| Clo & Bruc & Camp | Detection of <i>Clostridia</i> , <i>Brucella</i> or <i>Campylobacter</i> |
| Enterobac. | Detection of enterobacteria |
| Yeast & Mould | Detection of yeasts or moulds |
| Lacto & Bac | Detection of lactobacilli or bacilli |
| Pseudo & Leg & Lis | Detection of pseudomonads, legionells or listeriae |
| Sal & Shig | Detection of salmonellae or shigellae |
| Staph & Stre | Detection of staphylococci or streptococci |
| Chromogen | Chromogenic and fluorogenic media |
| Special | Media for special applications |
| Mol Biol | Media for applications in molecular biology |

j.h. 09/2020