

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: **0111** Version: **5.1 en** Replaces version of: 09.09.2021 Version: (5)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

0111

[008-003-00-9]

[231-765-0]

[7722-84-1]

Biocidal product Laboratory chemical

1.1 Product identifier

Identification of the substance Article number

Index number in CLP Annex VI EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory and analytical use Do not use for private purposes (household).

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

Uses advised against:

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | | Eye Dam. 1 | H318 |
| 3.8R | Specific target organ toxicity - single exposure (respirat- ory tract irritation) | | STOT SE 3 | H335 |

For full text of abbreviations: see SECTION 16

date of compilation: 27.01.2017 Revision: 10.11.2022

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

| H302+H332 | Harmful if swallowed or if inhaled |
|-----------|------------------------------------|
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection

Precautionary statements - response

| P302+P352 | IF ON SKIN: Wash with plenty of soap and water |
|----------------|---|
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing |
| P310 | Immediately call a POISON CENTER/doctor |

Hazardous ingredients for labelling:

Hydrogen peroxide solution ... %

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H318Causes serious eye damage.P280Wear protective gloves/eye protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P310Immediately call a POISON CENTER/doctor.contains:Hydrogen peroxide solution ... %

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol[®] 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

SECTION 3: Composition/information on ingredients

Substances 3.1

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|---------------------------------|---|-----|--|------------|----------------|
| Hydrogen peroxide solution % | CAS No 7722-84-1 EC No 231-765-0 Index No 008-003-00-9 | 35 | Ox. Liq. 1 / H271 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Chronic 3 / H412 | | B(a) GHS-HC |

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ΑΤΕ | Exposure route |
|-----------------------------------|---|--|------------------|--|---------------------------------|
| Hydrogen perox- ide solution % | CAS No 7722-84-1 EC No 231-765-0 Index No 008-003-00-9 | Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 % | - | 500 ^{mg} / _{kg} 11 ^{mg} / _I /4h | oral inhalation: va- pour |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

according to Regulation (EC) No. 1907/2006 (REACH)

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized



article number: 0111

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Dyspnoea, Pulmonary irritation, Following skin contact: Irritation, After eye contact: Conjunctivitis (pink eye), Risk of serious damage to eyes, Risk of blindness, Following ingestion: Nausea, Vomiting, Diarrhoea, Vertigo, Spasms, Unconsciousness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, foam, dry extinguishing powder

Unsuitable extinguishing media

water jet, carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Oxidising property. The product itself does not burn.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Protect from sunlight. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Do not keep the container sealed. Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time | | |
|---------------------------------|-----------|---------------|---------------------|--|-------------------|------------------------------|--|--|
| Hydrogen peroxide solution % | 7722-84-1 | DNEL | 1,4 mg/m³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects | | |
| Hydrogen peroxide solution % | 7722-84-1 | DNEL | 3 mg/m³ | human, inhalat- ory | worker (industry) | acute - local ef- fects | | |

according to Regulation (EC) No. 1907/2006 (REACH)

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized



article number: 0111

| Relevant PNECs of components of the mixture | | | | | | | |
|---|-----------|---------------|--|----------------------------|---------------------------------|---------------------------------|--|
| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,0138 ^{mg} / _l | aquatic organ- isms | water | intermittent re- lease | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,013 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,013 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 4,66 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,047 ^{mg} / ^{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,047 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) | |
| Hydrogen peroxide solution % | 7722-84-1 | PNEC | 0,002 ^{mg} / kg | terrestrial organ- isms | soil | short-term (single instance) | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

≥0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

according to Regulation (EC) No. 1907/2006 (REACH)

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized



article number: 0111

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|--|---|
| Colour | colourless |
| Odour | faintly perceptible |
| Melting point/freezing point | -33 °C |
| Boiling point or initial boiling point and boiling range | 108 °C |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | 3 |
| Kinematic viscosity | 0,9806 ^{mm²} / _s at 20 °C |
| Dynamic viscosity | 1,11 mPa s at 20 °C |
| Solubility(ies) | |
| Water solubility | miscible in any proportion |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | -1,57 (25 °C) |
| Vapour pressure | 23 hPa at 20 °C |
| Density and/or relative density | |
| Density | 1,132 ^g / _{cm³} at 20 °C |

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| Relative vapour density | information on this property is not available |
|---|--|
| Particle characteristics | not relevant (liquid) |
| Other safety parameters | |
| Oxidising properties | none |
| Other information | |
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics: | |
| Miscibility | completely miscible with water |
| CTION 10: Stability and reactivity | |

SECTION 10: Stability and reactiv

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: Acetone, Aldehydes, Alkalis, Alkali hydroxide (caustic alkali), Alkali metals, Alcohols, Amines, Ammonia (NH3), Aniline, Lead, Lead oxide, Alkaline earth metal, Acetic acid, Acetic anhydride, Ether, Hydrazine, Metals, Metal powder, Sodium, Organic substances, Permanganates, Phosphorus, Phosphorus oxides (e.g. P2O5), Reducing agents, Nitric acid, Sulphuric acid, Heavy metals, => Explosive properties

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

lead, iron, copper, bronze, brass, silver, zinc, chromium

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| Acute toxicity estimate (ATE) of components of the mixture | | | | | | | | |
|--|-----------|------|-----------------------------------|--|--|--|--|--|
| Name of substance CAS No Exposure route ATE | | | | | | | | |
| Hydrogen peroxide solution % | 7722-84-1 | oral | 500 ^{mg} / _{kg} | | | | | |
| Hydrogen peroxide solution % 7722-84-1 inhalation: vapour 11 ^{mg} /l/4h | | | | | | | | |

Acute toxicity of components of the mixture

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species | |
|------------------------------|-----------|-------------------|----------|--------------------------------------|---------|--|
| Hydrogen peroxide solution % | 7722-84-1 | oral | LD50 | 693,7 ^{mg} / _{kg} | rat | |
| Hydrogen peroxide solution % | 7722-84-1 | oral | LD50 | 1.026 ^{mg} / _{kg} | rat | |
| Hydrogen peroxide solution % | 7722-84-1 | dermal | LD50 | >2.000 ^{mg} / _{kg} | rabbit | |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, abdominal pain, nausea

• If in eyes

conjunctivitis (pink eye), Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

Other information

Other adverse effects: Headache, Spasms, Vertigo, Unconsciousness

- **11.2 Endocrine disrupting properties** None of the ingredients are listed.
- **11.3 Information on other hazards** There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) of components of the mixture | | | | | | | | |
|---|-----------|----------|-----------------------------------|---------|------------------|--|--|--|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time | | | |
| Hydrogen peroxide solution % | 7722-84-1 | LC50 | 16,4 ^{mg} / _l | fish | 96 h | | | |
| Hydrogen peroxide solution % | 7722-84-1 | ErC50 | 1,38 ^{mg} / _l | algae | 72 h | | | |

Aquatic toxicity (chronic) of components of the mixture

| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
|---------------------------------|-----------|----------|----------------------------------|----------------|------------------|
| Hydrogen peroxide solution % | 7722-84-1 | EC50 | 466 ^{mg} / _l | microorganisms | 30 min |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol[®] 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

SECTION 13: Disposal considerations

Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4
- irritant skin irritation and eye damage specific target organ toxicity (STOT)/aspiration toxicity HP 5
- HP 6 acute toxicity
- HP 8 corrosive HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| UN number or ID number | |
|----------------------------|---|
| ADR | UN 2014 |
| IMDG-Code | UN 2014 |
| ICAO-TI | UN 2014 |
| UN proper shipping name | |
| ADR | HYDROGEN PEROXIDE, AQUEOUS SOLUTION |
| IMDG-Code | HYDROGEN PEROXIDE, AQUEOUS SOLUTION |
| ICAO-TI | Hydrogen peroxide, aqueous solution |
| Transport hazard class(es) | |
| ADR | 5.1 (8) |
| IMDG-Code | 5.1 (8) |
| ICAO-TI | 5.1 (8) |
| Packing group | |
| ADR | II |
| IMDG-Code | II |
| ICAO-TI | II |
| | ADR IMDG-Code ICAO-TI UN proper shipping name ADR IMDG-Code ICAO-TI Transport hazard class(es) ADR IMDG-Code ICAO-TI Packing group ADR |

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

- **14.5** Environmental hazardsnon-environmentally hazardous acc. to the dan-
gerous goods regulations
- 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

| Transport of dangerous goods by road, rail a information | nd inland waterway (ADR/RID/ADN) - Additional |
|--|--|
| Proper shipping name | HYDROGEN PEROXIDE, AQUEOUS SOLUTION |
| Particulars in the transport document | UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLU- TION, stabilized, 5.1 (8), II, (E) |
| Classification code | OC1 |
| Danger label(s) | 5.1+8 |
| | |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 58 |
| International Maritime Dangerous Goods Co | de (IMDG) - Additional information |
| Proper shipping name | HYDROGEN PEROXIDE, AQUEOUS SOLUTION |
| Particulars in the shipper's declaration | UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLU- TION, stabilized, 5.1 (8), II |
| Marine pollutant | - |
| Danger label(s) | 5.1+8 |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-H, S-Q |
| Stowage category | D |
| Segregation group | 16 - Peroxides |
| | |

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 0111

| International Civil Aviation Organization (ICA | O-IATA/DGR) - Additional information |
|--|--|
| Proper shipping name | Hydrogen peroxide, aqueous solution |
| Particulars in the shipper's declaration | UN2014, Hydrogen peroxide, aqueous solution, stabilized, 5.1 (8), II |
| Danger label(s) | 5.1+8 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 0,5 L |

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | | |
|---|--|--------|-------------|----|--|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No | |
| Wapersol®, only available in Ger- many 35 % H2O2, Biocide Grade, sta- bilised | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 | |
| Hydrogen peroxide solution % | substances in tattoo inks and perman- ent make-up | | R75 | 75 | |

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on containers not exceeding 1 litro by 1 December 2010. opaque containers not exceeding 1 litre by 1 December 2010.';

Wapersol® 35 % H₂O₂, Biocide Grade, stabilized



article number: 0111



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | | |
|-------------------------|---------------------------------------|---|-------|--|--|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes | | |
| | not assigned | | | | |

Deco-Paint Directive

| VOC content | 0 % 0 ⁹ / ₁ |
|-------------|--------------------------------------|
|-------------|--------------------------------------|

Industrial Emissions Directive (IED)

| VOC content | 0 % |
|--|-------------------------------|
| VOC content (Water content was discounted) | 0 ^g / ₁ |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

| Name of substance Name acc. to inventory | | CAS No | Listed in | Remarks | | |
|---|--|--------|-----------|---------|--|--|
| Wapersol®, only available in Ger- many 35 % H2O2, Biocide Grade, stabilised | Biocides and plant protection products | | a) | | | |
| Hydrogen peroxide solution % | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | | | |

Legend

A) Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| egulation on the marketing and use of explosives precursors Explosives precursors which are subject to restrictions | | | | | | |
|--|-----------|-----|----------------------|--------------|----------------|--|
| Name of substance | CAS No | Wt% | Type of registration | Re- marks | Limit value | Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3) |
| Hydrogen peroxide solution % | 7722-84-1 | 35 | Annex I | | 12 % w/w | 35 % w/w |

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| Country | Inventory | Status | | | |
|--|--|--|--|--|--|
| TR | CICR | not all ingredients are listed | | | |
| TW | TCSI | all ingredients are listed | | | |
| US | TSCA | all ingredients are listed | | | |
| DSL ECSI IECSC INSQ KECI NZIoC PICCS | Domestic Substances List EC Substance Inventory (I Inventory of Existing Che National Inventory of Che Korea Existing Chemicals New Zealand Inventory o | Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances Inventory f Chemicals nemicals and Chemical Substances (PICCS) nces ice Inventory | | | |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| ΙΑΤΑ | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| Ox. Liq. | Oxidising liquid |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| VOC | Volatile Organic Compounds |

according to Regulation (EC) No. 1907/2006 (REACH)



Wapersol® 35 % H₂O₂, Biocide Grade, stabilized

article number: 0111

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H271 | May cause fire or explosion; strong oxidiser. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.