acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255 date of compilation: 2018-06-25 Version: GHS 3.0 en

Replaces version of: 2021-08-09

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Copper(II) nitrate trihydrate** ≥98 %, extra pure

Article number 0255

CAS number 10031-43-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 14



Revision: 2024-03-03

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



Signal word **Danger**

Pictograms

GHS03, GHS07





Hazard statements

May intensify fire; oxidiser
Harmful if swallowed
Causes skin irritation
Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Wear protective gloves P280

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Copper(II) nitrate trihydrate

Molecular formula $Cu(NO_3)_2 \cdot 3 H_2O$

Molar mass 241.6 g/mol CAS No 10031-43-3

Australia (en) Page 2 / 14



Labelling

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Vomiting, Corneal opacity, Methaemoglobinaemia

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNE	Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects		
DNEL	137 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

Environmental values

Relevant PNECs and other threshold levels Threshold **Environmental com-**End-**Organism Exposure time** point level partment $7.8 \,^{\mu g}/_{l}$ **PNEC** freshwater aquatic organisms short-term (single instance) **PNEC** $5.2 \, \mu g/_1$ marine water aquatic organisms short-term (single instance) **PNEC** 230 ^{µg}/_I aquatic organisms sewage treatment plant short-term (single instance) (STP) $87 \frac{\text{mg}}{\text{kg}}$ **PNEC** aquatic organisms freshwater sediment short-term (single instance) **PNEC** 676 mg/kg aquatic organisms marine sediment short-term (single instance) $65 \frac{mg}{kg}$ **PNEC** terrestrial organisms soil short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Page 5 / 14 Australia (en)

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour blue

Odour odourless

Melting point/freezing point 114.5 °C (Release of crystal water)

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible

Australia (en) Page 6 / 14



acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255

Lower and upper explosion limit not determined

Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature >114.5 °C

pH (value) 3-4 (in aqueous solution: $50 \, {}^{g}/_{l}$, $20 \, {}^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 2,600 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $2.05 \, \mathrm{g/_{cm^3}}$ at 20 °C

Relative vapour density Information on this property is not available.

Bulk density $1,000 - 1,100 \frac{\text{kg}}{\text{m}^3}$

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

Moisture-sensitive.

10.3 Possibility of hazardous reactions

Violent reaction with: Acetylene, Ammonia (NH3), Acetic anhydride, Metal powder, Reducing agents, => Explosive properties

There is no additional information.

Australia (en) Page 7 / 14



acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	940 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

If swallowed

vomiting, nausea

If in eyes

Australia (en) Page 8 / 14



10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >114.5 °C. Protect from

Hazardous combustion products: see section 5.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	940 ^{mg} / _{kg}	rat		TOXNET

Causes serious eye irritation.

Shall not be classified as a reproductive toxicant.

Symptoms related to the physical, chemical and toxicological characteristics

acc. to Safe Work Australia - Code of Practice

ROTH

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255

Causes serious eye irritation, corneal opacity

If inhaled

slightly irritant but not relevant for classification

• If on skin

causes skin irritation

Other information

Other adverse effects: Methaemoglobinaemia

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Endpoint	Value	Species	Source	Exposure time
LC50	193 ^{µg} / _l	fish	ECHA	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H5.1 Oxidizing

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Nitrates, inorganic, n.o.s.

SECTION 14: Transport information

14.1 UN number

UN 1477
IMDG-Code UN 1477
ICAO-TI UN 1477

14.2 UN proper shipping name

UN RTDGNITRATES, INORGANIC, N.O.S.IMDG-CodeNITRATES, INORGANIC, N.O.S.

14.3 Transport hazard class(es)

UN RTDG 5.1 IMDG-Code 5.1 ICAO-TI 5.1

14.4 Packing group

ICAO-TI

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Australia (en) Page 10 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1477 Class 5.1

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group II

Danger label(s) 5.1

Fish and tree

51

Special provisions (SP)

UN RTDG

Excepted quantities (EQ) E2

E2 UN RTDG

Limited quantities (LQ) 1 kg

1 kg UN RTDG

Emergency Action Code 1Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name NITRATES, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II,

MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 5.1, "Fish and tree"





Special provisions (SP)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg
EmS F-A, S-Q

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Nitrates, inorganic, n.o.s.

Particulars in the shipper's declaration UN1477, Nitrates, inorganic, n.o.s., 5.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 5.1

Special provisions (SP) A3
Excepted quantities (EQ) E2

Australia (en) Page 11 / 14



acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255

Limited quantities (LQ)



2,5 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CSCL-ENCS

DSL ECSI

Australian Inventory of Industrial Chemicals
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances IECSC

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 1Y	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice

Copper(II) nitrate trihydrate ≥98 %, extra pure

article number: 0255



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14