according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: **0272**Version: **4.0 en**date of compilation: 2017-07-03
Revision: 2024-03-02

Replaces version of: 2022-12-19

Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Ethylbenzene** ≥99 %, for synthesis

Article number 0272

Registration number (REACH) 01-2119489370-35-xxxx

Index number in CLP Annex VI 601-023-00-4
EC number 202-849-4
CAS number 100-41-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheeṫ:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|---------------|------------------|-----------------|-----------------------------|
| National Poisons Information Centre Beaumont Hospital | Beaumont Road | Dublin 9 | +353 1 809 2166 | https:// www.poisons.ie/ |

Ireland (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: **0272**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |
| 3.10 | Aspiration hazard | 1 | Asp. Tox. 1 | H304 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS08







Hazard statements

| H225 | Highly flammable liquid and vapour |
|------|---|
| H304 | May be fatal if swallowed and enters airways |
| H332 | Harmful if inhaled |
| H373 | May cause damage to organs (hearing organs) through prolonged or repeated |
| | exposure |
| H412 | Harmful to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

P210 Keep away from open flames and hot surfaces. No smoking P260 Do not breathe mist/vapours/spray

Precautionary statements - response

P314 Get medical advice/attention if you feel unwell

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Ireland (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Symbol(s)







H304 H412 May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Ethylbenzene

Molecular formula C_8H_{10}

Molar mass 106,1 g/mol

REACH Reg. No 01-2119489370-35-xxxx

CAS No 100-41-4 EC No 202-849-4 Index No 601-023-00-4

Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|-------------------------------------|--------------------|
| - | - | 11 ^{mg} / _l /4h | inhalation: vapour |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Ireland (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Vertigo, Headache, Dizziness, Spasms, Nausea, Vomiting, Aspiration hazard

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

Ireland (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Ireland (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|----------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------------------|
| EU | ethylbenzene | 100-41-4 | IOELV | 100 | 442 | 200 | 884 | | | Н | 2000/39/ EC |
| IE | ethylbenzene | 100-41-4 | OELV | 100 | 442 | 200 | 884 | | | Н | S.I. No. 619 of 2001 |

Notation

Ceiling-C

STEL

Ceiling value is a limit value above which exposure should not occur
Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

Human health values

| Relevant DNELs and other threshold levels | | | | | | | |
|---|----------------------|------------------------------------|-------------------|----------------------------|--|--|--|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | | | |
| DNEL | 77 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects | | | |
| DNEL | 293 mg/m³ | human, inhalatory | worker (industry) | acute - local effects | | | |
| DNEL | 180 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects | | | |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|--|--|--|
| End- point | Threshold level | Organism | Environmental com- partment | Exposure time | | | | |
| PNEC | 0,1 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | | | |
| PNEC | 0,01 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | | | |
| PNEC | 9,6 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | | | |
| PNEC | 13,7 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | | | |
| PNEC | 1,37 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | | | |
| PNEC | 2,68 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | | | |

Ireland (en) Page 6 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM: fluoro-elastomer

material thickness

0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)

material thickness: 0,4 mm

• breakthrough times of the glove material: >10 minutes (permeation: level 1)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

Ireland (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic

Melting point/freezing point -94,9 °C at 1.013 hPa (ECHA)

Boiling point or initial boiling point and boiling 136,1 °C at 1.013 hPa (ECHA)

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 43 g/m³ (LEL) - 340 g/m³ (UEL) /

1 võl% (LEL) - 7,8 võl% (UEL)

Flash point 23 °C at 1.013 hPa (ECHA)

Auto-ignition temperature 430 °C at 1.013 hPa (ECHA)

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity 0,773 mm²/s at 20 °C

Dynamic viscosity 0,6725 cP at 20 °C

Solubility(ies)

Water solubility $0,2 \, ^{\rm g}/_{\rm l}$ at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 3,6 (pH value: 7,84, 20 °C) (ECHA)

Vapour pressure 9,52 hPa at 20 °C

Density and/or relative density

Density $0.87 \, ^{9}/_{\text{cm}^3}$ at 20 °C

Relative vapour density 3,67 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics:

Ireland (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Surface tension $71,2^{\text{mN}}/_{\text{m}}$ (23 °C) (ECHA)

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 300°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if inhaled.

| | | | • . |
|---|-----|-----|-----|
| Acute | tox | (IC | ΊŤν |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | , |

| Exposure route | Endpoint | Value | Species | Method | Source |
|-----------------------|----------|-------------------------------------|---------|--------|--------|
| oral | LD50 | 3.500 ^{mg} / _{kg} | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Ireland (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (hearing organs) through prolonged or repeated exposure.

| Hazard category | Target organ | Exposure route |
|-----------------|----------------|----------------|
| 2 | hearing organs | if exposed |

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, aspiration hazard

• If in eyes

Data are not available.

• If inhaled

irritant effects

• If on skin

Data are not available.

Other information

Other adverse effects: Headache, Spasms, Nausea, Vertigo, Dizziness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | | | |
|--------------------------|----------------------------------|-----------------------|--------|------------------|--|--|
| Endpoint | Value | Species | Source | Exposure time | | |
| LC50 | 5,1 ^{mg} / _l | fish | ECHA | 96 h | | |
| EC50 | 2,4 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | | |

Ireland (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|----------------------------------|-----------------------|--------|------------------|
| LC50 | 3,6 ^{mg} / _l | aquatic invertebrates | ECHA | 7 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand: $3,167 \frac{mg}{mg}$ /mg Theoretical Carbon Dioxide: $3,318 \frac{mg}{mg}$ /mg

Biodegradation

The substance is readily biodegradable.

Process of degradability

| Process | Degradation rate | Time | |
|----------------|------------------|------|--|
| biotic/abiotic | 79 % | 28 d | |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 3,6 (pH value: 7,84, 20 °C) (ECHA) |
|---------------------------|------------------------------------|
| BCF | 1 (ECHA) |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Ireland (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1175 IMDG-Code UN 1175 ICAO-TI UN 1175

14.2 UN proper shipping name

ADRRID ETHYLBENZENE IMDG-Code ETHYLBENZENE ICAO-TI Ethylbenzene

14.3 Transport hazard class(es)

ADRRID 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Ireland (en) Page 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ETHYLBENZENE

Particulars in the transport document UN1175, ETHYLBENZENE, 3, II, (D/E)

Classification code F1
Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1

Danger label(s) 3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ETHYLBENZENE

Particulars in the shipper's declaration UN1175, ETHYLBENZENE, 3, II, 23°C c.c.

Marine pollutant Danger label(s) 3



Special provisions (SP)
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-D

Stowage category B

Ireland (en) Page 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Ethylbenzene

Particulars in the shipper's declaration UN1175, Ethylbenzene, 3, II

Danger label(s) 3



Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
|-------------------|--|--------|-------------|----|
| Ethylbenzene | this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC | | R3 | 3 |
| Ethylbenzene | flammable / pyrophoric | | R40 | 40 |

Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they
- can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps – may lead to life-threatening lung damage";

 (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

 (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

Page 14 / 19 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Legend

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|--------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| VOC content | 100 % |
|-------------|---------------------------------|
| VOC content | 870 ^g / _l |

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|---------------------------------|
| VOC content | 870 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

| Pollutant release and transfer registers (PRTR) | | | |
|---|----------|---------|--|
| Name of substance | CAS No | Remarks | Threshold for releases to air (kg/year) |
| Ethylbenzene | 100-41-4 | (11) | |

Legend

Ireland (en) Page 15 / 19

Single pollutants are to be reported if the threshold for BTEX (the sum parameter of benzene, toluene, ethyl benzene, xylenes) is exceeded

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

Water Framework Directive (WFD)

List of pollutants (WFD)

| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
|-------------------|--|--------|-----------|---------|
| Ethylbenzene | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| | | |

Ireland (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

| Country | Inventory | Status | |
|---------|-----------|------------------------------|--|
| US | TSCA | substance is listed (ACTIVE) | |
| VN | NCI | substance is listed | |

Legend

AIIC CICR CSCL-ENCS DSL ECSI Australian Inventory of Industrial Chemicals

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances IECSC INSQ

Korea Existing Chemicals Inventory NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|--|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | VOC content: 100 % 870 ⁹ / _I | VOC content: 100 % | yes |
| 15.1 | | VOC content: 870 ^g / _l | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |
| 15.2 | Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance. | Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |

Ireland (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

| Abbr. | Descriptions of used abbreviations |
|-------------------------|---|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 |
| STEL | Short-term exposure limit |

Ireland (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Ethylbenzene ≥99 %, for synthesis

article number: 0272

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H332 | Harmful if inhaled. |
| H373 | May cause damage to organs (hearing organs) through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 19 / 19