according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



date of compilation: 2016-03-07

Revision: 2023-08-02

### ROTI®Methylene blue staining concentrate 200x conc.

article number: **0648** Version: **3.0 en** Replaces version of: 2021-12-16 Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

**ROTI®Methylene blue staining concentrate** 200x conc.

0648

Registration number (REACH)

not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	n Hazard class		Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

## **The most important adverse physicochemical, human health and environmental effects** The product is combustible and can be ignited by potential ignition sources.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### ROTI®Methylene blue staining concentrate 200x conc.

article number: 0648

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

### **Pictograms**

GHS02, GHS07



### **Hazard statements**

H226	Flammable liquid and vapour
H319	Causes serious eye irritation

### **Precautionary statements**

### **Precautionary statements - prevention**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P280 Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning



### 2.3 Other hazards

### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\ge$  0,1%.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### ROTI®Methylene blue staining concentrate 200x conc.

### article number: 0648

### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methylene blue	CAS No 61-73-4 EC No 200-515-2	10 - < 20	Acute Tox. 4 / H302		
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5	10 - < 20	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC

### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methylene blue	CAS No 61-73-4	-	-	1.180 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 200-515-2				

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation

### 4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

® §ROTH

ROTI®Methylene blue staining concentrate 200x conc.

article number: 0648

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

article number: 0648

### 6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Protect against external exposure, such as

high temperatures, UV-radiation/sunlight

### Consideration of other advice:

Ground/bond container and receiving equipment.

### Ventilation requirements

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

National limit values

**Occupational exposure limit values (Workplace Exposure Limits)** 

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





### article number: 0648

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	ethanol	64-17-5	OELV			1.00 0					S.I. No. 619 of 2001

### Notation

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### **Eye/face protection**



Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

### • type of material

Butyl caoutchouc (butyl rubber)

### material thickness

0,5 mm

### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### Splash protection - Protective gloves

- NBR (Nitrile rubber) • type of material:
- material thickness: 0,4 mm
- breakthrough times of the glove material:
- >120 minutes (permeation: level 4)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

**ROTI®Methylene blue staining concentrate 200x conc.** 

### article number: 0648

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	dark blue
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	~40 °C at 1.013 hPa
Auto-ignition temperature	425 °C
Decomposition temperature	not relevant
pH (value)	6 – 8 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	~1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

article number: 0648

9

Oxidising properties	none
2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Miscibility	completely miscible with water
Temperature class (EU, acc. to ATEX)	T2 Maximum permissible surface temperature on the equipment: 300°C

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### **10.5** Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



rat

rat

### ROTI®Methylene blue staining concentrate 200x conc.

### article number: 0648

Acute toxicity estimate (ATE) of components of the mixture									
Name of substance		CAS No			Exposure route			ATE	
Methylene blue		61-	61-73-4		oral		1.180 <sup>mg</sup> / <sub>kg</sub>		
Acute toxicity of componen	ts of the m	ixture	2						
Name of substance	CAS N	lo	Exposi rout		Endpoint	Val	lue	Species	
Methylene blue	61-73-	-4	oral		LD50	1.180	<sup>mg</sup> / <sub>kg</sub>	rat	

# Ethanol64-17-5oralLD5010.470 mg/kgEthanol64-17-5inhalation: vapourLC50124,7 mg/l/4h

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

nausea, vomiting

### • If in eyes

Causes serious eye irritation

### • If inhaled

Data are not available.

### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

article number: 0648

### Other information

This information is based upon the present state of our knowledge.

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .
- 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

quatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Methylene blue	61-73-4	EC50	2.260 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h				
Ethanol	64-17-5	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h				
Ethanol	64-17-5	EC50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h				
Ethanol	64-17-5	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h				

Aquatic toxicity (	Aquatic toxicity (chronic) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Ethanol	64-17-5	LC50	1.806 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	10 d				
Ethanol	64-17-5	ErC50	675 <sup>mg</sup> / <sub>l</sub>	algae	4 d				

### 12.2 Persistence and degradability

Degradability of components of the mixture									
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source			
Ethanol	64-17-5	biotic/abiotic	94 %	d					
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA			
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA			
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA			

### 12.3 Bioaccumulative potential

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

article number: 0648

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Ethanol	64-17-5		-0,31	0,6211

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0,1%.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# Properties of waste which render it hazardous

HP 3 flammable

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## ROTI®Methylene blue staining concentrate 200x conc.

article number: 0648

14.1	UN number or ID number	
	ADRRID	UN 1170
	IMDG-Code	UN 1170
	ICAO-TI	UN 1170
14.2	UN proper shipping name	
	ADRRID	ETHANOL SOLUTION
	IMDG-Code	ETHANOL SOLUTION
	ICAO-TI	Ethanol solution
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should	
14.7	Maritime transport in bulk according to IM	
	The cargo is not intended to be carried in bull	к.
14.8	Information for each of the UN Model Reg	ulations
14.8		
14.8	Agreement concerning the International C	
14.8	Agreement concerning the International C information	arriage of Dangerous Goods by Road (ADR)Additional
14.8	Agreement concerning the International C information Proper shipping name	ETHANOL SOLUTION
14.8	Agreement concerning the International C information Proper shipping name Particulars in the transport document	Earriage of Dangerous Goods by Road (ADR)Additional ETHANOL SOLUTION UN1170, ETHANOL SOLUTION, 3, III, (D/E)
14.8	Agreement concerning the International C information Proper shipping name Particulars in the transport document Classification code	Earriage of Dangerous Goods by Road (ADR)Additional ETHANOL SOLUTION UN1170, ETHANOL SOLUTION, 3, III, (D/E) F1
14.8	Agreement concerning the International C information Proper shipping name Particulars in the transport document Classification code	Earriage of Dangerous Goods by Road (ADR)Additional ETHANOL SOLUTION UN1170, ETHANOL SOLUTION, 3, III, (D/E) F1
14.8	Agreement concerning the International C information Proper shipping name Particulars in the transport document Classification code Danger label(s)	Carriage of Dangerous Goods by Road (ADR)Additional ETHANOL SOLUTION UN1170, ETHANOL SOLUTION, 3, III, (D/E) F1 3
14.8	Agreement concerning the International C information Proper shipping name Particulars in the transport document Classification code Danger label(s) Special provisions (SP)	ETHANOL SOLUTION UN1170, ETHANOL SOLUTION, 3, III, (D/E) F1 3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



ROTI®Methylene blue staining conc	entrate 200x conc.
-----------------------------------	--------------------

article	number:	0648
articic	mannoer.	00.0

Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Regulations concerning the International C information	arriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3
Special provisions (SP)	144, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30
International Maritime Dangerous Goods C	ode (IMDG) - Additional information
Proper shipping name	ETHANOL SOLUTION
Particulars in the shipper's declaration	UN1170, ETHANOL SOLUTION, 3, III, ~40°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	144, 223
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	Α
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Ethanol solution
Particulars in the shipper's declaration	UN1170, Ethanol solution, 3, III
Danger label(s)	3
Special provisions (SP)	A3, A58, A180
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### ROTI®Methylene blue staining concentrate 200x conc.

### article number: 0648

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
ROTI®Methylene blue staining con- centrate	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40
Ethanol	substances in tattoo inks and perman- ent make-up		R75	75

### Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### ROTI®Methylene blue staining concentrate 200x conc.

### article number: 0648



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

### article number: 0648

### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

### **Seveso Directive**

2012/*	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)	

### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

### **Deco-Paint Directive**

VOC content	15 %
VOC content (Water content was discounted)	502,9 <sup>g</sup> /l

### Industrial Emissions Directive (IED)

VOC content	15 %
VOC content (Water content was discounted)	502,9 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methylene blue	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI**®Methylene blue staining concentrate 200x conc.

### article number: 0648

### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methylene blue	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### **Regulation on drug precursors**

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI**®Methylene blue staining concentrate 200x conc.

### article number: 0648

Country	Inventory	Status
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

### Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Methylene blue		yes
2.2	contains: Methylene blue		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## ROTI®Methylene blue staining concentrate 200x conc.

### article number: 0648

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 144, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 30	yes
14.8	Particulars in the shipper's declaration: UN1170, ETHANOL SOLUTION, 3, III, 40°C c.c.	Particulars in the shipper's declaration: UN1170, ETHANOL SOLUTION, 3, III, ~40°C c.c.	yes
15.1	VOC content: 15 % , 502,9 <sup>g</sup> / <sub>l</sub>	VOC content: 15 %	yes
15.1		VOC content (Water content was discounted): 502,9 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: Chemical safety assessments for substances in this mixture were not carried out.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## ROTI®Methylene blue staining concentrate 200x conc.



### article number: 0648

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### **ROTI®Methylene blue staining concentrate 200x conc.**

### article number: 0648

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.