

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796
Version: 1.0 en

date of compilation: 2018-08-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Butylal
Article number	0796
Registration number (REACH)	01-2119973500-41-xxxx
EC number	219-909-0
CAS number	2568-90-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:	laboratory and analytical use laboratory chemical
-------------------------	--

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

Signal word not required

2.3 Other hazards

There is no additional information.

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Butylal
Registration number (REACH)	01-2119973500-41-xxxx
EC number	219-909-0
CAS number	2568-90-3
Molecular formula	C9H20O2

Impurities and additives, classification acc. to EU regulation

Name of substance	Identifier	Wt%	Classification acc. to 1272/2008/EC
butyl alcohol (except tert-butyl alcohol)	CAS No 71-36-3 EC No 200-751-6 Index No 603-004-00-6	≤ 0,25	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335 STOT SE 3 / H336

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

4.3 Indication of any immediate medical attention and special treatment needed

none

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

- Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

- human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	126,6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	11,97 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

- relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
butyl alcohol (except tert-butyl alcohol)	71-36-3	DNEL	310 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

• **environmental values**

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	197,5 µg/l	freshwater	short-term (single instance)
PNEC	19,75 µg/l	marine water	short-term (single instance)
PNEC	1 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	4,347 mg/kg	freshwater sediment	short-term (single instance)
PNEC	0,435 mg/kg	marine sediment	short-term (single instance)
PNEC	751,9 mg/kg	soil	short-term (single instance)

• **relevant PNECs of components of the mixture**

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	0,082 mg/l	freshwater	short-term (single instance)
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	0,0082 mg/l	marine water	short-term (single instance)
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	2,476 mg/l	sewage treatment plant (STP)	short-term (single instance)
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	0,0178 mg/kg	marine sediment	short-term (single instance)
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	0,015 mg/kg	soil	short-term (single instance)
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	2,25 mg/l	water	intermittent release
butyl alcohol (except tert-butyl alcohol)	71-36-3	PNEC	0,178 mg/kg	freshwater sediment	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• **type of material**

PVC: polyvinyl chloride

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

• **material thickness**

1,2 mm

• **breakthrough times of the glove material**

>60 minutes (permeation: level 3)

• **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid (fluid)
Colour	colourless
Odour	this information is not available
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	-59,4 °C
Initial boiling point and boiling range	182,5 °C at 1.013 hPa
Flash point	63 °C at 1 atm
Evaporation rate	5,54 (n-butyl acetate = 1)
Flammability (solid, gas)	not relevant (fluid)
<u>Explosive limits</u>	
• lower explosion limit (LEL)	0,65 vol%
• upper explosion limit (UEL)	23,6 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	0,079 kPa at 20 °C
Density	0,835 g/cm ³ at 20 °C
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

Solubility(ies)

Water solubility 222,5 mg/l at 20 °C

Partition coefficient

n-octanol/water (log KOW) 2,77 (pH value: 6,8, 21,5 °C) (ECHA)

Auto-ignition temperature 220 °C at 1 atm - ECHA

Decomposition temperature no data available

Viscosity

• kinematic viscosity 1,083 mm²/s at 25 °C

• dynamic viscosity 1,236 mPa s at 10 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Surface tension 25,2 mN/m (25 °C)

Temperature class (EU, acc. to ATEX) T3 (Maximum permissible surface temperature on the equipment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	6.873 mg/kg	rat	ECHA
dermal	LD50	>2.000 mg/kg	rat	ECHA

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

• **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• **If swallowed**

data are not available

• **If in eyes**

data are not available

• **If inhaled**

data are not available

• **If on skin**

data are not available

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	>100 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	>1,3 mg/l	algae	ECHA	72 h

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
butyl alcohol (except tert-butyl alcohol)	71-36-3	LC50	1.376 mg/l	fish	96 h
butyl alcohol (except tert-butyl alcohol)	71-36-3	EC50	1.328 mg/l	aquatic invertebrates	48 h
butyl alcohol (except tert-butyl alcohol)	71-36-3	ErC50	225 mg/l	algae	96 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>100 mg/l	microorganisms	ECHA	3 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
butyl alcohol (except tert-butyl alcohol)	71-36-3	EC50	18 mg/l	aquatic invertebrates	21 d

12.2 Process of degradability

Theoretical Oxygen Demand: Theoretical Carbon Dioxide:

Process	Degradation rate	Time
oxygen depletion	30 – 40 %	28 d

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
butyl alcohol (except tert-butyl alcohol)	71-36-3	biotic/abiotic	98 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)

2,77 (pH value: 6,8, 21,5 °C)

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
butyl alcohol (except tert-butyl alcohol)	71-36-3	2,7	1 (pH value: 7, 25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

- | | | |
|------|---|--|
| 14.1 | UN number | (not subject to transport regulations) |
| 14.2 | UN proper shipping name | not relevant |
| 14.3 | Transport hazard class(es) | not relevant |
| | Class | - |
| 14.4 | Packing group | not relevant |
| 14.5 | Environmental hazards | none (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | Special precautions for user | |
| | | There is no additional information. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | |
| | | The cargo is not intended to be carried in bulk. |
| 14.8 | Information for each of the UN Model Regulations | |
| | • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | |
| | | Not subject to ADR, RID and ADN. |
| | • International Maritime Dangerous Goods Code (IMDG) | |
| | | Not subject to IMDG. |
| | • International Civil Aviation Organization (ICAO-IATA/DGR) | |
| | | Not subject to ICAO-IATA. |

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

Not listed.

- Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

Not listed.

- Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

- Restrictions according to REACH, Annex XVII

not listed

- Restrictions according to REACH, Title VIII

None.

- List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

- Seveso Directive

2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

- Directive 75/324/EEC relating to aerosol dispensers

Filling batch

Deco-Paint Directive (2004/42/EC)

VOC content	100 % 835 g/l
-------------	------------------

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	100 %
VOC content	835 g/l

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Butylal SOLVAGREEN® ≥99 % for synthesis

article number: 0796

Abbr.	Descriptions of used abbreviations
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
Flam. Liq.	flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

not relevant.

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Butylal SOLVAGREEN® ≥99 % for synthesis

article number: **0796**

Code	Text
H226	flammable liquid and vapour
H302	harmful if swallowed
H315	causes skin irritation
H318	causes serious eye damage
H335	may cause respiratory irritation
H336	may cause drowsiness or dizziness

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.