acc. to Safe Work Australia - Code of Practice



## Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966 date of compilation: 2019-07-22 Version: GHS 3.0 en Revision: 2024-03-01

Replaces version of: 2022-07-13

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Sodium sulphate** ≥99 %, p.a., ACS, granulated,

anhydrous

Article number 0966

CAS number 7757-82-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Label elements** 2.2

#### Labelling

not required

Page 1 / 12 Australia (en)

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Sodium sulphate

Molecular formula  $Na_2SO_4$  Molar mass  $142 \, {}^g/_{mol}$  CAS No 7757-82-6

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air.

#### **Following skin contact**

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Cardiovascular system

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 12

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Sulphur oxides (SOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 12

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**National limit values** 

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Human health values**

Relevant DNE	Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	3.2 mg/kg	human, dermal	worker (industry)	chronic - systemic effects	
DNEL	20 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	20 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects	

#### **Environmental values**

#### **Relevant PNECs and other threshold levels Threshold Organism** End-**Environmental com-Exposure time** level point partment **PNEC** 11.09 mg/<sub>I</sub> aquatic organisms freshwater short-term (single instance) **PNEC** 1.109 mg/<sub>I</sub> aquatic organisms marine water short-term (single instance) **PNEC** 800 <sup>mg</sup>/<sub>I</sub> aquatic organisms sewage treatment plant short-term (single instance) (STP) **PNEC** $40.2 \, \text{mg/}_{kg}$ freshwater sediment aquatic organisms short-term (single instance) 4.02 mg/kg **PNEC** aquatic organisms marine sediment short-term (single instance)

Australia (en) Page 4 / 12

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

# Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	1.54 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

# 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

# **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,3 mm

# • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

Australia (en) Page 5 / 12

acc. to Safe Work Australia - Code of Practice

## Sodium sulphate ≥99 %, p.a., ACS, granulated, anhydrous

article number: 0966

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline

Colour white

Odour odourless

Melting point/freezing point 888 °C

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable

Auto-ignition temperature >400 °C at 994 hPa (ECHA)

Decomposition temperature >884 °C (ECHA)

pH (value) 5.2 – 8 (in aqueous solution:  $50 \, ^{9}/_{l}$ ,  $20 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 445.5  $g_{1}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density  $2.7 \, {}^{9}/_{\text{cm}^3}$  at 20  ${}^{\circ}\text{C}$ 

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics:

Surface tension  $71 \, {\rm m}^{\rm N}/_{\rm m} (20 \, {\rm ^{\circ}C}) (ECHA)$ 

Australia (en) Page 6 / 12

acc. to Safe Work Australia - Code of Practice

# ROTH

#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >884 °C. Protect from moisture.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/ mist	LC50	>2.4 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

Australia (en) Page 7 / 12

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

vomiting, nausea, gastrointestinal complaints

#### • If in eyes

slightly irritant but not relevant for classification

#### If inhaled

Inhalation of dust may cause irritation of the respiratory system

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### Other information

Other adverse effects: Cardiovascular system

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity (act	Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time	
LC50	7,960 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	3,150 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	

# **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
EC50	1,698 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	7 d
LC50	3,030 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	7 d

## 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Australia (en) Page 8 / 12

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

## Properties of waste which render it hazardous

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned

## **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Australia (en) Page 9 / 12

acc. to Safe Work Australia - Code of Practice

#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

#### Information for each of the UN Model Regulations 14.8

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CICR

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) CSCL-ENCS

Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China

National Inventory of Chemical Substances

Korea Existing Chemicals Inventory

Page 10 / 12 Australia (en)

acc. to Safe Work Australia - Code of Practice



#### Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

Legend

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### **Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good

Australia (en) Page 11 / 12

acc. to Safe Work Australia - Code of Practice



# Sodium sulphate ≥99 %, p.a., ACS, granulated , anhydrous

article number: 0966

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 12 / 12