acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267 date of compilation: 2021-08-18 Version: 2.0 en

Replaces version of: 2021-08-18

Version: (1)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **ROTI**®**Garose** - **His/Co** Columns for biochemistry

Article number 1267

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	1B	Carc. 1B	H350
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

United Kingdom (en) Page 1 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Cobalt powder. May produce an allergic reaction

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08, GHS09



Hazard statements

H226	Flammable liquid and vapour
H319	Causes serious eye irritation
H350	May cause cancer

H411 Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat. No smoking
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair):	Take off immediately a	II contaminated clothing. Rinse skin
----------------	-----------------------	------------------------	--------------------------------------

with water

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

Supplemental hazard information

EUH208 Contains Cobalt powder. May produce an allergic reaction.

Hazardous ingredients for labelling: Cobalt powder

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

United Kingdom (en) Page 2 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 1267



Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5	≤20	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	(1)	GHS-HC
Cobalt powder	CAS No 7440-48-4 EC No 231-158-0 Index No 027-001-00-9	< 0,25	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350 Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) (\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Cobalt powder	CAS No 7440-48-4 EC No 231-158-0	-	M-factor (chronic) = 100	550 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom (en) Page 3 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

United Kingdom (en) Page 4 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 5 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	ethanol	64-17-5	WEL	1.00 0	1.920						EH40/ 2005
GB	cobalt	7440-48- 4	WEL		0,1						EH40/ 2005

Notation

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Cobalt powder	7440-48-4	DNEL	40 μg/m³	human, inhalat-	worker (industry)	chronic - local ef-		

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Cobalt powder	7440-48-4	PNEC	0,62 ^{µg} / _I	aquatic organ- isms	freshwater	short-term (single instance)	
Cobalt powder	7440-48-4	PNEC	2,36 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Cobalt powder	7440-48-4	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Cobalt powder	7440-48-4	PNEC	53,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Cobalt powder	7440-48-4	PNEC	69,8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Cobalt powder	7440-48-4	PNEC	10,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

Exposure controls 8.2

Individual protection measures (personal protective equipment)

United Kingdom (en) Page 6 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form viscous
Colour pink

Odour schwach Lösungsmittel

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling >80 °C at 1.013 hPa

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point $>50 \, ^{\circ}\text{C}$ Auto-ignition temperature $>455 \, ^{\circ}\text{C}$

Decomposition temperature not relevant

pH (value) 6 – 8

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density $\sim 0.7 \, \mathrm{g/cm^3}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

United Kingdom (en) Page 8 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Cobalt powder	7440-48-4	oral	550 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	oral	LD50	10.470 ^{mg} / _{kg}	rat
Ethanol	64-17-5	inhalation: va- pour	LC50	124,7 ^{mg} / _l /4h	rat
Cobalt powder	7440-48-4	oral	LD50	550 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

United Kingdom (en) Page 9 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 10 / 21



Causes serious eye irritation.

Respiratory or skin sensitisation

Contains Cobalt powder. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Aspiration hazard

If swallowed

vomiting

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Aquatic toxicity (acute) of components of the mixture Name of sub-**CAS No Endpoint Value Species Exposure** time stance Ethanol 64-17-5 LC50 15.400 ^{mg}/_I fish 96 h >10.000 ^{mg}/_I aquatic invertebrates Ethanol 64-17-5 EC50 48 h 22.000 ^{mg}/_I Ethanol 64-17-5 ErC50 algae 96 h Cobalt powder 7440-48-4 LC50 1,512 mg/_I fish 96 h 7440-48-4 >890 ^{µg}/_I Cobalt powder EC50 aquatic invertebrates 48 h 7440-48-4 144 ^{µg}/_I Cobalt powder ErC50 algae 72 h

Aquatic toxicity (chronic) of components of the mixture Exposure time Name of sub-**CAS No Endpoint Value Species** stance Ethanol 64-17-5 LC50 1.806 mg/_I aquatic invertebrates 10 d Ethanol 64-17-5 ErC50 675 ^{mg}/_I algae 4 d Cobalt powder 7440-48-4 EC50 82,2 ^{µg}/_I aquatic invertebrates 21 d 20 ^{µg}/_I Cobalt powder 7440-48-4 ErC50 algae 70 h

12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		
Ethanol	64-17-5	oxygen deple- tion	69 %	5 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	84 %	10 d		ECHA
Ethanol	64-17-5	oxygen deple- tion	97 %	20 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Ethanol	64-17-5		-0,31	0,6211		
Cobalt powder	7440-48-4	23				

12.4 Mobility in soil

Data are not available.

United Kingdom (en) Page 11 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 7 carcinogenic

HP 10 toxic for reproduction

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1170
IMDG-Code UN 1170
ICAO-TI UN 1170

14.2 UN proper shipping name

ADRRID ETHANOL SOLUTION

IMDG-Code ETHANOL SOLUTION

ICAO-TI Ethanol solution

United Kingdom (en) Page 12 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267

14.3 Transport hazard class(es)

3 **ADRRID** 3

ICAO-TI 3

14.4 Packing group

IMDG-Code

ADRRID III **IMDG-Code** III ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic

environment):

Cobalt powder

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name **ETHANOL SOLUTION**

Particulars in the transport document UN1170, ETHANOL SOLUTION, 3, III, (D/E), envir-

onmentally hazardous

Classification code

3, "Fish and tree" Danger label(s)





Environmental hazards yes (hazardous to the aquatic environment)

144, 601 Special provisions (SP)

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L Transport category (TC) 3 Tunnel restriction code (TRC) D/E Hazard identification No 30

Emergency Action Code 2Y

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1

Danger label(s)

Fish and tree

United Kingdom (en) Page 13 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Environmental hazards

Hazardous to water

Special provisions (SP) 144, 601

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L 3 **Transport category (TC) Hazard identification No** 30

International Maritime Dangerous Goods Code (IMDG) - Additional information

ETHANOL SOLUTION Proper shipping name

UN1170, ETHANOL SOLUTION, 3, III, >50°C c.c., MARINE POLLUTANT Particulars in the shipper's declaration

Marine pollutant **YES** (hazardous to the aquatic environment)

Danger label(s) 3, "Fish and tree"



Special provisions (SP) 144, 223

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L **EmS** F-E, S-D

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name **Ethanol solution**

Particulars in the shipper's declaration UN1170, Ethanol solution, 3, III

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP) A3, A58, A180

Excepted quantities (EQ) E1 10 L Limited quantities (LQ)

United Kingdom (en) Page 14 / 21



acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (plication of lower a quirem	Notes					
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200	500	57)				

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	20 %
VOC content (Water content was discounted)	177 ^g / _l

Industrial Emissions Directive (IED)

VOC content	20 %
VOC content (Water content was discounted)	177 ⁹ / ₁

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cobalt powder	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

United Kingdom (en) Page 15 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 1267



List of pollutants (WFD)						
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks		
Cobalt powder	Metals and their compounds		a)			

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)						
Name of substance	Name acc. to inventory	CAS No	No			
ROTI®Garose - His/Co	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3			
Ethanol	flammable / pyrophoric		40			
Cobalt powder	carcinogenic		28			
Cobalt powder	toxic for reproduction		30			

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed

United Kingdom (en) Page 16 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Country	Inventory	Status
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

AIIC CICR CSCL-ENCS DSL Australian Inventory of Industrial Chemicals

ECSI IECSC

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Vorce Spiriting Chemicals Inventory

INSQ KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory **Toxic Substance Control Act**

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Cobalt powder		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes

United Kingdom (en) Page 17 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 144, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 30	yes
14.8	Marine pollutant: yes (hazardous to the aquatic environment), (Cobalt powder)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)		yes
15.1	VOC content: 20 % , 265,1 ^g / _l	VOC content: 20 %	yes
15.1		VOC content (Water content was discounted): 177 ^g / _l	yes
15.1	VOC content: 472,7 ⁹ / _l		yes
15.1	VOC content Water content was discounted: 265,1 ⁹ / _l	VOC content (Water content was discounted): 177 ⁹ /	yes
15.1		National regulations(GB)	yes

United Kingdom (en) Page 18 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid

United Kingdom (en) Page 19 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Abbr.	Descriptions of used abbreviations	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
log KOW	n-Octanol/water	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	
Muta.	Germ cell mutagenicity	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
Repr.	Reproductive toxicity	
Resp. Sens.	Respiratory sensitisation	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
Skin Sens.	Skin sensitisation	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 20 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTI®Garose - His/Co Columns for biochemistry

article number: 1267



Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 21 / 21