according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657 date of compilation: 05.05.2017 Version: **3.0 en**

Revision: 02.03.2024

Replaces version of: 20.04.2022 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance (Z)-Erucifoline ROTICHROM® HPLC

Article number 1657

Registration number (REACH) It is not required to list the identified uses be-

cause the substance is not subject to registration

according to REACH (< 1 t/a).

CAS number 40158-95-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

sicherheit@carlroth.de e-mail (competent person):

Emergency telephone number

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.10 | Acute toxicity (oral) | 3 | Acute Tox. 3 | H301 |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

Page 1 / 14 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS06, GHS08



Hazard statements

H301 Toxic if swallowed

H373 May cause damage to organs (liver) through prolonged or repeated exposure (if

swallowed)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust

P270 Do not eat, drink or smoke when using this product

P280 Wear protective gloves/eye protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H301 Toxic if swallowed.

P270 Do not eat, drink or smoke when using this product.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Malta (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance (Z)-Erucifoline Molecular formula $C_{18}H_{23}NO_6$

Molar mass 349,4 ^g/_{mol}
CAS No 40158-95-0

Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------|-----------|-----------------------------------|----------------|
| - | - | 100 ^{mg} / _{kg} | oral |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Abdominal pain, Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!

Malta (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

Malta (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

Malta (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Form powder, crystalline

Colour colourless Odour odourless 185 - 190 °C Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

Flammability

this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined Decomposition temperature not relevant pH (value) not applicable Kinematic viscosity not relevant

Solubility(ies)

Water solubility (poorly soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

not determined Vapour pressure

Page 6 / 14 Malta (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed.

| Acute toxicity | | | | | |
|----------------|----------|-----------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 100 ^{mg} / _{kg} | monkey | | |

Malta (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (liver) through prolonged or repeated exposure (if swallowed).

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 2 | liver | if swallowed |

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, abdominal pain, nausea

• If in eyes

slightly irritant

If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

Substance not yet fully tested.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

Malta (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,832 $^{\rm mg}/_{\rm mg}$ Theoretical Oxygen Demand (with nitrification): 2,015 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 2,267 $^{\rm mg}/_{\rm mg}$

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Malta (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

SECTION 14: Transport information

14.1 UN number or ID number

ADR UN 1544
IMDG-Code UN 1544
ICAO-TI UN 1544

14.2 UN proper shipping name

ADR ALKALOIDS, SOLID, N.O.S. IMDG-Code ALKALOIDS, SOLID, N.O.S. ICAO-TI Alkaloids, solid, n.o.s.

Technical name (Z)-Erucifoline

14.3 Transport hazard class(es)

ADR 6.1 IMDG-Code 6.1 ICAO-TI 6.1

14.4 Packing group

ADR III IMDG-Code III ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ALKALOIDS, SOLID, N.O.S.

Particulars in the transport document UN1544, ALKALOIDS, SOLID, N.O.S., ((Z)-Erucifo-

line), 6.1, III, (E)

Classification code T2
Danger label(s) 6.1



Special provisions (SP) 43, 274, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

Malta (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ALKALOIDS, SOLID, N.O.S.

Particulars in the shipper's declaration UN1544, ALKALOIDS, SOLID, N.O.S., ((Z)-Erucifo-

line), 6.1, III

Marine pollutant -

Danger label(s) 6.1

Special provisions (SP) 43, 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Alkaloids, solid, n.o.s.

Particulars in the shipper's declaration UN1544, Alkaloids, solid, n.o.s., ((Z)-Erucifoline),

6.1, III

Danger label(s) 6.1

Special provisions (SP) A3, A5, A6

Excepted quantities (EQ) E1
Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Malta (en) Page 11 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|--|-----|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity of plication of lower a quiren | | Notes |
| H2 | acute toxic (cat. 2 + cat. 3, inhal.) | 50 | 200 | 41) |

Notation

Deco-Paint Directive

| VOC content | 0 % |
|-------------|-----|

Industrial Emissions Directive (IED)

| VOC content | 0 % |
|-------------|-----|
|-------------|-----|

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

Page 12 / 14 Malta (en)

⁻ Category 2, all exposure routes - category 3, inhalation exposure route

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.2 | ICAO-TI: Alkaloid salts, solid, n.o.s. | ICAO-TI: Alkaloids, solid, n.o.s. | yes |
| 14.8 | Proper shipping name: Alkaloid salts, solid, n.o.s. | Proper shipping name: Alkaloids, solid, n.o.s. | yes |
| 14.8 | Particulars in the shipper's declaration: UN1544, Alkaloid salts, solid, n.o.s., ((Z)-Erucifo- line), 6.1, III | Particulars in the shipper's declaration: UN1544, Alkaloids, solid, n.o.s., ((Z)-Erucifoline), 6.1, III | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| ED | Endocrine disruptor |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| PBT | Persistent, Bioaccumulative and Toxic |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| SVHC | Substance of Very High Concern |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Malta (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H301 | Toxic if swallowed. |
| H373 | May cause damage to organs (liver) through prolonged or repeated exposure (if swallowed). |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Malta (en) Page 14 / 14