according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: **1A9A** Version: **3.0 en** Replaces version of: 2022-05-19 Version: (2) date of compilation: 2020-04-21 Revision: 2024-03-03

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance	<b>Acetic acid n-propyl ester</b> SOLVAGREEN® ≥99,5 %, for synthesis
Article number	1A9A
Registration number (REACH)	01-2119484620-39-xxxx
Index number in CLP Annex VI	607-024-00-6
EC number	203-686-1
CAS number	109-60-4
Alternative name(s)	Propyl acetate

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory and analytical use Laboratory chemical

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: **1A9A** 

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

### Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
Signal Hora	Banger

### **Pictograms**

GHS02, GHS07



### **Hazard statements**

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

### **Precautionary statements**

### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

### **Precautionary statements - response**

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P337+P313	If eye irritation persists: Get medical advice/attention

### Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: 1A9A

### Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H336	May cause drowsiness or dizziness.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
EUH066	Repeated exposure may cause skin dryness or cracking.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Acetic acid n-prop	
Molecular formula	$C_5H_{10}O_2$
Molar mass	102,1 <sup>g</sup> / <sub>mol</sub>
REACH Reg. No	01-2119484620-39-xxxx
CAS No	109-60-4
EC No	203-686-1
Index No	607-024-00-6

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

### **Following ingestion**

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: **1A9A** 

Rinse mouth. Call a doctor if you feel unwell.

- **4.2** Most important symptoms and effects, both acute and delayed Irritation, Dizziness, Drowsiness, Narcosis
- **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Ground/bond container and receiving equipment.

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: 1A9A

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	n-propyl acetate	109-60-4	OELV	100		150					S.I. No. 619 of 2001

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL TWA

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Human health values

Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects				
DNEL	840 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects				

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	0,06 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)					
PNEC	0,006 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)					
PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	0,16 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	0,016 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)					
PNEC	0,021 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)					

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### **Eye/face protection**



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

Butyl caoutchouc (butyl rubber)

### material thickness

0,7mm

### breakthrough times of the glove material

>120 minutes (permeation: level 4)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	fruity
Melting point/freezing point	-93 °C (ECHA)
Boiling point or initial boiling point and boiling range	101,3 °C at 1.013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

	• • • •	-
articl	e number: <b>1A9A</b>	
	Lower and upper explosion limit	1,7 vol% (LEL) - 8 vol% (UEL)
	Flash point	11,8 °C at 1.013 hPa (ECHA)
	Auto-ignition temperature	380 °C at 1.013 hPa (ECHA)
	Decomposition temperature	not relevant
	pH (value)	not determined
	Kinematic viscosity	0,6517 <sup>mm²</sup> / <sub>s</sub> at 20 °C
	Dynamic viscosity	0,58 mPa s at 20 °C
	Solubility(ies)	
	Water solubility	18,9 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	1,4 (pH value: 7, 25 °C) (ECHA)
	Vapour pressure	33 hPa at 20 °C
	Density and/or relative density	
	Density	0,89 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	Information on this property is not available.
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Gas group (explosion group)	IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm
	Maximum explosion pressure	8,6 bar
	Temperature class (EU, acc. to ATEX)	T2 Maximum permissible surface temperature on the equipment: 300°C

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: 1A9A

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

### If heated

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

Rubber articles, different plastics

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	8.700 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: vapour	LC50	32 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA
dermal	LD50	>17.800 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

Data are not available.

### • If in eyes

Causes serious eye irritation

### • If inhaled

dizziness, fatigue, narcosis

### • If on skin

has degreasing effect on the skin, repeated exposure may cause skin dryness or cracking

### Other information

none

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	60 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	91,5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	672 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,036 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,154 <sup>mg</sup>/<sub>mg</sub>

### **Biodegradation**

The substance is readily biodegradable.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	62 %	5 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,4 (pH value: 7, 25 °C) (ECHA)
---------------------------	---------------------------------

### 12.4 Mobility in soil

Data are not available.

**12.5 Results of PBT and vPvB assessment** Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

. to the dan-
R)Additional
D/E)
D

2

D/E

Ireland (en)

Transport category (TC)

Tunnel restriction code (TRC)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: **1A9A** 

Hazard identification No	33
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3
3	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	n-PROPYL ACETATE
Particulars in the shipper's declaration	UN1276, n-PROPYL ACETATE, 3, II, 11,8°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В
International Civil Aviation Organization (	ICAO-IATA/DGR) - Additional information
Proper shipping name	n-Propyl acetate
Particulars in the shipper's declaration	UN1276, n-Propyl acetate, 3, II
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: 1A9A

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Acetic acid n-propyl ester	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Acetic acid n-propyl ester	flammable / pyrophoric		R40	40
Acetic acid n-propyl ester	substances in tattoo inks and perman- ent make-up		R75	75

#### Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

#### article number: 1A9A



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: 1A9A

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity ( plication of lower a quirem	and upper-tier re-	Notes
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	890 <sup>g</sup> /l

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	890 <sup>g</sup> /l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### **Regulation on substances that deplete the ozone layer (ODS)**

not listed

### **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

### **Regulation on persistent organic pollutants (POP)** not listed

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: **1A9A** 

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 890 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 890 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

### article number: **1A9A**

Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Acetic acid n-propyl ester SOLVAGREEN® ≥99,5 %, for synthesis

article number: 1A9A

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.