

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**
Version: **6.0 en**
Replaces version of: 21.12.2022
Version: (5)

date of compilation: 02.04.2020
Revision: 04.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H ₂ O), with molecular sieve, stabilized |
| Article number | 1A9Y |
| Registration number (REACH) | 01-2119444314-46-xxxx |
| Index number in CLP Annex VI | 603-025-00-0 |
| EC number | 203-726-8 |
| CAS number | 109-99-9 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|--|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-----------------------------------|-----------|---------------------------|------------------|
| 2.6 | Flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.6 | Carcinogenicity | 2 | Carc. 2 | H351 |
| 3.8R | Specific target organ toxicity - single exposure (respiratory tract irritation) | 3 | STOT SE 3 | H335 |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|---------------------------------|
| EUH019 | may form explosive peroxides |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger**

Pictograms

GHS02, GHS07,
GHS08



Hazard statements

H225 Highly flammable liquid and vapour
H302 Harmful if swallowed
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H351 Suspected of causing cancer

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 Wear protective clothing/eye protection/face protection

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 IF exposed or concerned: Get medical advice/attention

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

For professional users only

Supplemental hazard information

EUH019 May form explosive peroxides.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

P280 Wear protective clothing/eye protection/face protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

EUH019 May form explosive peroxides.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|---------------------------------|
| Name of substance | Tetrahydrofuran |
| Molecular formula | C ₄ H ₈ O |
| Molar mass | 72,11 g/mol |
| REACH Reg. No | 01-2119444314-46-xxxx |
| CAS No | 109-99-9 |
| EC No | 203-726-8 |
| Index No | 603-025-00-0 |

To stabilise:

| Name of substance | Identifier | Wt% |
|--------------------------|--|------|
| Butylated hydroxytoluene | CAS No 128-37-0 EC No 204-881-4 | <0,1 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

| Substance, Specific Conc. Limits, M-factors, ATE | | | |
|---|-----------|-------------|----------------|
| Specific Conc. Limits | M-Factors | ATE | Exposure route |
| Eye Irrit. 2; H319: C ≥ 25 % STOT SE 3; H335: C ≥ 25 % | - | 1.650 mg/kg | oral |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Dyspnoea, Headache, Vertigo, Drowsiness, Dizziness, Narcosis,

Following skin contact: Localised redness, oedema, pruritis and/or pain,

After eye contact: Irritation,

Following ingestion: Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!

water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

high temperatures, UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|-----------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU | tetrahydrofuran | 109-99-9 | IOELV | 50 | 150 | 100 | 300 | | | H | 2000/39/EC |
| MT | tetrahydrofuran | 109-99-9 | OELV | 50 | 150 | 100 | 300 | | | H | CAP. 424 |

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| H | Absorbed through the skin |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|------------------------|------------------------------------|-------------------|----------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 72,4 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 96 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 150 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| DNEL | 300 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| DNEL | 12,6 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

| Relevant DNELs of components | | | | | | |
|------------------------------|----------|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 19 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 18 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 3,5 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Butylated hydroxytoluene | 128-37-0 | DNEL | 0,5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Environmental values

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

| Relevant PNECs and other threshold levels | | | | |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 4,32 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 0,432 mg/l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 4,6 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 23,3 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 2,33 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 2,13 mg/kg | terrestrial organisms | soil | short-term (single instance) |

| Relevant PNECs of components | | | | | | |
|------------------------------|----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 8,33 mg/kg | aquatic organisms | water | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 1,99 µg/l | aquatic organisms | water | intermittent release |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,199 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,02 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 0,17 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 99,6 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 9,96 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Butylated hydroxytoluene | 128-37-0 | PNEC | 47,69 µg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• Splash protection - Protective gloves


- type of material: Butyl caoutchouc (butyl rubber)
- material thickness: 0,7mm
- breakthrough times of the glove material: >10 minutes (permeation: level 1)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | liquid |
| Colour | colourless |
| Odour | like ether |
| Melting point/freezing point | -108,5 °C |
| Boiling point or initial boiling point and boiling range | 65 °C at 1.013 hPa (ECHA) |
| Flammability | flammable liquid in accordance with GHS criteria |
| Lower and upper explosion limit | 1,5 vol% (LEL) - 12,4 vol% (UEL) |
| Flash point | -21,2 °C at 1.013 hPa (ECHA) |
| Auto-ignition temperature | 215 °C (DIN 51794) |
| Decomposition temperature | not relevant |
| pH (value) | 7 – 8 (20 °C) |
| Kinematic viscosity | not determined |
| Dynamic viscosity | 0,48 mPa s at 20 °C |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): 0,45 (pH value: 7, 25 °C) (ECHA)

Vapour pressure 170 hPa at 20 °C

Density and/or relative density

Density 0,883 g/cm³ at 25 °C (ECHA)

Relative vapour density 2,49 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX) T3
Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali hydroxide (caustic alkali), Acids

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. UV-radiation/sunlight.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

10.5 Incompatible materials

Rubber articles, different plastics, tin

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

| Acute toxicity | | | | | |
|----------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | 1.650 mg/kg | rat | | ECHA |
| dermal | LD50 | >2.000 mg/kg | rat | | ECHA |

Acute toxicity of components

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|--------------------------|----------|----------------|----------|--------------|---------|
| Butylated hydroxytoluene | 128-37-0 | oral | LD50 | >6.000 mg/kg | rat |
| Butylated hydroxytoluene | 128-37-0 | dermal | LD50 | >2.000 mg/kg | rat |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

vomiting, nausea

- **If in eyes**

Causes serious eye irritation

- **If inhaled**

Irritation to respiratory tract, cough, Dyspnoea, headache, vertigo, drowsiness, dizziness, narcosis

- **If on skin**

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc

- **Other information**

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) | | | | |
|--------------------------|------------|---------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | 2.160 mg/l | fish | ECHA | 96 h |
| EC50 | 1.930 mg/l | fish | ECHA | 96 h |

| Aquatic toxicity (acute) of components | | | | | |
|--|----------|----------|------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Butylated hydroxy-toluene | 128-37-0 | LC50 | >0,57 mg/l | fish | 96 h |
| Butylated hydroxy-toluene | 128-37-0 | EC50 | 0,48 mg/l | aquatic invertebrates | 48 h |
| Butylated hydroxy-toluene | 128-37-0 | ErC50 | >0,4 mg/l | algae | 72 h |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Aquatic toxicity (chronic) of components

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|--------------------------|----------|----------|------------|-----------------------|---------------|
| Butylated hydroxytoluene | 128-37-0 | EC50 | 0,096 mg/l | aquatic invertebrates | 21 d |

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,441 mg/mg
Theoretical Carbon Dioxide: 2,441 mg/mg

Process of degradability

| Process | Degradation rate | Time |
|------------------|------------------|------|
| biotic/abiotic | 39 % | 28 d |
| oxygen depletion | 39 % | 28 d |

Degradability of components

| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
|--------------------------|----------|----------------|------------------|------|--------|--------|
| Butylated hydroxytoluene | 128-37-0 | biotic/abiotic | <10 % | 20 d | | |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| | |
|---------------------------|----------------------------------|
| n-octanol/water (log KOW) | 0,45 (pH value: 7, 25 °C) (ECHA) |
|---------------------------|----------------------------------|

Bioaccumulative potential of components

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|--------------------------|----------|-------|---------|----------|
| Butylated hydroxytoluene | 128-37-0 | 598,4 | 5,1 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3** flammable
- HP 15** waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste
- HP 4** irritant - skin irritation and eye damage
- HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 6** acute toxicity
- HP 7** carcinogenic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADR | UN 2056 |
| IMDG-Code | UN 2056 |
| ICAO-TI | UN 2056 |

14.2 UN proper shipping name

| | |
|-----------|-----------------|
| ADR | TETRAHYDROFURAN |
| IMDG-Code | TETRAHYDROFURAN |
| ICAO-TI | Tetrahydrofuran |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADR | 3 |
| IMDG-Code | 3 |
| ICAO-TI | 3 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

14.4 Packing group

| | |
|-----------|----|
| ADR | II |
| IMDG-Code | II |
| ICAO-TI | II |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

| | |
|---------------------------------------|---------------------------------------|
| Proper shipping name | TETRAHYDROFURAN |
| Particulars in the transport document | UN2056, TETRAHYDROFURAN, 3, II, (D/E) |
| Classification code | F1 |
| Danger label(s) | 3 |



| | |
|-------------------------------|-----|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 33 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|--|
| Proper shipping name | TETRAHYDROFURAN |
| Particulars in the shipper's declaration | UN2056, TETRAHYDROFURAN, 3, II, -21,2°C c.c. |
| Marine pollutant | - |
| Danger label(s) | 3 |



| | |
|--------------------------|----------|
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | B |

Safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|---|--------------------------------|
| Proper shipping name | Tetrahydrofuran |
| Particulars in the shipper's declaration | UN2056, Tetrahydrofuran, 3, II |
| Danger label(s) | 3 |
|  | |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Tetrahydrofuran | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Tetrahydrofuran | flammable / pyrophoric | | R40 | 40 |
| Tetrahydrofuran | substances in tattoo inks and permanent make-up | | R75 | 75 |

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

Legend

- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
'For professional users only'.
 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
 - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
 - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
 - (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|--------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 883 g/l |

Industrial Emissions Directive (IED)

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 883 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Tetrahydrofuran | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIoC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: 1A9Y

Legend

TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | VOC content: 100 % 883 g/l | VOC content: 100 % | yes |
| 15.1 | | VOC content: 883 g/l | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |
| 15.2 | Chemical Safety Assessment: No Chemical Safety Assessment has been carried out for this substance. | Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tetrahydrofuran ROTIDRY®plus ≥99,5 % (≤50 ppm H₂O), with molecular sieve, stabilized

article number: **1A9Y**

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.