acc. to Safe Work Australia - Code of Practice

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31 date of compilation: 2020-05-22 Version: GHS 3.0 en Revision: 2024-03-03

Replaces version of: 2022-05-06

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **2-Chlorophenol** ≥98 %, for synthesis

Article number 1C31 CAS number 95-57-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	4	Flam. Liq. 4	H227
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332

Australia (en) Page 1 / 14

acc. to Safe Work Australia - Code of Practice



2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

H227 Combustible liquid

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists

P280 Wear protective gloves/protective clothing

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

Australia (en) Page 2 / 14

acc. to Safe Work Australia - Code of Practice



2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 2-Chlorophenol

Molecular formula C_6H_5CIO Molar mass $128.6 \, {}^g/_{mol}$

CAS No 95-57-8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Cough, Dyspnoea, Vomiting, Corrosion, Gastric perforation, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

ROTH

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice

ROTH

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice



2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,5 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

• type of material: CR: chloroprene (chlorobutadiene) rubber

material thickness: 0,65 mm

• breakthrough times of the glove material: >30 minutes (permeation: level 2)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour characteristic

Melting point/freezing point 7 °C (ECHA)

Boiling point or initial boiling point and boiling 174.9 °C at 1,013 hPa (ECHA)

range

Australia (en) Page 6 / 14

acc. to Safe Work Australia - Code of Practice

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit not determined

Flash point 64 °C at 1,013 hPa (ECHA)

Auto-ignition temperature 550 °C at 1,013 hPa (ECHA)

Decomposition temperature not relevant

pH (value) not determined

Kinematic viscosity not determined

Solubility(ies)

Water solubility 22.66 g_{1} at 24.6 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 2.18 (20 °C) (ECHA)

Vapour pressure 1.33 hPa at 12.1 °C

13.33 hPa at 51.2 °C

Density and/or relative density

Density $1.248 \, {}^{\rm g}/{}_{\rm cm^3}$ at 20 ${}^{\rm o}$ C (ECHA)

Relative vapour density 4.4 at 20 °C (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

zard There is no additional information.

Other safety characteristics:

Gas group (explosion group) IIA

Maximum Experimental Safe Gap value; MESG >

0,9 mm

Surface tension $40.5 \,^{\text{mN}}/_{\text{m}} (25 \,^{\circ}\text{C}) (ECHA)$

Australia (en) Page 7 / 14

acc. to Safe Work Australia - Code of Practice

ROTH

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser,

Dangerous/dangerous reactions with: Aluminium, Copper, Carboxylic acid anhydride, Acetic anhydride, Strong alkali, Acid chlorides, inorganic

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat.

10.5 Incompatible materials

different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>1,000 - <2,000 ^{mg} / _{kg}	rat		ECHA
inhalation: vapour	LC50	≥4.77 ^{mg} / _I /4h	rat		ECHA
dermal	LD50	>1,000 – <1,580 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Australia (en) Page 8 / 14

acc. to Safe Work Australia - Code of Practice

ROTH

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

irritant effects, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds

Other information

Other adverse effects: Cardiovascular system, Liver and kidney damage

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Theoretical Oxygen Demand: 1.618 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 2.054 $^{\rm mg}/_{\rm mg}$

Biodegradation

Not readily biodegradable.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	2.18 (20 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDGUN 2021IMDG-CodeUN 2021ICAO-TIUN 2021

14.2 UN proper shipping name

UN RTDGCHLOROPHENOLS, LIQUIDIMDG-CodeCHLOROPHENOLS, LIQUIDICAO-TIChlorophenols, liquid

14.3 Transport hazard class(es)

UN RTDG 6.1
IMDG-Code 6.1
ICAO-TI 6.1

Australia (en) Page 10 / 14

acc. to Safe Work Australia - Code of Practice

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2021
Class 6.1
Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 6.1

Fish and tree

Special provisions (SP)

UN RTDG

Excepted quantities (EQ)

E1 UN RTDG

Limited quantities (LQ) 5 L

5 L UN RTDG

Emergency Action Code 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CHLOROPHENOLS, LIQUID

Particulars in the shipper's declaration UN2021, CHLOROPHENOLS, LIQUID, 6.1, III, MAR-

INE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"



Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-A, S-A

Australia (en) Page 11 / 14

acc. to Safe Work Australia - Code of Practice

2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Α

Proper shipping name Chlorophenols, liquid

Particulars in the shipper's declaration UN2021, Chlorophenols, liquid, 6.1, III

Environmental hazards YES (hazardous to the aquatic environment)

6.1 Danger label(s)

Excepted quantities (EQ) E1 Limited quantities (LQ) 2 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)

ECSI EC Substance Inventory (EİNECS, ELINCS, NLP)

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice



2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Legend

IECSC INSQ Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice



2-Chlorophenol ≥98 %, for synthesis

article number: 1C31

Abbr.	Descriptions of used abbreviations	
PBT	Persistent, Bioaccumulative and Toxic	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H227	Combustible liquid.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14