United Kingdom (en)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

# N,N-dimethylaniline ≥99 %, for synthesis

article number: 1CA6 Version: 3.0 en Replaces version of: 2022-04-22

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Product identifier** 1.1

Identification of the substance <b>N,N-dimethylaniline</b> ≥99 %, for	
Article number	1CA6
Index No (GB CLP)	612-016-00-0
EC number	204-493-5
CAS number	121-69-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### **Emergency telephone number** 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# SECTION 2: Hazards identification

#### Classification of the substance or mixture 2.1



date of compilation: 2020-06-30

Revision: 2024-03-01

sicherheit@carlroth.de

Version: (2)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### N,N-dimethylaniline ≥99 %, for synthesis



#### article number: 1CA6

Classification	acc. to GHS
----------------	-------------

Section	on Hazard class		Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.6	Carcinogenicity	2	Carc. 2	H351
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

**Signal word** Danger

#### **Pictograms**

GHS09



#### **Hazard statements**

H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312	Call a POISON CENTRE/doctor if you feel unwell
P391	Collect spillage

For professional users only

#### **Other hazards** 2.3

This material is combustible, but will not ignite readily.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

acc. to Regulation (EC) No. 1907/2006 (REACH)

### N,N-dimethylaniline ≥99 %, for synthesis



article number: 1CA6

3.1

# **SECTION 3: Composition/information on ingredients**

Substances	
Name of substance	N,N-dimethylaniline
Molecular formula	C <sub>8</sub> H <sub>11</sub> N
Molar mass	121,2 <sup>g</sup> / <sub>mol</sub>
CAS No	121-69-7
EC No	204-493-5
Index No (GB CLP)	612-016-00-0

Substance, Specific Conc. Limits, M-factors, ATE							
Specific Conc. Limits	M-Factors	ATE	Exposure route				
-	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: vapour				

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### **4.2 Most important symptoms and effects, both acute and delayed** Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® Roth

N,N-dimethylaniline ≥99 %, for synthesis

#### article number: **1CA6**

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® §ROTH

#### N,N-dimethylaniline ≥99 %, for synthesis

#### article number: 1CA6

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Protect against external exposure, such as

direct light irradiation, UV-radiation/sunlight, contact with air/oxygen

#### Consideration of other advice:

Store locked up.

#### **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	N,N-dimethylaniline	121-69-7	WEL	5	25	10	50				EH40/ 2005

Notation

STEL

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### N,N-dimethylaniline ≥99 %, for synthesis

#### article number: 1CA6

#### Notation TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

FKM (fluoro rubber)

• material thickness

0,4 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-dimethylaniline ≥99 %, for synthesis



## article number: 1CA6

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties				
	Physical state	liquid			
	Colour	light yellow - yellow			
	Odour	pungent			
	Melting point/freezing point	1,5 – 2,5 °C (ECHA)			
	Boiling point or initial boiling point and boiling range	185 °C at 960 hPa (ECHA)			
	Flammability	this material is combustible, but will not ignite readily			
	Lower and upper explosion limit	60 g/m³ (LEL) - 350 g/m³ (UEL) / 1,2 vol% (LEL) - 7 vol% (UEL)			
	Flash point	61 °C at 960 hPa (ECHA)			
	Auto-ignition temperature	not determined			
	Decomposition temperature	not relevant			
	pH (value)	7,4 (in aqueous solution: 1,2 <sup>g</sup> / <sub>l</sub> , 20 °C)			
	Kinematic viscosity	11,88 <sup>mm²</sup> / <sub>s</sub> at 35 °C			
	Dynamic viscosity	11 mPa s at 35 °C			
	Solubility(ies)				
	Water solubility	1,45 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)			
	Partition coefficient				
	Partition coefficient n-octanol/water (log value):	1,171 (pH value: 6,58, 35 °C) (ECHA)			
	Soil organic carbon/water (log KOC)	1,896 (ECHA)			
	Vapour pressure	1 hPa at 30 °C			
	Density and/or relative density				
	Density	0,926 <sup>g</sup> / <sub>cm³</sub> at 35 °C (ECHA)			
	Relative vapour density	4,2 (air = 1)			
	Particle characteristics	not relevant (liquid)			
	Other safety parameters				
	Oxidising properties	none			
9.2	Other information				
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant			

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### N,N-dimethylaniline ≥99 %, for synthesis

# ® BOTH

#### article number: **1CA6**

Other safety characteristics:

Gas group (explosion group)

IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm

35,52 <sup>mN</sup>/<sub>m</sub> (25 °C) (ECHA)

Surface tension

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Oxidisers, Acid halides, Acids

#### 10.4 Conditions to avoid

Keep away from heat. Direct light irradiation. UV-radiation/sunlight. Contact with air/oxygen.

# 10.5 Incompatible materials

different plastics

#### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

Acute toxicity							
Exposure route	Endpoint	Value	Species	Method	Source		
oral	LD50	951 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA		
dermal	LD50	1.692 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA		

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### N,N-dimethylaniline ≥99 %, for synthesis



article number: 1CA6

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

causes slight to moderate irritation

### • If inhaled

irritant effects

## • If on skin

causes slight to moderate irritation

#### • Other information

Other adverse effects: Central nervous system, Haematopoietic system

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### **11.3** Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	78,2 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	8,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	24 h	

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### N,N-dimethylaniline ≥99 %, for synthesis

article number: 1CA6

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 2,64 <sup>mg</sup>/<sub>mg</sub> Theoretical Oxygen Demand (with nitrification): 3,169 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,905 <sup>mg</sup>/<sub>mg</sub>

#### **Biodegradation**

The substance is readily biodegradable.

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,171 (pH value: 6,58, 35 °C) (ECHA)		
BCF	16 (ECHA)		

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1,896 (ECHA)
--	--------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- **HP 6** acute toxicity
- HP 7 carcinogenic HP 14 ecotoxic
- aitad Kinadam (an)

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### N,N-dimethylaniline ≥99 %, for synthesis

article number: 1CA6

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 2253
	IMDG-Code	UN 2253
	ICAO-TI	UN 2253
14.2	UN proper shipping name	
	ADRRID	N,N-DIMETHYLANILINE
	IMDG-Code	N,N-DIMETHYLANILINE
	ICAO-TI	N,N-Dimethylaniline
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	N,N-DIMETHYLANILINE
Particulars in the transport document	UN2253, N,N-DIMETHYLANILINE, 6.1, II, (D/E), en- vironmentally hazardous
Classification code	T1
Danger label(s)	6.1, "Fish and tree"

**Yes** (hazardous to the aquatic environment)

United Kingdom (en)

Environmental hazards

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-dimethylaniline ≥99 %, for synthesis



cle number: <b>1CA6</b>	
Special provisions (SP)	802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 ml
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	60
Emergency Action Code	3Z
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	T1
Danger label(s)	6.1, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 ml
Transport category (TC)	2
Hazard identification No	60
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	N,N-DIMETHYLANILINE
Particulars in the shipper's declaration	UN2253, N,N-DIMETHYLANILINE, 6.1, II, MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 mL
EmS	F-A, S-A
Stowage category	A

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### N,N-dimethylaniline ≥99 %, for synthesis



article number: 1CA6

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information				
Proper shipping name	N,N-Dimethylaniline			
Particulars in the shipper's declaration	UN2253, N,N-Dimethylaniline, 6.1, II			
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)			
Danger label(s)	6.1			
Excepted quantities (EQ)	E4			
Limited quantities (LQ)	1 L			

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

#### **Seveso Directive**

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)	

#### Notation

 Category 2, all exposure routes
category 3, inhalation exposure route 41)

#### **Deco-Paint Directive**

VOC content	100 %

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
-------------	-------

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

#### Water Framework Directive (WFD)

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
N,N-dimethylaniline	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid,		a)	

acc. to Regulation (EC) No. 1907/2006 (REACH)



### N,N-dimethylaniline ≥99 %, for synthesis

#### article number: 1CA6

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
	reproduction or other endocrine- related functions in or via the aquatic environment				
N,N-dimethylaniline	Metals and their compounds		a)		

#### Legend

a) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

#### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
N,N-dimethylaniline	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

### N,N-dimethylaniline ≥99 %, for synthesis



#### article number: 1CA6

Country	Inventory	Status
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

AIIC CSCL-ENCS	Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev-
			ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 6.1	Classification code: T1	yes
15.1	Restrictions according to REACH, Annex XVII		yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® §ROTH

## N,N-dimethylaniline ≥99 %, for synthesis

## article number: 1CA6

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### N,N-dimethylaniline ≥99 %, for synthesis



#### article number: **1CA6**

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.