acc. to Safe Work Australia - Code of Practice

# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5 date of compilation: 2020-07-21 Version: GHS 3.0 en Revision: 2024-03-01

Replaces version of: 2022-04-14

Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### **Product identifier** 1.1

Identification of the substance **1,6-Hexanediol** ≥96 %, for synthesis

Article number 1CP5 CAS number 629-11-8

### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

This substance does not meet the criteria for classification.

### **Label elements** 2.2

# Labelling

not required

Australia (en) Page 1 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance 1,6-Hexanediol

Molecular formula  $C_6H_{14}O_2$  Molar mass  $118.2~^g/_{mol}$  CAS No 629-11-8

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following skin contact**

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

# 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

# Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible.

# **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

No special measures are necessary.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

# 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains. Take up mechanically.

# Advice on how to clean up a spill

Take up mechanically.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

# 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 12

acc. to Safe Work Australia - Code of Practice

# ROTH

# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**National limit values** 

# **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

### **Human health values**

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	35 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	10 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

### **Environmental values**

### Relevant PNECs and other threshold levels **Threshold** End-**Organism Exposure time Environmental com**point level partment **PNEC** 0.5 <sup>mg</sup>/<sub>l</sub> aquatic organisms freshwater short-term (single instance) **PNEC** $0.05 \, \text{mg/}_{\text{I}}$ aquatic organisms marine water short-term (single instance) **PNEC** 8,400 <sup>mg</sup>/<sub>I</sub> aquatic organisms sewage treatment plant short-term (single instance) (STP) 1.05 <sup>mg</sup>/<sub>kg</sub> **PNEC** freshwater sediment aquatic organisms short-term (single instance) 0.105 mg/kg **PNEC** aquatic organisms marine sediment short-term (single instance) $0.076 \, \text{mg/}_{\text{kg}}$ **PNEC** terrestrial organisms soil short-term (single instance)

Australia (en) Page 4 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

# **Eye/face protection**





Use safety goggle with side protection.

# **Skin protection**





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

# type of material

NBR (Nitrile rubber)

### material thickness

>0,3 mm

# · breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White). Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid
Form scales
Colour colourless

Odour odourless

Melting point/freezing point 39.5 – 42.1 °C (ECHA)

Australia (en) Page 5 / 12

acc. to Safe Work Australia - Code of Practice

# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

Boiling point or initial boiling point and boiling

range

this material is combustible, but will not ignite Flammability

readily

Lower and upper explosion limit not determined

Flash point 136 °C at 1,013 hPa (ECHA)

Auto-ignition temperature 320 °C at 1,013 hPa (ECHA) (relative self-ignition

temperature for solids)

250 °C at 1,013 hPa (ECHA)

Decomposition temperature not relevant

5-7 (in aqueous solution:  $500 \, ^{9}/_{l}$ ,  $20 \, ^{\circ}$ C) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

1,000 g/1 (ECHA) Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): 0 (25 °C) (ECHA)

Soil organic carbon/water (log KOC) 0 (ECHA)

Vapour pressure 0.001 hPa at 25 °C

Density and/or relative density

Density  $0.96 \, {}^{9}/_{cm^{3}}$  at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

~530 kg/<sub>m³</sub> **Bulk density** 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS classes:

(physical hazards): not relevant

There is no additional information. Other safety characteristics:

Australia (en) Page 6 / 12

acc. to Safe Work Australia - Code of Practice

# ROTH

# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

# 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Classification acc. to GHS

This substance does not meet the criteria for classification.

# **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2,500 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

# Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

Australia (en) Page 7 / 12

acc. to Safe Work Australia - Code of Practice

# ROTH

### 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

vomiting, nausea, gastrointestinal complaints

# • If in eyes

causes slight to moderate irritation

### If inhaled

cough, headache

### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

# Other information

none

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	10,000 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	>500 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	5,940 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

# Aquatic toxicity (chronic) Endpoint Value Species Source Exposure time EC50 >10,000 mg/<sub>I</sub> microorganisms ECHA 17 h

# 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2.302 mg/mg

Australia (en) Page 8 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

Theoretical Carbon Dioxide: 2.234 mg/mg

# **Biodegradation**

The substance is readily biodegradable.

# **Process of degradability**

Process	Degradation rate	Time
DOC removal	98 %	28 d
oxygen depletion	95 %	28 d

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0 (25 °C) (ECHA)
---------------------------	------------------

# 12.4 Mobility in soil

Henry's law constant	0.041 Pa m³/ <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0 (ECHA)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

# Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 9 / 12

acc. to Safe Work Australia - Code of Practice



### 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

# **SECTION 14: Transport information**

**14.1 UN number** not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

# Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed

Australia (en) Page 10 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

Country	Inventory	Status
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

TCSI TSCA Toxic Substance Control Act

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# SECTION 16: Other information

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

Australia (en) Page 11 / 12

acc. to Safe Work Australia - Code of Practice



# 1,6-Hexanediol ≥96 %, for synthesis

article number: 1CP5

Abbr.	Descriptions of used abbreviations
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 12 / 12