according to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 20 %, pure

article number: 1ECX date of compilation: 2021-08-16 Version: 1.0 en



# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Acetic acid 20 %, pure

Article number 1ECX

Registration number (REACH) not relevant (mixture)

Index number in CLP Annex VI [607-002-00-6] EC number [200-580-7]

CAS number [64-19-7]

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

#### **Pictograms**

GHS07



#### **Hazard statements**

H315 Causes skin irritation H319 Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection/face protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 Specific treatment (see on this label)

P332+P313 If skin irritation occurs: Get medical advice/attention
P362+P364 Take off contaminated clothing and wash it before reuse

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

United Kingdom (en) Page 2 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Acetic acid %	CAS No 64-19-7 EC No 200-580-7 Index No 607-002-00-6 REACH Reg. No 01-2119475328- 30-xxxx	10 - < 25	Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV

#### Notes

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Acetic acid %	CAS No 64-19-7 EC No 200-580-7 Index No 607-002-00-6	Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	-	

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

# **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation

United Kingdom (en) Page 3 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

#### **Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases


Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1ECX



# **SECTION 7: Handling and storage**

#### Precautions for safe handling 7.1

No special measures are necessary.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetic acid	64-19-7	IOELV	10	25	20	50				2017/ 164/EU
GB	acetic acid	64-19-7	WEL	10	25	20	50				EH40/ 2005

#### Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Acetic acid %	64-19-7	DNEL	25 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Acetic acid %	64-19-7	DNEL	25 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects	

United Kingdom (en) Page 5 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1ECX



#### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Acetic acid %	64-19-7	PNEC	3,058 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Acetic acid %	64-19-7	PNEC	0,306 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Acetic acid %	64-19-7	PNEC	85 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Acetic acid %	64-19-7	PNEC	11,36 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Acetic acid %	64-19-7	PNEC	1,136 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Acetic acid %	64-19-7	PNEC	0,47 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### **Individual protection measures (personal protective equipment)**

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 6 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Acetic acid 20 %, pure

article number: 1ECX

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow). Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green). Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour like: - Acetic acid Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

(unknown) not determined

Flammability non-combustible

Lower and upper explosion limit 4 vol% - 17 vol% (anhydrous)

Flash point not determined

Auto-ignition temperature 485 °C

Decomposition temperature not relevant pH (value) <4 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 20,79 hPa at 25 °C

Density 1,03 – 1,05 <sup>g</sup>/<sub>cm³</sub> at 20 °C

Relative vapour density information on this property is not available

United Kingdom (en) Page 7 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 20 %, pure

article number: 1ECX

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

classes:

Other safety characteristics:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 450°C

# **SECTION 10: Stability and reactivity**

#### Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Danger of explosion: Perchlorates, Permanganates, Hydrogen peroxide,

Violent reaction with: Aldehydes, Alkali (lye), Alcohols, Acetic anhydride, Metals, Nitric acid, Strong oxidiser

#### 10.4 Conditions to avoid

Direct light irradiation. Keep away from heat.

#### 10.5 Incompatible materials

different metals

#### Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Page 8 / 17 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

# Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Acetic acid %	64-19-7	oral	LD50	3.310 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

gastrointestinal complaints

# • If in eyes

Causes serious eye irritation, Irritating to eyes

#### If inhaled

slightly irritant

#### • If on skin

causes skin irritation

#### Other information

none

#### 11.2 Endocrine disrupting properties


None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1ECX



# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Acetic acid %	64-19-7	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Acetic acid %	64-19-7	ErC50	>1.000 <sup>mg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Acetic acid %	64-19-7	ErC50	0,08 <sup>mg</sup> / <sub>l</sub>	algae	24 h
Acetic acid %	64-19-7	EC50	4,51 <sup>mg</sup> / <sub>l</sub>	algae	24 h

#### **Biodegradation**

Data are not available.

# 12.2 Process of degradability

## Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Acetic acid %	64-19-7	biotic/abiotic	99 %	30 d		

## 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Acetic acid %	64-19-7	3,16	-0,17 (pH value: 7, 25 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 10 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 20 %, pure

article number: 1ECX



# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1	UN	number	or ID	number
14.1	UN	number	or in	numbe

ADR/RID/ADN	UN 2790
IMDG-Code	UN 2790
ICAO-TI	UN 2790

#### 14.2 UN proper shipping name

ADR/RID/ADN	ACETIC ACID SOLUTION
IMDG-Code	ACETIC ACID SOLUTION
ICAO-TI	Acetic acid solution

#### 14.3 Transport hazard class(es)

ADR/RID/ADN	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

# **14.5 Environmental hazards**non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

United Kingdom (en) Page 11 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 20 %, pure

article number: 1ECX



# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ACETIC ACID SOLUTION

Particulars in the transport document UN2790, ACETIC ACID SOLUTION, 8, III, (E)

Classification code C3
Danger label(s) 8



Special provisions (SP) 597, 647

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 80

Emergency Action Code 2R

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ACETIC ACID SOLUTION

Particulars in the shipper's declaration UN2790, ACETIC ACID SOLUTION, 8, III

Marine pollutant Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Acetic acid solution

Particulars in the shipper's declaration UN2790, Acetic acid solution, 8, III

Danger label(s) 8



United Kingdom (en) Page 12 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 20 %, pure

article number: 1ECX

Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

#### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Acetic acid	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Acetic acid %	flammable / pyrophoric		R40	40

#### Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and lokes.

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,
- or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and
   present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met
- ments are met:
  (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage";
  (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
  (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black
- opaque containers not exceeding 1 litre by 1 December 2010.
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: R40
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols
  - imitation excrement,
  - horns for parties,
    decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
  - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
  - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
  - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Page 13 / 17 United Kingdom (en)



according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	10 - 25 % , 1.662 <sup>g</sup> / <sub>l</sub>
-------------	--

#### **Industrial Emissions Directive (IED)**

VOC content	10 - 25 %
VOC content	1.102 <sup>g</sup> / <sub>l</sub>
VOC content Water content was discounted	1.662 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### **Water Framework Directive (WFD)**

none of the ingredients are listed

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

United Kingdom (en) Page 14 / 17

according to Regulation (EC) No. 1907/2006 (REACH)





#### Acetic acid 20 %, pure

article number: 1ECX

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI ECSI ECSI Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substances Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand

United Kingdom (en) Page 15 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

# Acetic acid 20 %, pure

article number: **1ECX** 



Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

United Kingdom (en) Page 16 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### Acetic acid 20 %, pure

article number: 1ECX

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17