

date of compilation: 2020-09-11

Revision: 2022-01-19

Litmus indicator solution 2,5 % in ethanol

article number: **1EE2** Version: **2.0 en** Replaces version of: 2020-09-11 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Litmus indicator solution 2,5 % in ethanol

1EE2

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/ EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) not required

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

2.3 **Other hazards**

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5	< 10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC IARC: 1
	EC No 200-578-6				
	Index No 603-002-00-5				
	REACH Reg. No 01-2119457610- 43-xxxx				
Litmus	CAS No 1393-92-6	2,5			
	EC No 215-739-6				
Trichloromethane	CAS No 67-66-3	0,1 - 0,3	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315		GHS-HC IARC: 2B IOELV
	EC No 200-663-8		Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d		IGLEV
	Index No 602-006-00-4		STOT RE 1 / H372		
	REACH Reg. No 01-2119486657- 20-xxxx				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Trichlorometh- ane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: va- pour

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006 (REACH)



٦

Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	chloroform	67-66-3	IOELV	2	10						2000/39/ EC
GB	ethanol	64-17-5	WEL	1.00 0	1.920						EH40/ 2005
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005

Notation

TWA

Γ

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs	Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Ethanol	64-17-5	DNEL	1.900 mg/ m ³	human, inhalat- ory	worker (industry)	acute - systemic effects				
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				
Ethanol	64-17-5	DNEL	950 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects				
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Ethanol	64-17-5	PNEC	0,79 ^{mg} / _{cm³}	unknown	marine water	intermittent re- lease			
Ethanol	64-17-5	PNEC	2,75 ^{mg} / _{cm³}	unknown	air	intermittent re- lease			
Ethanol	64-17-5	PNEC	3,6 ^{mg} / _{cm³}	unknown	freshwater sedi- ment	intermittent re- lease			
Ethanol	64-17-5	PNEC	580 ^{mg} / _{cm³}	unknown	sewage treatment plant (STP)	intermittent re- lease			

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Relevant PNECs	Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Ethanol	64-17-5	PNEC	0,63 ^{mg} / _{cm³}	unknown	soil	intermittent re- lease				
Ethanol	64-17-5	PNEC	0,96 ^{mg} / _{cm³}	unknown	freshwater	intermittent re- lease				
Trichloromethane	67-66-3	PNEC	0,146 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)				
Trichloromethane	67-66-3	PNEC	0,015 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)				
Trichloromethane	67-66-3	PNEC	0,048 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Trichloromethane	67-66-3	PNEC	0,45 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
Trichloromethane	67-66-3	PNEC	0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
Trichloromethane	67-66-3	PNEC	0,56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

- type of material: NBR (Nitrile rubber)
- material thickness: >0,11 mm
- breakthrough times of the glove material:
- >120 minutes (permeation: level 4)

according to Regulation (EC) No. 1907/2006 (REACH)

Litmus indicator solution 2,5 % in ethanol



article number: 1EE2

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	5 – 8
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	0,97 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

according to Regulation (EC) No. 1907/2006 (REACH)

Litmus indicator solution 2,5 % in ethanol

article number: 1EE2



Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/ EC.

Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance	CAS No	Exposure route	ATE				
Trichloromethane	67-66-3	oral	908 ^{mg} / _{kg}				
Trichloromethane	67-66-3	inhalation: vapour	3 ^{mg} / _l /4h				

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 ^{mg} / _l /4h	rat
Ethanol	64-17-5	oral	LD50	7.060 ^{mg} / _{kg}	rat
Trichloromethane	67-66-3	oral	LD50	908 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)





Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Ethanol	64-17-5	LC50	8.140 ^{mg} / _l	orfe (Leuciscus idus)	96 h				
Ethanol	64-17-5	EC50	9.000 – 14.000 ^{mg} /l	daphnia magna	48 h				
Trichloromethane	67-66-3	EC50	152,5 ^{mg} / _l	aquatic invertebrates	48 h				
Trichloromethane	67-66-3	ErC50	13,3 ^{mg} / _l	algae	72 h				

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	0,48 ^{mg} / _l	microorganisms	24 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Ethanol	64-17-5	biotic/abiotic	94 %	d			
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d			

12.3 Bioaccumulative potential

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Bioaccumulative potential of components of the mixture								
Name of substance	CAS No	BCF	Log KOW	BOD5/COD				
Ethanol	64-17-5		-0,31					
Trichloromethane	67-66-3		1,97 (25 °C)					

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

- not assigned
- none
 - not assigned
 - non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Information for each of the UN Model Regulations 14.8

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	No		
Ethanol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Ethanol	flammable / pyrophoric		R40	40		
Ethanol	substances in tattoo inks and perman- ent make-up		R75	75		
Trichloromethane	chloroform	67-66-3	R32-38	32		
Trichloromethane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Trichloromethane	substances in tattoo inks and perman- ent make-up		R75	75		

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN)

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH)

Litmus indicator solution 2,5 % in ethanol



article number: 1EE2

Legend R32-38 1. Shall not be placed on the market, or used, - as substances - as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight, where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applica-tions such as in surface cleaning and cleaning of fabrics. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such sub-stances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelible marked as follows: indelibly marked as follows: For use in industrial installations only. By way of derogation this provision shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC. 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended R40 for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost, - 'whoopee' cushions, silly string aerosols, imitation excrement, horns for parties, decorative flakes and foams, - artificial cobwebs, stink bombs. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

For professional users only. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH)

Litmus indicator solution 2,5 % in ethanol



article number: 1EE2



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: **1EE2**

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/	18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

Deco-Paint Directive

VOC content	10,2 % , 654,8 ^g /l

Industrial Emissions Directive (IED)

VOC content	10,2 %
VOC content Water content was discounted	654,8 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registe	rs (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)	
Trichloromethane	67-66-3		500	

Water Framework Directive (WFD)

t of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the		A)	

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
	aquatic environment			
Trichloromethane	trichloromethane (chloroform)	67-66-3	В)	
Trichloromethane	trichloromethane	67-66-3	C)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) B) C)

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Trichloromethane	chloroform	67-66-3	i(2)	b

Legend

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use b i(2)

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Legena	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act
	AICS CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIOC PICCS REACH Reg. TCSI

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Ir land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in eithe growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulatior (EC) No 1272/2008

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: 1EE2

Abbr.	Descriptions of used abbreviations
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH)



Litmus indicator solution 2,5 % in ethanol

article number: **1EE2**

Code	Text
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.