according to Regulation (EC) No. 1907/2006 (REACH)

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

date of compilation: 2021-02-18

article number: 1EEY Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Colour Standard Pt/Co (Hazen) ROTI®Calipure

500 Hazen

1EEY Article number

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.6	Carcinogenicity	1B	Carc. 1B	H350
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

United Kingdom (en) Page 1 / 20



according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Potassium hexachloroplatinate(IV), Cobalt(II) chloride. May produce an allergic reaction

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
-------------	--------

Pictograms

GHS05, GHS08



Hazard statements

H290 May be corrosive to metals

H350 May cause cancer

H412 Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection

For professional users only

Supplemental hazard information

EUH208 Contains Potassium hexachloroplatinate(IV), Cobalt(II) chloride. May produce an

allergic reaction.

Hazardous ingredients for labelling: Cobalt(II) chloride

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

P280 Wear protective gloves/eye protection.

EUH208 Contains Potassium hexachloroplatinate(IV), Cobalt(II) chloride. May produce an allergic reaction.

contains: Cobalt(II) chloride

2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 2 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X REACH Reg. No 01-2119484862- 27-xxxx	3-<5	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a) GHS-HC IOELV
Potassium hexa- chloroplatinate(IV)	CAS No 16921-30-5 EC No 240-979-3 Index No 078-007-00-3	0,1 - < 1	Met. Corr. 1 / H290 Acute Tox. 3 / H301 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317		GHS-HC
Cobalt(II) chloride	CAS No 7646-79-9 EC No 231-589-4 Index No 027-004-00-5	0,1 - 0,2	Acute Tox. 4 / H302 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	₹	1(a) GHS-HC IARC: 2B

Notes

The concentration stated is the percentage by weight of the metallic element calculated with reference to the total 1(a):

weight of the mixture

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

ZB:
IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X	Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	•	-	

United Kingdom (en) Page 3 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Potassium hexa- chloroplatinate(I V)	CAS No 16921-30-5 EC No 240-979-3 Index No 078-007-00-3	-	-	195 ^{mg} / _{kg}	oral
Cobalt(II) chlor- ide	CAS No 7646-79-9 EC No 231-589-4 Index No 027-004-00-5	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10.0 M-factor (chronic) = 10.0	418 ^{mg} / _{kg}	oral

Substance of Very High Concern (SVHC)

Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks
Cobalt(II) chloride	cobalt dichloride	7646-79-9	231-589-4	Candidate list	Carc. A57a Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a) Repr. A57c Toxic for reproduction (article 57c)

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

United Kingdom (en) Page 4 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 5 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	hydrogen chloride	7647-01- 0	IOELV	5	8	10	15				2000/39/ EC
GB	halogeno-platinum compounds		WEL		0,002					Pt	EH40/ 2005
GB	hydrogen chloride	7647-01- 0	WEL	1	2	5	8			ga	EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

ga As gases and aerosols Pt Calculated as Pt (platinum)

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects				

United Kingdom (en) Page 6 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Cobalt(II) chloride	7646-79-9	DNEL	88,1 µg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				

Relevant PNECs of components of the mixture											
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,14 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,017 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,125 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,261 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,026 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)					
Potassium hexa- chloroplatinate(IV)	16921-30-5	PNEC	0,005 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	0,62 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	2,36 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	53,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	69,8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)					
Cobalt(II) chloride	7646-79-9	PNEC	10,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)					

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



United Kingdom (en) Page 7 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour acc. to product description

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 100 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not determined (acidic)

Kinematic viscosity not determined

United Kingdom (en) Page 8 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density 1,017 ^g/_{cm³}

Particle characteristics no data available

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 9 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Potassium hexachloroplatinate(IV)	16921-30-5	oral	195 ^{mg} / _{kg}
Cobalt(II) chloride	7646-79-9	oral	418 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Potassium hexachloroplatinate(IV)	16921-30-5	oral	LD50	195 ^{mg} / _{kg}	rat
Cobalt(II) chloride	7646-79-9	oral	LD50	418 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Contains Potassium hexachloroplatinate(IV), Cobalt(II) chloride. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 10 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

gastrointestinal complaints

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

slightly irritant but not relevant for classification

Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Potassium hexa- chloroplatinate(IV)	16921-30-5	LC50	25,78 ^{mg} / _l	fish	96 h	
Potassium hexa- chloroplatinate(IV)	16921-30-5	ErC50	2,4 ^{mg} / _l	algae	72 h	
Cobalt(II) chloride	7646-79-9	LC50	1,512 ^{mg} / _l	fish	96 h	
Cobalt(II) chloride	7646-79-9	EC50	2.618 ^{µg} / _l	aquatic invertebrates	48 h	
Cobalt(II) chloride	7646-79-9	ErC50	71.314 ^{µg} / _l	algae	96 h	

Aquatic toxicity (chronic) of components of the mixture Exposure time Name of sub-**CAS No Endpoint** Value **Species** stance 103 ^{mg}/_l 16921-30-5 EC50 3 h Potassium hexamicroorganisms chloroplatinate(IV) Cobalt(II) chloride 82,2 ^{µg}/_I 7646-79-9 EC50 aquatic invertebrates 21 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

United Kingdom (en) Page 11 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Cobalt(II) chloride	7646-79-9	23		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

14.2 UN proper shipping name

ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.

United Kingdom (en) Page 12 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

	Technical name (hazardous ingredients)	Hydrochloric acid %, Potassium hexachloro- platinate(IV)
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Classification code

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

C1

Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	Е
Hazard identification No	80
Emergency Action Code	2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1

United Kingdom (en) Page 13 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP) **A3** Excepted quantities (EQ) F1 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Colour Standard Pt/Co (Hazen)	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Cobalt(II) chloride	carcinogenic		R28-30	28
Cobalt(II) chloride	toxic for reproduction		R28-30	30

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances
- as constituents of other substances, or,
- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

- 'Restricted to professional users'.

 2. By way of derogation, paragraph 1 shall not apply to:
 (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
- (b) cosmetic products as defined by Directive 76/768/EEC;
- (c) the following fuels and oil products:
 motor fuels which are covered by Directive 98/70/EC,
 mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Directive 1999/45/EC;
- (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.

United Kingdom (en) Page 14 / 20

according to Regulation (EC) No. 1907/2006 (REACH)

Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Legend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,

- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).
 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that

the following requirements are met:
(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip

marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just' a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

those data available to the Commission.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

Name acc. to inventory	CAS No	Listed in	Remarks
cobalt dichloride	7646-79-9	Candidate list	Carc. A57a Repr. A57c

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

Toxic for reproduction (article 57c) Repr. A57c

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

Deco-Paint Directive (2004/42/EC)

VOC content	0 %
-------------	-----

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
-------------	-----

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Page 15 / 20 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Potassium hexachloroplatinate(IV)	Metals and their compounds		A)	
Cobalt(II) chloride	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		A)	
Cobalt(II) chloride	Metals and their compounds		A)	

Legend

A) Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors $\,$

Name of substance	CAS No	Classification	CN Code	Threshold level
Hydrochloric acid %	7647-01-0	Category 3	2806 10 00	

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed

United Kingdom (en) Page 16 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Country	Inventory	Status
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substance Inventory
Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC	
Acute Tox.	Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
Carc.	Carcinogenicity	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CN Code	Combined Nomenclature	
COD	Chemical oxygen demand	

United Kingdom (en) Page 17 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: **1EEY**

Abbr.	Descriptions of used abbreviations	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
log KOW	n-Octanol/water	
Met. Corr.	Substance or mixture corrosive to metals	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to th aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	
Muta.	Germ cell mutagenicity	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	

United Kingdom (en) Page 18 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

United Kingdom (en) Page 19 / 20

according to Regulation (EC) No. 1907/2006 (REACH)



Colour Standard Pt/Co (Hazen) ROTI®Calipure 500 Hazen

article number: 1EEY

Code	Text
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20