

article number: 1EPX Version: 2.0 en Replaces version of: 2020-11-02 Version: (1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 **Product identifier**

Identification of the substance

Article number

Registration number (REACH)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

1EPX

not relevant (mixture)

Laboratory chemical

Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319



date of compilation: 2020-11-02 Revision: 2022-01-05



article number: **1EPX** 

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS02, GHS07



#### **Hazard statements**

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

#### **Precautionary statements**

#### Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

#### **Precautionary statements - response**

P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact<br/>lenses, if present and easy to do. Continue rinsing<br/>If eye irritation persists: Get medical advice/attentionP337+P313If eye irritation persists: Get medical advice/attention

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

3.1 Substances

not relevant (mixture)

3.2 Mixtures

according to Regulation (EC) No. 1907/2006 (REACH)



## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

#### article number: 1EPX

Description of the I	Description of the mixture									
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes					
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No 01-2119457610- 43-xxxx	30 - 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC IARC: 1					
2-Propanol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0 REACH Reg. No 01-2119457558- 25-xxxx	1 – 5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS-HC					

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.



article number: **1EPX** 

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Nausea, Vomiting, Abdominal pain, Breathing difficulties, Vertigo, Drowsiness, Narcosis, Loss of righting reflex, and ataxia

## **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$ ), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.



article number: **1EPX** 

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: 1EPX

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	ethanol	64-17-5	WEL	1.00 0	1.920						EH40/ 2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1.250				EH40/ 2005

#### Notation

TWA

Ceiling value is a limit value above which exposure should not occur

Ceiling-C STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Ethanol	64-17-5	DNEL	1.900 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects				
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				
Ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects				
2-Propanol	67-63-0	DNEL	500 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects				
2-Propanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

#### **Relevant PNECs of components of the mixture**

·									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Ethanol	64-17-5	PNEC	0,79 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	marine water	intermittent re- lease			
Ethanol	64-17-5	PNEC	2,75 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	air	intermittent re- lease			
Ethanol	64-17-5	PNEC	3,6 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater sedi- ment	intermittent re- lease			
Ethanol	64-17-5	PNEC	580 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	sewage treatment plant (STP)	intermittent re- lease			
Ethanol	64-17-5	PNEC	0,63 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	soil	intermittent re- lease			



article number: **1EPX** 

Relevant PNECs	Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Ethanol	64-17-5	PNEC	0,96 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater	intermittent re- lease				
2-Propanol	67-63-0	PNEC	140,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)				
2-Propanol	67-63-0	PNEC	140,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)				
2-Propanol	67-63-0	PNEC	2.251 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
2-Propanol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)				
2-Propanol	67-63-0	PNEC	552 <sup>mg</sup> / <sub>kg</sub>	<sub>.g</sub> aquatic organ- marine se isms		short-term (single instance)				
2-Propanol	67-63-0 PN		28 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)				

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

® §ROTH

## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: **1EPX** 

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light yellow
Odour	like: - alcohol
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	>78 °C at 1.013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	3,1 vol% (LEL) - 27,7 vol% (UEL) (data apply to the main component)
Flash point	not determined
Auto-ignition temperature	455 °C (data apply to the main component)
Decomposition temperature	not relevant
pH (value)	7 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Partition coemcient n-octanon water (log value).	
Vapour pressure	not determined
Density and/or relative density	
Density	0,9 <sup>g</sup> / <sub>cm³</sub>

according to Regulation (EC) No. 1907/2006 (REACH)

## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet



#### article number: **1EPX**

	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Miscibility	completely miscible with water
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Alkali metals, Alkaline earth metal, Acetic anhydride, Peroxides, Phosphorus oxides (e.g. P2O5), Nitric acid, Nitrate, Perchlorates, => Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.


10.5 Incompatible materials

different plastics

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)



article number: **1EPX** 

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 <sup>mg</sup> / <sub>l</sub> /4h	rat		
Ethanol	64-17-5	oral	LD50	7.060 <sup>mg</sup> / <sub>kg</sub>	rat		
2-Propanol	67-63-0	inhalation: va- pour	LC50	37,5 <sup>mg</sup> / <sub>l</sub> /4h	rat		
2-Propanol	67-63-0	oral	LD50	5.045 <sup>mg</sup> / <sub>kg</sub>	rat		
2-Propanol	67-63-0	dermal	LD50	12.800 <sup>mg</sup> / <sub>kg</sub>	rabbit		

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.



® §ROTH

## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: **1EPX** 

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, abdominal pain, nausea, Causes damage to liver through prolonged or repeated exposure if swallowed, loss of righting reflex, and ataxia

#### • If in eyes

Causes serious eye irritation

#### If inhaled

drowsiness, narcosis, vertigo, breathing difficulties, Inebriation

#### • If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

#### • Other information

none

#### **11.2 Endocrine disrupting properties**

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Ethanol	64-17-5	LC50	8.140 <sup>mg</sup> / <sub>l</sub>	orfe (Leuciscus idus)	96 h				
Ethanol	64-17-5	EC50	9.000 – 14.000 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h				
2-Propanol	67-63-0	LC50	9.640 <sup>mg</sup> / <sub>l</sub>	Pimephales promelas	96 h				

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
2-Propanol	67-63-0	LC50	>10.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h

#### **Biodegradation**

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: **1EPX** 

#### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		
2-Propanol	67-63-0	biotic/abiotic	95 %	21 d	modifizierter OECD Screen- ing Test	
2-Propanol	67-63-0	oxygen deple- tion	53 %	5 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
Ethanol	64-17-5		-0,31		
2-Propanol	67-63-0		0,05		

#### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).



article number: **1EPX** 

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1987
	IMDG-Code	UN 1987
	ICAO-TI	UN 1987
14.2	UN proper shipping name	
	ADR/RID/ADN	ALCOHOLS, N.O.S.
	IMDG-Code	ALCOHOLS, N.O.S.
	ICAO-TI	Alcohols, n.o.s.
	Technical name (hazardous ingredients)	Ethanol, 2-Propanol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADR/RID/ADN	П
	IMDG-Code	П
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
440		

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional
information

Proper shipping name	ALCOHOLS, N.O.S.
Particulars in the transport document	UN1987, ALCOHOLS, N.O.S., (contains: Ethanol, 2- Propanol), 3, II, (D/E), special provision 640D
Classification code	F1
Danger label(s)	3

according to Regulation (EC) No. 1907/2006 (REACH)



## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: <b>1EPX</b>	
Special provisions (SP)	274, 601, 640D
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	33
Emergency Action Code	3YE
International Maritime Dangerous Goods C	Code (IMDG) - Additional information
Proper shipping name	ALCOHOLS, N.O.S.
Particulars in the shipper's declaration	UN1987, ALCOHOLS, N.O.S., (contains: Ethanol, 2- Propanol), 3, II, <23°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Alcohols, n.o.s.
Particulars in the shipper's declaration	UN1987, Alcohols, n.o.s., (contains: Ethanol, 2- Propanol), 3, II
Danger label(s)	3
Special provisions (SP)	A3, A180
Excepted quantities (EQ)	E2

1 L

Limited quantities (LQ)

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 1EPX

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

**Relevant provisions of the European Union (EU)** 

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο	
Boutron-Boudet's reagentthis product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/ECR3		R3	3		
Ethanol	flammable / pyrophoric		R40	40	
Ethanol	substances in tattoo inks and perman- ent make-up		R75	75	
2-Propanol	flammable / pyrophoric		R40	40	
2-Propanol	substances in tattoo inks and perman- ent make-up		R75	75	

#### Leaend

R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 metallic glitter intended mainly for decoration,
 artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols,

- imitation excrement

horns for parties,
 decorative flakes and foams.

- artificial cobwebs,

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

#### article number: **1EPX**



Legen	d
R75	1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-
R/3	
	stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or
	are present in the following circumstances: (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category
	1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration
	equal to or greater than 0,00005 % by weight;
	(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant
	category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
	weight; (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-
	egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
	(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-
	egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the
	substance is present in the mixture in a concentration equal to or greater than:
	(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
	(ii) 0,01 % by weight, in all other cases;
	(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the
	mixture in a concentration equal to or greater than 0,00005 % by weight;
	(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g
	(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the
	mixture in a concentration equal to or greater than 0,00005 % by weight:
	(i) "Rinse-off products":
	(ii) "Not to be used in products applied on mucous membranes";
	(iii) "Not to be used in eye products";
	(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use
	preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in
	the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
	(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-
	tration equal to or greater than the concentration limit specified for that substance in that Appendix.
	2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-
	ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-
	monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of
	making a mark or design on his or her body.
	3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest
	concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix
	13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of
	paragraph 1 shall apply to that substance.
	4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
	(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
	(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
	5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a sub-
	stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such
	that it then falls within a different one of those points from the one within which it fell previously, and the date of ap-
	plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-
	graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as
	taking effect on the date of application of that new or revised classification.
	6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing
	of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or
	such that it then falls within a different one of those points from the one within which it fell previously, and the
	amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry,
	that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the
	date falling 18 months after entry into force of the act by which that amendment was made.
	7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the
	mixture is marked with the following information:
	(a) the statement "Mixture for use in tattoos or permanent make-up"; (b) a reference number to uniquely identify the batch:
	(b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient
	names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the
	IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall
	be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means
	any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im-
	purifies shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of
	this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi-
	ent does not need to be marked in accordance with this Regulation;
	(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
	(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-
	tion limit specified in Appendix 13;
	(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below
	the concentration limit specified in Appendix 13;
	(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No
	1272/2008.
	The information shall be clearly visible, easily legible and marked in a way that is indelible.
	The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the
	market, unless the Member State(s) concerned provide(s) otherwise.
	Where necessary because of the size of the package, the information listed in the first subparagraph, except for point
	(a), shall be included instead in the instructions for use.
	Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the
	procedure with the information marked on the package or included in the instructions for use pursuant to this para-
	graph.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

#### article number: 1EPX

#### Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclus-ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)	

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	55 %
-------------	------

#### Industrial Emissions Directive (IED)

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

® §ROTH

## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: **1EPX** 

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Propanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend A)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

#### article number: **1EPX**

Country	Inventory	Status
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed
Legend AICS CICR CSCL-ENCS DSL ECSI IECSC INSQ ISHA-ENCS KECI NZIOC PICCS REACH Reg. TCSI TSCA	Domestic Substances List EC Substance Inventory (I Inventory of Existing Che National Inventory of Che Inventory of Existing and Korea Existing Chemicals New Zealand Inventory of	iontrol Regulation hemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances New Chemical Substances (ISHA-ENCS) Inventory f Chemicals nemicals and Chemical Substances (PICCS) nces ce Inventory

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
BCF	Bioconcentration factor

according to Regulation (EC) No. 1907/2006 (REACH)

# ROI

## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

article number: **1EPX** 

Abbr.	Descriptions of used abbreviations
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

according to Regulation (EC) No. 1907/2006 (REACH)



## Boutron-Boudet's reagent for determination of water hardness, according to Boutron and Boudet

#### article number: **1EPX**

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.