Australia (en)

Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY** Version: **GHS 2.0 en** Replaces version of: 2020-11-02 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

1EPY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)		Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318



date of compilation: 2020-11-02 Revision: 2022-01-05

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Hazardous ingredients for labelling:

Hydrochloric acid %, Lithium sulphate, Ortho-Phosphoric acid, Sodium tungstate dihydrate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Lithium sulphate	CAS No 10377-48-7	9 - 30	Acute Tox. 4 / H302 Eye Irrit. 2A / H319	(!)	
Sodium tungstate di- hydrate	CAS No 10213-10-2	5 – 9	Acute Tox. 4 / H302	(!)	
ortho-Phosphoric acid	CAS No 7664-38-2	5-9	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318		B(a)
Hydrochloric acid %	CAS No 7647-01-0	1 – 5	Met. Corr. 1 / H290 Skin Corr. 1 / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a)

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

- **4.2** Most important symptoms and effects, both acute and delayed Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Phosphorus oxides (PxOy), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Handle and open container with care. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	hydrogen chloride (hydrochloric acid)	7647-01- 0	WES					5	7.5		WES
AU	phosphoric acid (or- thophosphoric acid)	7664-38- 2	WES		1		3				WES

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL TWA

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Lithium sulphate	10377-48-7	DNEL	10 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Lithium sulphate	10377-48-7	DNEL	95 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

Relevant DNELs	of compone	ents of th	ne mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Sodium tungstate dihydrate	10213-10-2	DNEL	3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemi effects
Sodium tungstate dihydrate	10213-10-2	DNEL	0.85 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemi effects
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef fects
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Relevant PNECs	of compone	ents of th	e mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Lithium sulphate	10377-48-7	PNEC	13.5 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Lithium sulphate	10377-48-7	PNEC	1.35 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Lithium sulphate	10377-48-7	PNEC	182 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Lithium sulphate	10377-48-7	PNEC	350.1 ^{mg} /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Lithium sulphate	10377-48-7	PNEC	35.01 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Lithium sulphate	10377-48-7	PNEC	64.77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Sodium tungstate dihydrate	10213-10-2	PNEC	0.338 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Sodium tungstate dihydrate	10213-10-2	PNEC	0.034 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium tungstate dihydrate	10213-10-2	PNEC	5.86 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium tungstate dihydrate	10213-10-2	PNEC	960 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)

aquatic organ-

isms

terrestrial organ-

isms

marine sediment

soil

8.2 **Exposure controls**

Sodium tungstate

dihydrate

Sodium tungstate

dihydrate

Individual protection measures (personal protective equipment)

PNEC

PNEC

96 ^{mg}/_{kg}

2.17 ^{mg}/_{kg}

10213-10-2

10213-10-2

Eye/face protection



short-term (single

instance)

short-term (single

instance)

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined

acc. to Safe Work Australia - Code of Practice

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY



Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	1.21 ^g / _{cm³}
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Aldehydes, Aluminium, Amines, Metals, Permanganates, for example potassium permanganate, Sulphuric acid, Strong alkali, Zinc

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

acc. to Safe Work Australia - Code of Practice

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

10.5 Incompatible materials

different metals

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance	ΑΤΕ					
Lithium sulphate	10377-48-7	oral	613 ^{mg} / _{kg}			
Sodium tungstate dihydrate	10213-10-2	oral	1,373 ^{mg} / _{kg}			
ortho-Phosphoric acid	7664-38-2	oral	>300 ^{mg} / _{kg}			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
Lithium sulphate	10377-48-7	oral	LD50	613 ^{mg} / _{kg}	rat	
Lithium sulphate	10377-48-7	dermal	LD50	>3,000 ^{mg} / _{kg}	rabbit	
Sodium tungstate dihydrate	10213-10-2	oral	LD50	1,373 ^{mg} / _{kg}	rat	
Sodium tungstate dihydrate	10213-10-2	inhalation: dust/mist	LC50	>5.01 ^{mg} / _l /4h	rat	
Sodium tungstate dihydrate	10213-10-2	dermal	LD50	>2,000 ^{mg} / _{kg}	rat	
ortho-Phosphoric acid	7664-38-2	oral	LD50	>300 - 2,000 ^{mg} / _{kg}	rat	
ortho-Phosphoric acid	7664-38-2	oral	LD50	1,530 ^{mg} / _{kg}	rat	
ortho-Phosphoric acid	7664-38-2	dermal	LD50	2,740 ^{mg} / _{kg}	rabbit	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.



acc. to Safe Work Australia - Code of Practice

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY



Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

irritant effects

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Lithium sulphate	10377-48-7	LC50	30.3 ^{mg} / _l	fish	96 h
Lithium sulphate	10377-48-7	EC50	33.2 ^{mg} / _l	aquatic invertebrates	48 h
Lithium sulphate	10377-48-7	ErC50	>400 ^{mg} / _l	algae	72 h

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Sodium tungstate di- hydrate	10213-10-2	LC50	>181 ^{mg} / _l	fish	96 h	
Sodium tungstate di- hydrate	10213-10-2	EC50	>163 ^{mg} / _l	aquatic invertebrates	48 h	
Sodium tungstate di- hydrate	10213-10-2	ErC50	>17.7 ^{mg} / _l	algae	72 h	
ortho-Phosphoric acid	7664-38-2	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
ortho-Phosphoric acid	7664-38-2	ErC50	>100 ^{mg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Lithium sulphate	10377-48-7	EC50	>1.7 ^{mg} / _l	aquatic invertebrates	21 d
Sodium tungstate di- hydrate	10213-10-2	EC50	78.7 ^{mg} / _l	aquatic invertebrates	21 d
ortho-Phosphoric acid	7664-38-2	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance	Name of substance CAS No BCF Log KOW BOD5/COD				
Sodium tungstate dihydrate	10213-10-2	>0-<1.23			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	
	UN RTDG	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	UN RTDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Hydrochloric acid %, Ortho-Phosphoric acid
14.3	Transport hazard class(es)	
	UN RTDG	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	UN RTDG	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

14.6 Special precautions for user There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regula	tionsAdditional information(UN RTDG)
UN number	3264
Class	8
Packing group	II
Danger label(s)	8
Special provisions (SP)	274 UN RTDG
Excepted quantities (EQ)	E2 UN RTDG
Limited quantities (LQ)	1 L UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Hydrochloric acid %, or- tho-Phosphoric acid), 8, II
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	В
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Hydrochloric acid %, ortho-Phos- phoric acid), 8, II
Danger label(s)	8

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

A

Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid %	7647-01-0	Table II	2806.10

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend AICS

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS

Enversion Existing and the Connection Busicences (CSCE Ences) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances DSL ECSI IECSC

INSQ

acc. to Safe Work Australia - Code of Practice

Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: 1EPY

Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: ortho-Phosphoric acid, Hydrochloric acid %	Hazardous ingredients for labelling: Hydrochloric acid %, Lithium sulphate, Ortho- Phosphoric acid, Sodium tungstate dihydrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Ortho-Phosphoric acid, Hydrochloric acid %		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

acc. to Safe Work Australia - Code of Practice



Folin-Ciocalteu's reagent 2 mol/l, for determination of phenols

article number: **1EPY**

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.