acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK date of compilation: 2021-02-23 Version: GHS 2.0 en

Replaces version of: 2021-02-23

Version: (GHS 1)



Product identifier 1.1

Identification of the substance Potassium hexahydroxoantimonate(V) ≥98 %

Article number 1HEK

CAS number 12208-13-8

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Page 1 / 15 Australia (en)



Revision: 2024-03-02

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



Signal word Warning

Pictograms

GHS07



Hazard statements

H302+H332 Harmful if swallowed or if inhaled

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P264 Wash thoroughly after handling

Do not eat, drink or smoke when using this product P270

Precautionary statements - response

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Potassium hexahydroxoantimonate(V) Name of substance

Molecular formula KSb(OH)₆ Molar mass 262.9 g/mol CAS No 12208-13-8

Australia (en) Page 2 / 15



Labelling

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Diarrhoea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Antimony compounds

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Australia (en) Page 3 / 15

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

Australia (en) Page 4 / 15

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	antimony compounds		WES	0.5			Sb	WES
AU	nuisance dusts		WES	10			i	WES

Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

Sb

Inhalable fraction
Calculated as Sb (antimony)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL

minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels **Endpoint Threshold** Protection goal, **Used** in **Exposure time** level route of exposure **DNEL** 10 mg/m³ human, inhalatory chronic - systemic effects worker (industry) chronic - local effects DNFI 0.74 mg/m³ human, inhalatory worker (industry) DNFI 71.9 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects day

Environmental values

Relevant PNECs and other threshold levels Threshold End-**Organism Exposure time Environmental com**level point partment **PNEC** $0.224 \, {mg/_I}$ freshwater aquatic organisms

short-term (single instance) $0.024 \frac{mg}{I}$ **PNEC** aquatic organisms marine water short-term (single instance) **PNEC** 5.51 mg/_I sewage treatment plant aquatic organisms short-term (single instance) (STP) 24.2 mg/kg **PNEC** freshwater sediment aquatic organisms short-term (single instance) 4.84 ^{mg}/_{kg} **PNEC** aquatic organisms marine sediment short-term (single instance) 79.9 ^{mg}/_{kg} **PNEC** terrestrial organisms soil short-term (single instance)


Australia (en) Page 5 / 15



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Page 6 / 15 Australia (en)



8.2 **Exposure controls**

Individual protection measures (personal protective equipment)



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Physical state solid

Form powder Colour white

Odour odourless

Melting point/freezing point >224 °C (ECHA) not determined

Boiling point or initial boiling point and boiling

range

Flammability non-combustible Lower and upper explosion limit not determined Flash point not applicable Auto-ignition temperature not determined

not relevant Decomposition temperature

7.5 – 9 (in aqueous solution: $20 \, ^{9}/_{l}$, $20 \, ^{\circ}$ C) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

17.1 ^g/_l at 20 °C (ECHA) Water solubility

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

 $3.221 \, {}^{9}/_{cm^{3}}$ at 20 °C (ECHA) Density

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant classes:

Other safety characteristics: There is no additional information.

Australia (en) Page 7 / 15

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Acids

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2,000 ^{mg} / _{kg}	rat		ECHA
inhalation: dust/ mist	LC50	>5.4 ^{mg} / _l /4h	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Australia (en) Page 8 / 15

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, gastrointestinal complaints

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	6.9 ^{mg} / _l	fish	ECHA	96 h
ErC50	>36.6 ^{mg} / _I	algae	ECHA	72 h

Aquatic toxicity (ch	ronic)			
Endpoint	Value	Species	Source	Exposure time
EC50	3.82 ^{mg} / _l	aquatic invertebrates	ECHA	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Australia (en) Page 9 / 15

acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H6.1 Poisonous (Acute)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN RTDGUN 1549IMDG-CodeUN 1549ICAO-TIUN 1549

14.2 UN proper shipping name

UN RTDGANTIMONY COMPOUND, INORGANIC, SOLID,

N.O.S.

IMDG-Code ANTIMONY COMPOUND, INORGANIC, SOLID,

N.O.S.

ICAO-TI Antimony compound, inorganic, solid, n.o.s.

Technical name Potassium hexahydroxoantimonate(V)


Australia (en) Page 10 / 15



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



UN RTDG 6.1 IMDG-Code 6.1 ICAO-TI 6.1

14.4 Packing group

UN RTDG III IMDG-Code III ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1549 Class 6.1 **Environmental hazards**

Hazardous to the aquatic environment

Packing group III Danger label(s) 6.1

Fish and tree



45, 274 UN RTDG **Special provisions (SP)**

Excepted quantities (EQ)

ŪN RTDG

Limited quantities (LQ)

5 kg UN RTDG

2Z **Emergency Action Code**

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ANTIMONY COMPOUND, INORGANIC, SOLID,

N.O.S.

Particulars in the shipper's declaration UN1549, ANTIMONY COMPOUND, INORGANIC,

SOLID, N.O.S., (Potassium hexahydroxoantimonate(V)), 6.1, III, MARINE POLLUTANT

Marine pollutant **YES** (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"

Australia (en) Page 11 / 15



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



Special provisions (SP) 45, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg

EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Antimony compound, inorganic, solid, n.o.s.

Particulars in the shipper's declaration UN1549, Antimony compound, inorganic, solid, n.o.s., (Potassium hexahydroxoantimonate(V)),

6 1 III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 6.1

Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A12

E1

10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

Australia (en) Page 12 / 15



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK

Legend

EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory

ECSI IECSC KECI

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	EC number: 235-387-7		yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.7	Proper shipping name: ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.		yes
14.8		Emergency Action Code: 2Z	yes
14.8		Proper shipping name: ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	yes
14.8		Particulars in the shipper's declaration: UN1549, ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S., (Potassium hexahydroxoanti- monate(V)), 6.1, III, MARINE POLLUTANT	yes
14.8		Proper shipping name: Antimony compound, inorganic, solid, n.o.s.	yes
14.8		Particulars in the shipper's declaration: UN1549, Antimony compound, inorganic, solid, n.o.s., (Potassium hexahydroxoantimonate(V)), 6.1, III	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Australia (en) Page 13 / 15



acc. to Safe Work Australia - Code of Practice

Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK



Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Australia (en) Page 14 / 15

acc. to Safe Work Australia - Code of Practice



Potassium hexahydroxoantimonate(V) ≥98 %

article number: 1HEK

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H332	Harmful if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 15 / 15