according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

date of compilation: 2021-03-11 article number: 1HHT Version: 1.0 en

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Product identifier** 1.1

> Identification of the substance Barritt's reagent for microbiology

Article number 1HHT

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.3	3.3 Serious eye damage/eye irritation		Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

United Kingdom (en) Page 1 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

#### 2.2 **Label elements**

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger** 

## **Pictograms**

GHS02, GHS05





## **Hazard statements**

H225 Highly flammable liquid and vapour

Causes serious eye damage H318

## **Precautionary statements**

## **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

## **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

Hazardous ingredients for labelling: 1-Naphthol

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H318 Causes serious eye damage.

P280

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305+P351+P338

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

contains: 1-Naphthol


#### 2.3 Other hazards

## Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom (en) Page 2 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1HHT



## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

## **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No 01-2119457610- 43-xxxx	≥80	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	<b>(1)</b>	GHS-HC IARC: 1
1-Naphthol	CAS No 90-15-3 EC No 201-969-4 Index No 604-029-00-5	1-5	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335		GHS-HC

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
1-Naphthol	CAS No 90-15-3	-	-	1.870 <sup>mg</sup> / <sub>kg</sub> 880 <sup>mg</sup> / <sub>kg</sub>	oral dermal
	EC No 201-969-4				
	Index No 604-029-00-5				

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

## **Description of first aid measures**



## **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom (en) Page 3 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt´s reagent for microbiology

article number: 1HHT



## Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting, Abdominal pain, Breathing difficulties, Vertigo, Drowsiness, Narcosis, Loss of righting reflex, and ataxia, Risk of blindness, Risk of serious damage to eyes

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

## **Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

United Kingdom (en) Page 4 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

## **6.2** Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation.

## Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Keep in a cool place.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

### Consideration of other advice

Ground/bond container and receiving equipment.

## **Ventilation requirements**

Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

United Kingdom (en) Page 5 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	ethanol	64-17-5	WEL	1.00	1.920						EH40/ 2005

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

## Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ethanol	64-17-5	DNEL	1.900 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects

## Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ethanol	64-17-5	PNEC	0,79 <sup>mg</sup> / <sub>cm³</sub>	unknown	marine water	intermittent re- lease
Ethanol	64-17-5	PNEC	2,75 <sup>mg</sup> / <sub>cm³</sub>	unknown	air	intermittent re- lease
Ethanol	64-17-5	PNEC	3,6 <sup>mg</sup> / <sub>cm³</sub>	unknown	freshwater sedi- ment	intermittent re- lease
Ethanol	64-17-5	PNEC	PNEC 580 <sup>mg</sup> / <sub>cm³</sub> unknown se		sewage treatment plant (STP)	intermittent re- lease
Ethanol	64-17-5	PNEC	0,63 <sup>mg</sup> / <sub>cm³</sub>	unknown	soil	intermittent re- lease
Ethanol	64-17-5	PNEC	0,96 <sup>mg</sup> / <sub>cm³</sub>	unknown	freshwater	intermittent re- lease

United Kingdom (en) Page 6 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt´s reagent for microbiology

article number: 1HHT



Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

## · breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

## **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 18



according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt´s reagent for microbiology

article number: 1HHT



## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour like: - alcohol

Melting point/freezing point -114 °C

Boiling point or initial boiling point and boiling 78 °C at 1.013 hPa

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 3,1 vol% (data apply to the main component)

- 27,7 vol% (data apply to the main component)

Flash point 14 °C

Auto-ignition temperature 455 °C

Decomposition temperature not relevant

pH (value) not determined
Kinematic viscosity not determined

Time made viscosity

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 59 hPa at 20 °C

Density  $0.8 \, \mathrm{^g/_{cm^3}}$  at 20 °C

Particle characteristics No data available.

Other safety parameters

Other safety characteristics:

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Miscibility completely miscible with water

Temperature class (EU, acc. to ATEX) T1

Maximum permissible surface temperature on

the equipment: 450°C

United Kingdom (en) Page 8 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt´s reagent for microbiology

article number: 1HHT



## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Alkali metals, Alkaline earth metal, Acetic anhydride, Peroxides, Phosphorus oxides (e.g. P2O5), Nitric acid, Nitrate, Perchlorates, => Explosive properties

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

## Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

## **Acute toxicity**

Shall not be classified as acutely toxic.

### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
1-Naphthol	90-15-3	oral	1.870 <sup>mg</sup> / <sub>kg</sub>
1-Naphthol	90-15-3	dermal	880 <sup>mg</sup> / <sub>kg</sub>

## Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 <sup>mg</sup> / <sub>l</sub> /4h	rat
Ethanol	64-17-5	oral	LD50	7.060 <sup>mg</sup> / <sub>kg</sub>	rat

United Kingdom (en) Page 9 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



## Barritt´s reagent for microbiology

article number: 1HHT

Acute toxicity of components of the mixture								
Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
1-Naphthol	90-15-3	oral	LD50	1.870 <sup>mg</sup> / <sub>kg</sub>	rat			
1-Naphthol	90-15-3	dermal	LD50	880 <sup>mg</sup> / <sub>kg</sub>	rabbit			

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

vomiting, abdominal pain, nausea, Causes damage to liver through prolonged or repeated exposure if swallowed, loss of righting reflex, and ataxia

## • If in eyes

Causes serious eye damage, risk of blindness

#### If inhaled

drowsiness, narcosis, vertigo, breathing difficulties, Inebriation

#### If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

## Other information

none

## 11.2 Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

United Kingdom (en) Page 10 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



## Barritt's reagent for microbiology

article number: 1HHT

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Ethanol	64-17-5	LC50	8.140 <sup>mg</sup> / <sub>l</sub>	orfe (Leuciscus idus)	96 h			
Ethanol	64-17-5	EC50	9.000 – 14.000 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h			

## **Biodegradation**

Data are not available.

## 12.2 Process of degradability

Degradabilit						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		
1-Naphthol	90-15-3	biotic/abiotic	>70 %	d		

## 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No BCF Log KOW BOD5/COI				
Ethanol	64-17-5		-0,31		
1-Naphthol	90-15-3		2,85		

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

The mixture contains substance(s) with an endocrine disrupting potential.

## 12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt´s reagent for microbiology

article number: 1HHT



## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14 1	UN	numb	er or	ID r	number

ADR/RID/ADN	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

## 14.2 UN proper shipping name

ADR/RID/ADN	FLAMMABLE LIQUID, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	Ethanol, 1-Naphthol

## 14.3 Transport hazard class(es)

ADR/RID/ADN	3
IMDG-Code	3
ICAO-TI	3

#### 14.4 Packing group

ADR/RID/ADN	II
IMDG-Code	II
ICAO-TI	II

## **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

United Kingdom (en) Page 12 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33
Emergency Action Code 3YE

## International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 3



Special provisions (SP) 274
Excepted quantities (EQ) E2

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, <u>S-E</u>

Stowage category B

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Special provisions (SP) A3

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

United Kingdom (en) Page 13 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT



## SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances	with restrictions	(RFACH Annex XVII)
Daniqui dus substantes	With restrictions	(IVEACIT, MITHER VATT)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Barritt´s reagent	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40

#### Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes.

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and,
   present an aspiration hazard and are labelled with R65 or H304,
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging in the classification of the market, that and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

  (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip

marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just' a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission. those data available to the Commission.

- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopee' cushions,
  - silly string aerosols,
     imitation excrement.

  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
  - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

## List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Page 14 / 18 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



## Barritt's reagent for microbiology

article number: 1HHT

#### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	S Qualifying quantity (tonnes) for the application of lower and upper-tier requirements				
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)			

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

## **Deco-Paint Directive (2004/42/EC)**

VOC content	95,2 % 761,6 <sup>g</sup> / <sub>l</sub>

## Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	100 %
VOC content	800 <sup>g</sup> / <sub>l</sub>

# Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

# Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

## **Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

#### Legend

A) Indicative list of the main pollutants

## Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

# Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors $\,$

none of the ingredients are listed

## Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

## Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

United Kingdom (en) Page 15 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS CICR CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

INSQ KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand

United Kingdom (en) Page 16 / 18

according to Regulation (EC) No. 1907/2006 (REACH)



## Barritt´s reagent for microbiology

article number: 1HHT

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

United Kingdom (en) Page 17 / 18

according to Regulation (EC) No. 1907/2006 (REACH)

## Barritt's reagent for microbiology

article number: 1HHT

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18