

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: **1HP0**  
Version: **GHS 2.0 en**  
Replaces version of: 2022-10-17  
Version: (GHS 1)

date of compilation: 2021-03-29  
Revision: 2024-09-21

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l**

Article number 1HP0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).  
Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### 2.2 Label elements

#### Labelling

#### Signal word

Warning

#### Pictograms

GHS05



#### Hazard statements

H290 May be corrosive to metals  
H315 Causes skin irritation  
H319 Causes serious eye irritation

#### Precautionary statements

##### Precautionary statements - prevention

P280 Wear protective gloves

##### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P321 Specific treatment (see on this label)  
P337+P313 If eye irritation persists: Get medical advice/attention  
P390 Absorb spillage to prevent material-damage

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318		

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

Name of sub-stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
magnesium nitrate	CAS No 10377-60-3  EC No 233-826-7	< 1	Ox. Sol. 2 / H272		
Ammonium dihydro- gen phosphate	CAS No 7722-76-1  EC No 231-764-5	< 1			
Sodium nitrate	CAS No 7631-99-4  EC No 231-554-3	< 1	Ox. Sol. 3 / H272 Eye Irrit. 2A / H319	 	
Potassium nitrate	CAS No 7757-79-1  EC No 231-818-8	< 1	Ox. Sol. 3 / H272		
Calcium nitrate	CAS No 10124-37-5  EC No 233-332-1	< 1	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318	  	

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l**

article number: 1HP0

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!

water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory).

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage. Incompatible materials: see section 10.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
AU	nitric acid	7697-37-2	WES	2	5.2	4	10				WES

#### Notation

Ceiling-C  
STEL Ceiling value is a limit value above which exposure should not occur  
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
magnesium nitrate	10377-60-3	DNEL	147 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
magnesium nitrate	10377-60-3	DNEL	20.8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ammonium dihydrogen phosphate	7722-76-1	DNEL	5.9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Ammonium dihydrogen phosphate	7722-76-1	DNEL	8.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium nitrate	7631-99-4	DNEL	20.8	human, dermal	worker (industry)	chronic - systemic

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			mg/kg			effects
Sodium nitrate	7631-99-4	DNEL	36.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
magnesium nitrate	10377-60-3	PNEC	0.45 mg/l	aquatic organisms	freshwater	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0.045 mg/l	aquatic organisms	marine water	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	4.5 mg/l	aquatic organisms	water	intermittent release
magnesium nitrate	10377-60-3	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Ammonium dihydrogen phosphate	7722-76-1	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0.45 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0.045 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	4.5 mg/l	aquatic organisms	water	intermittent release
Sodium nitrate	7631-99-4	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Calcium nitrate	10124-37-5	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### • type of material

NBR (Nitrile rubber)

### • material thickness

>0,11 mm


### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C (unknown)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### Solubility(ies)

Water solubility miscible in any proportion

### Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

### Density and/or relative density

Density ~ 1 g/cm<sup>3</sup> at 20 °C

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

### Other safety parameters

Oxidising properties none

## 9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Substance or mixture corrosive to metals.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Alkali metals, Ammonia (NH<sub>3</sub>), Alkaline earth metal, Strong alkali

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different metals

#### **Release of flammable materials with**

Metals (due to the release of hydrogen in an acid/alkaline medium).

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	>2.65 mg <sub>l</sub> /4h
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist	>5 mg <sub>l</sub> /4h
Calcium nitrate	10124-37-5	oral	>300 mg <sub>kg</sub>

Acute toxicity of components					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2.65 mg <sub>l</sub> /4h	rat
magnesium nitrate	10377-60-3	oral	LD50	>2,000 mg <sub>kg</sub>	rat
magnesium nitrate	10377-60-3	dermal	LD50	>5,000 mg <sub>kg</sub>	rat
Ammonium dihydrogen phosphate	7722-76-1	oral	LD50	>2,000 mg <sub>kg</sub>	rat
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist	LC50	>5 mg <sub>l</sub> /4h	rat
Ammonium dihydrogen phosphate	7722-76-1	dermal	LD50	>5,000 mg <sub>kg</sub>	rat
Sodium nitrate	7631-99-4	oral	LD50	3,430 mg <sub>kg</sub>	rat
Sodium nitrate	7631-99-4	dermal	LD50	>5,000 mg <sub>kg</sub>	rat
Potassium nitrate	7757-79-1	oral	LD50	>2,000 mg <sub>kg</sub>	rat
Potassium nitrate	7757-79-1	dermal	LD50	>5,000 mg <sub>kg</sub>	rat
Calcium nitrate	10124-37-5	oral	LD50	>300 - <2,000 mg <sub>kg</sub>	rat
Calcium nitrate	10124-37-5	dermal	LD50	>2,000 mg <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

#### • If on skin

causes skin irritation

#### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	LC50	1,378 mg/l	fish	96 h
magnesium nitrate	10377-60-3	EC50	490 mg/l	aquatic invertebrates	48 h
Ammonium dihydrogen phosphate	7722-76-1	LC50	>100 mg/l	fish	96 h
Ammonium dihydrogen phosphate	7722-76-1	EC50	>100 mg/l	aquatic invertebrates	48 h
Ammonium dihydrogen phosphate	7722-76-1	ErC50	>100 mg/l	algae	72 h
Sodium nitrate	7631-99-4	EC50	8,609 mg/l	aquatic invertebrates	24 h
Potassium nitrate	7757-79-1	LC50	>100 mg/l	fish	96 h
Potassium nitrate	7757-79-1	EC50	490 mg/l	aquatic invertebrates	48 h
Calcium nitrate	10124-37-5	LC50	>100 mg/l	fish	96 h

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### Aquatic toxicity (acute) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Calcium nitrate	10124-37-5	EC50	490 mg/l	aquatic invertebrates	24 h

### Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	EC50	490 mg/l	aquatic invertebrates	24 h
magnesium nitrate	10377-60-3	ErC50	>1,700 mg/l	algae	10 d
Ammonium dihydrogen phosphate	7722-76-1	EC50	>100 mg/l	microorganisms	3 h
Ammonium dihydrogen phosphate	7722-76-1	NOEC	100 mg/l	microorganisms	3 h
Sodium nitrate	7631-99-4	ErC50	>1,700 mg/l	algae	10 d
Sodium nitrate	7631-99-4	EC50	>1,000 mg/l	microorganisms	180 min
Potassium nitrate	7757-79-1	ErC50	>1,700 mg/l	algae	10 d
Potassium nitrate	7757-79-1	EC50	>1,000 mg/l	microorganisms	180 min
Calcium nitrate	10124-37-5	ErC50	>1,700 mg/l	algae	10 d
Calcium nitrate	10124-37-5	EC50	>1,000 mg/l	microorganisms	180 min

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

H8 Corrosives

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number

UN RTDG	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

### 14.2 UN proper shipping name

UN RTDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Nitric acid ...% [C ≤ 70 %], Magnesium nitrate

### 14.3 Transport hazard class(es)

UN RTDG	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Transport informationNational regulationsAdditional information(UN RTDG)

UN number	3264
-----------	------

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

**Class** 8

**Packing group** III

**Danger label(s)** 8



**Special provisions (SP)** 223, 274  
UN RTDG

**Excepted quantities (EQ)** E1  
UN RTDG

**Limited quantities (LQ)** 5 L  
UN RTDG

**Emergency Action Code** 2X

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], magnesium nitrate), 8, III

Marine pollutant -

**Danger label(s)** 8



**Special provisions (SP)** 223, 274

**Excepted quantities (EQ)** E1

**Limited quantities (LQ)** 5 L

**EmS** F-A, S-B

**Stowage category** A

**Segregation group** 1 - Acids

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Particulars in the shipper's declaration UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], magnesium nitrate), 8, III

**Danger label(s)** 8



**Special provisions (SP)** A3

**Excepted quantities (EQ)** E1

**Limited quantities (LQ)** 1 L

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l**

article number: **1HP0**

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

##### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$ .	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
14.2	Technical name (hazardous ingredients): Nitric acid ...%, Magnesium nitrate	Technical name (hazardous ingredients): Nitric acid ...% [C $\leq 70$ %], Magnesium nitrate	yes
14.7	Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.		yes
14.8		Emergency Action Code: 2X	yes
14.8		Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	yes
14.8		Particulars in the shipper's declaration: UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C $\leq 70$ %], magnesium nitrate), 8, III	yes
14.8		Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s.	yes
14.8		Particulars in the shipper's declaration: UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C $\leq 70$ %], magnesium nitrate), 8, III	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HPO

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on in-



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

article number: 1HP0

ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.