## \_\_\_\_\_

SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	on Hazard class		Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

## Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: **1HP0** Version: **2.0 en** Replaces version of: 2021-03-29 Version: (1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Article number

Identification of the substance

**Multi-Element** ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> - 1000 mg/l

1HP0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## United Kingdom (en)



date of compilation: 2021-03-29 Revision: 2022-10-17

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

- 2.2 Label elements
  - Labelling

Signal word Warning

#### Pictograms

GHS05



#### **Hazard statements**

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
magnesium nitrate	CAS No 10377-60-3 EC No 233-826-7	< 1	Ox. Sol. 2 / H272	٢	
Ammonium dihydro- gen phosphate	CAS No 7722-76-1 EC No 231-764-5	<1			

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> -1000 mg/l

#### article number: 1HP0

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium nitrate	CAS No 7631-99-4 EC No 231-554-3	<1	Ox. Sol. 3 / H272 Eye Irrit. 2 / H319		
Potassium nitrate	CAS No 7757-79-1 EC No 231-818-8	< 1	Ox. Sol. 3 / H272	<b>(</b>	
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	<1	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318		

#### Notes

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
Ammonium di- hydrogen phos- phate	CAS No 7722-76-1 EC No 231-764-5	-	-	-	inhalation: dust/ mist
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	-	-	>300 <sup>mg</sup> / <sub>kg</sub>	oral

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO<sub>3</sub> -1000 mg/l

article number: 1HP0

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### **Precautions for safe handling** 7.1

Use extractor hood (laboratory).

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL

Short-term exposure limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TW/A

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

#### article number: 1HP0

Relevant DNELs	Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
magnesium nitrate	10377-60-3	DNEL	147 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects				
magnesium nitrate	10377-60-3	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				
Ammonium di- hydrogen phos- phate	7722-76-1	DNEL	5,9 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Ammonium di- hydrogen phos- phate	7722-76-1	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Sodium nitrate	7631-99-4	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects				
Sodium nitrate	7631-99-4	DNEL	36,7 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects				

### Relevant PNECs of components of the mixture

	•					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
magnesium nitrate	10377-60-3	PNEC	0,45 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0,045 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	4,5 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
magnesium nitrate	10377-60-3	PNEC	18 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ammonium di- hydrogen phos- phate	7722-76-1	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0,45 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0,045 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	4,5 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease
Sodium nitrate	7631-99-4	PNEC	18 <sup>mg</sup> /l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	18 <sup>mg</sup> /l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium nitrate	10124-37-5	PNEC	18 <sup>mg</sup> /l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

TION 9: Physical and chemical prope	
Information on basic physical and chemical p	roperties
Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C (unknown)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	~ 1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	



acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI $\$ Star 5 elements in 2 % HNO $_3$ - 1000 mg/l

article number: **1HP0** 

Miscibility

completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### **10.2** Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Ammonia (NH3), Alkaline earth metal, Strong alkali

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

different metals

#### Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium).

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance	CAS No	Exposure route	ATE				
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h				
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist					
Calcium nitrate	10124-37-5	oral	>300 <sup>mg</sup> / <sub>kg</sub>				

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Acute toxicity of components of the mixture								
Name of substance	CAS No	Exposure route	Endpoint	Value	Species			
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat			
magnesium nitrate	10377-60-3	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat			
magnesium nitrate	10377-60-3	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Ammonium dihydrogen phosphate	7722-76-1	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist	LC50	>5 <sup>mg</sup> / <sub>l</sub> /4h	rat			
Ammonium dihydrogen phosphate	7722-76-1	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Sodium nitrate	7631-99-4	oral	LD50	3.430 <sup>mg</sup> / <sub>kg</sub>	rat			
Sodium nitrate	7631-99-4	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Potassium nitrate	7757-79-1	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Potassium nitrate	7757-79-1	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Calcium nitrate	10124-37-5	oral	LD50	>300 - <2.000 <sup>mg</sup> / <sub>kg</sub>	rat			
Calcium nitrate	10124-37-5	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat			

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

• If on skin

causes skin irritation

#### • Other information

none

**11.2 Endocrine disrupting properties** None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	LC50	1.378 <sup>mg</sup> / <sub>l</sub>	fish	96 h
magnesium nitrate	10377-60-3	EC50	490 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Ammonium dihydro- gen phosphate	7722-76-1	LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Ammonium dihydro- gen phosphate	7722-76-1	EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Ammonium dihydro- gen phosphate	7722-76-1	ErC50	>100 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Sodium nitrate	7631-99-4	EC50	8.609 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Potassium nitrate	7757-79-1	LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Potassium nitrate	7757-79-1	EC50	490 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Calcium nitrate	10124-37-5	LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Calcium nitrate	10124-37-5	EC50	490 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h



acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	EC50	490 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
magnesium nitrate	10377-60-3	ErC50	>1.700 <sup>mg</sup> / <sub>l</sub>	algae	10 d
Ammonium dihydro- gen phosphate	7722-76-1	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Sodium nitrate	7631-99-4	ErC50	>1.700 <sup>mg</sup> / <sub>l</sub>	algae	10 d
Sodium nitrate	7631-99-4	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	180 min
Potassium nitrate	7757-79-1	ErC50	>1.700 <sup>mg</sup> / <sub>l</sub>	algae	10 d
Potassium nitrate	7757-79-1	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	180 min
Calcium nitrate	10124-37-5	ErC50	>1.700 <sup>mg</sup> / <sub>l</sub>	algae	10 d
Calcium nitrate	10124-37-5	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	180 min

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- **12.7 Other adverse effects** Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $HNO_3$ - 1000 mg/l



article number: 1HP0

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Magnesium nitrate
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user	

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information					
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.				
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III, (E)				
Classification code	C1				
Danger label(s)	8				
Special provisions (SP)	274				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	5 L				
Transport category (TC)	3				
Tunnel restriction code (TRC)	E				
Hazard identification No	80				
Emergency Action Code	2X				
Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional				
Classification code	C1				
Danger label(s)	8				
Special provisions (SP)	274				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	5 L				
Transport category (TC)	3				
Hazard identification No	80				
International Maritime Dangerous Goods Code	e (IMDG) - Additional information				
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.				
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III				
Marine pollutant	-				
Danger label(s)	8				
Special provisions (SP)	223, 274				

acc. to Regulation (EC) No. 1907/2006 (REACH)

## ® Roth

# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization (ICAC	<b>D-IATA/DGR) - Additional information</b>
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso	Seveso Directive						
2012/18/EU (Seveso III)							
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

#### **Deco-Paint Directive**

\_ .

VOC content	0 % 0 <sup>9</sup> / <sub>1</sub>

### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

st of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Calcium nitrate	Substances which contribute to eutrophication (in particular, ni-trates and phosphates)		a)		
Calcium nitrate	Metals and their compounds		a)		
magnesium nitrate Substances which contribute to eutrophication (in particular, ni- trates and phosphates)			a)		
magnesium nitrate	Metals and their compounds		a)		
Sodium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Sodium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		
Sodium nitrate	Metals and their compounds		a)		
Ammonium dihydrogen phos- phate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Potassium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Potassium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		
Potassium nitrate	Metals and their compounds		a)		

Legend

A)

Indicative list of the main pollutants

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

xplosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)
Calcium nitrate	10124-37- 5	0,25	Annex II			
Sodium nitrate	7631-99-4	0,37	Annex II			
Nitric acid% [C ≤ 70 %]	7697-37-2	2	Annex I		3 % w/w	10 % w/w
Potassium nitrate	7757-79-1	0,26	Annex II			

#### Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

#### Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

#### **Restrictions according to GB REACH, Annex 17**

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Multi-Element	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
РН	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

#### article number: **1HP0**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC	
Acute Tox.	Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

#### article number: 1HP0

Abbr.	Descriptions of used abbreviations	
Eye Irrit.	Irritant to the eye	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
Met. Corr.	Substance or mixture corrosive to metals	
NLP	No-Longer Polymer	
Ox. Liq.	Oxidising liquid	
Ox. Sol.	Oxidising solid	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.