

date of compilation: 2021-03-29 Revision: 2022-10-17

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: **1HP0** Version: **2.0 en** Replaces version of: 2021-03-29 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO₃ - 1000 mg/l

1HP0

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Warning

Pictograms

GHS05



Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning





2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV



according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO₃ -1000 mg/l

article number: 1HP0

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
magnesium nitrate	CAS No 10377-60-3	< 1	Ox. Sol. 2 / H272		
	EC No 233-826-7			~	
Ammonium dihydro- gen phosphate	CAS No 7722-76-1	< 1			
	EC No 231-764-5				
Sodium nitrate	CAS No 7631-99-4	< 1	Ox. Sol. 3 / H272 Eye Irrit. 2 / H319		
	EC No 231-554-3			• •	
Potassium nitrate	CAS No 7757-79-1	< 1	Ox. Sol. 3 / H272	(
	EC No 231-818-8			~	
Calcium nitrate	CAS No 10124-37-5	< 1	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318		
	EC No 233-332-1				

Notes

B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
Ammonium di- hydrogen phos- phate	CAS No 7722-76-1 EC No 231-764-5	-	-	-	inhalation: dust/ mist
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	-	-	>300 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO_3 - 1000 mg/l

article number: 1HP0

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory).

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO₃ -1000 mg/l

article number: 1HP0

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
IE	nitric acid	7697-37- 2	OELV			1	2,6				S.I. No. 619 of 2001

Notation

Ceiling-C STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
magnesium nitrate	10377-60-3	DNEL	147 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
magnesium nitrate	10377-60-3	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects	
Ammonium di- hydrogen phos- phate	7722-76-1	DNEL	5,9 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Ammonium di- hydrogen phos- phate	7722-76-1	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Sodium nitrate	7631-99-4	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects	
Sodium nitrate	7631-99-4	DNEL	36,7 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
magnesium nitrate	10377-60-3	PNEC	0,45 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0,045 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	4,5 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

® ROTH

Multi-Element ICP - Standard Solution ROTI \mbox{B} Star 5 elements in 2 % HNO $_3$ - 1000 mg/l

article number: 1HP0

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
magnesium nitrate	10377-60-3	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Ammonium di- hydrogen phos- phate	7722-76-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Sodium nitrate	7631-99-4	PNEC	0,45 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Sodium nitrate	7631-99-4	PNEC	0,045 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Sodium nitrate	7631-99-4	PNEC	4,5 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease	
Sodium nitrate	7631-99-4	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Potassium nitrate	7757-79-1	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Calcium nitrate	10124-37-5	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1HP0

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C (unknown)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C





article number: 1HP0

	Density and/or relative density	
	Density	~ 1 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Ammonia (NH3), Alkaline earth metal, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium).

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.



according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1HP0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance CAS No Exposure route			ATE		
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h		
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist			
Calcium nitrate	10124-37-5	oral	>300 ^{mg} / _{kg}		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
magnesium nitrate	10377-60-3	oral	LD50	>2.000 ^{mg} / _{kg}	rat
magnesium nitrate	10377-60-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Ammonium dihydrogen phosphate	7722-76-1	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Ammonium dihydrogen phosphate	7722-76-1	inhalation: dust/mist	LC50	>5 ^{mg} / _l /4h	rat
Ammonium dihydrogen phosphate	7722-76-1	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Sodium nitrate	7631-99-4	oral	LD50	3.430 ^{mg} / _{kg}	rat
Sodium nitrate	7631-99-4	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Potassium nitrate	7757-79-1	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Potassium nitrate	7757-79-1	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Calcium nitrate	10124-37-5	oral	LD50	>300 - <2.000 ^{mg} / _{kg}	rat
Calcium nitrate	10124-37-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.



according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1HP0

Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.



according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
magnesium nitrate	10377-60-3	LC50	1.378 ^{mg} / _l	fish	96 h	
magnesium nitrate	10377-60-3	EC50	490 ^{mg} /l	aquatic invertebrates	48 h	
Ammonium dihydro- gen phosphate	7722-76-1	LC50	>100 ^{mg} / _l	fish	96 h	
Ammonium dihydro- gen phosphate	7722-76-1	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
Ammonium dihydro- gen phosphate	7722-76-1	ErC50	>100 ^{mg} / _l	algae	72 h	
Sodium nitrate	7631-99-4	EC50	8.609 ^{mg} / _l	aquatic invertebrates	24 h	
Potassium nitrate	7757-79-1	LC50	>100 ^{mg} / _l	fish	96 h	
Potassium nitrate	7757-79-1	EC50	490 ^{mg} / _l	aquatic invertebrates	48 h	
Calcium nitrate	10124-37-5	LC50	>100 ^{mg} / _l	fish	96 h	
Calcium nitrate	10124-37-5	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h	

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h
magnesium nitrate	10377-60-3	ErC50	>1.700 ^{mg} / _l	algae	10 d
Ammonium dihydro- gen phosphate	7722-76-1	EC50	>100 ^{mg} / _l	microorganisms	3 h
Sodium nitrate	7631-99-4	ErC50	>1.700 ^{mg} / _l	algae	10 d
Sodium nitrate	7631-99-4	EC50	>1.000 ^{mg} / _l	microorganisms	180 min
Potassium nitrate	7757-79-1	ErC50	>1.700 ^{mg} / _l	algae	10 d
Potassium nitrate	7757-79-1	EC50	>1.000 ^{mg} / _l	microorganisms	180 min
Calcium nitrate	10124-37-5	ErC50	>1.700 ^{mg} / _l	algae	10 d
Calcium nitrate	10124-37-5	EC50	>1.000 ^{mg} / _l	microorganisms	180 min

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO $_3$ - 1000 mg/l

article number: 1HP0

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Magnesium nitrate
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8



according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

	ICAO-TI	8
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III, (E)
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

C1
8
274
E1
5 L
3

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Hazard identification No	80
International Maritime Dangerous Goods Code	e (IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Multi-Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Calcium nitrate	substances in tattoo inks and perman- ent make-up		R75	75	

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO₃ -1000 mg/l

article number: 1HP0

Dangerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	No		
Sodium nitrate	substances in tattoo inks and perman- ent make-up		R75	75		
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75		

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:


a can be used as fuel in decorative oil lamps for supply to the general public, and
 a present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010; opaque containers not exceeding 1 litre by 1 December 2010.';

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % HNO₃ -1000 mg/l

article number: 1HP0



graph.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements				
	not assigned				

Deco-Paint Directive

VOC content	0 % 0 ^g / ₁	
-------------	--------------------------------------	--

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

ist of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Calcium nitrate	Substances which contribute to eutrophication (in particular, ni-trates and phosphates)		a)	
Calcium nitrate	Metals and their compounds		a)	
magnesium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
magnesium nitrate	Metals and their compounds		a)	

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Sodium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Sodium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		
Sodium nitrate	Metals and their compounds		a)		
Ammonium dihydrogen phos- phate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Potassium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Potassium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		
Potassium nitrate	Metals and their compounds		a)		

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)
Calcium nitrate	10124-37- 5	0,25	Annex II			
Sodium nitrate	7631-99-4	0,37	Annex II			
Nitric acid% [C ≤ 70 %]	7697-37-2	2	Annex I		3 % w/w	10 % w/w
Potassium nitrate	7757-79-1	0,26	Annex II			

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

® Roth

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Legend

annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

according to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Legend TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule



according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

® §ROTH

Multi-Element ICP - Standard Solution ROTI®Star 5 elements in 2 % $\rm HNO_3$ - 1000 mg/l

article number: 1HP0

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.