acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX** Version: **GHS 1.0 en**

date of compilation: 2021-08-27

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

1HTX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Colour Standard ROTI®Calipure Gardner 13

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	1B	Repr. 1B	H360F

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08



H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H360F	May damage fertility

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

Precautionary statements - response

P302+P352 P303+P361+P353	IF ON SKIN: Wash with plenty of soap and water IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water or shower
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P363	Wash contaminated clothing before reuse
P390	Absorb spillage to prevent material damage

Precautionary statements - disposal

P501	Dispose of contents/container to industrial combustion plant
------	--

For professional users only

Hazardous ingredients for labelling:

Cobalt(II) chloride, Iron(III) chloride, Hydrochloric acid %

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Iron(III) chloride	CAS No 7705-08-0	10 - 25	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317		
Hydrochloric acid %	CAS No 7647-01-0	2.5 - < 10	Met. Corr. 1 / H290 Skin Corr. 1 / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a)
Cobalt(II) chloride	CAS No 7646-79-9	2-4	Acute Tox. 4 / H302 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F	(!)	1(a) IARC: 2B

Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture The classification refers to an equipped solution

B(a): The classification refers to an aqueous solution

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer) 2B:

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: 1HTX

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Handle and open container with care. Provision of sufficient ventilation. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	hydrogen chloride (hydrochloric acid)	7647-01- 0	WES					5	7.5		WES

Notation

STEL

Ceiling value is a limit value above which exposure should not occur

Ceiling-C Short-term exposure limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Iron(III) chloride	7705-08-0	DNEL	2.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects		
Cobalt(II) chloride	7646-79-9	DNEL	88.1 µg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		

Relevant PNECs of components of the mixture

	_			-		
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cobalt(II) chloride	7646-79-9	PNEC	0.62 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Cobalt(II) chloride	7646-79-9	PNEC	2.36 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cobalt(II) chloride	7646-79-9	PNEC	0.37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cobalt(II) chloride	7646-79-9	PNEC	53.8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cobalt(II) chloride	7646-79-9	PNEC	69.8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Cobalt(II) chloride	7646-79-9	PNEC	10.9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	acc. to product description
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

<u>Solubility(ies)</u> Water solubility	miscible in any proportion
Partition coefficient Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density	1.358 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of com	ponents of the l	mixture	
Name of substance	CAS No	Exposure route	ΑΤΕ
Iron(III) chloride	7705-08-0	oral	500 ^{mg} / _{kg}
Cobalt(II) chloride	7646-79-9	oral	418 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Iron(III) chloride	7705-08-0	oral	LD50	500 ^{mg} / _{kg}	rat
Iron(III) chloride	7705-08-0	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
Cobalt(II) chloride	7646-79-9	oral	LD50	418 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

May damage fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

May produce an allergic reaction, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cobalt(II) chloride	7646-79-9	LC50	1.512 ^{mg} / _l	fish	96 h
Cobalt(II) chloride	7646-79-9	EC50	2,618 ^{µg} / _l	aquatic invertebrates	48 h
Cobalt(II) chloride	7646-79-9	ErC50	71,314 ^{µg} / _l	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cobalt(II) chloride	7646-79-9	EC50	82.2 ^{µg} / _l	aquatic invertebrates	21 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

acc. to Safe Work Australia - Code of Practice

® Roth

Colour Standard ROTI®Calipure Gardner 13

article number: 1HTX

Bioaccumulative potentia	l of componen	ts of the mixt	ure	
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Iron(III) chloride	7705-08-0		-4 (24 °C)	
Cobalt(II) chloride	7646-79-9	23		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

	UN RTDG	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	UN RTDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Technical name (hazardous ingredients)Hydrochloric acid14.3Transport hazard class(es)UN RTDG8IMDG-Code8ICAO-TI8UN RTDG8UN RTDG11IMDG-Code11IMDG-Code11IMDG-Code11			
 14.3 Transport hazard class(es) UN RTDG IMDG-Code ICAO-TI Packing group UN RTDG II IMDG-Code II IMDG-Code II IMDG-Code II ICAO-TI II ICAO-TI II 14.5 Environmental hazards Environmentally hazardous substance (aquatic environment): 14.6 Special precautions for user There is no additional information. 14.7 Transport in bulk according to Annex II of MARPL and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Additional information(UI UN number) 3264 		ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
UN RTDG8IMDG-Code8ICAO-TI814.4Packing groupUN RTDGIIIMDG-CodeIIIMDG-CodeIIICAO-TIII14.5Environmental hazardsEnvironmentally hazardous substance (aquatic environment):Cobalt(II) chloride14.6Special precautions for user There is no additional information.14.7Transport in bulk according to Annex II of MARPUL and the IBC Code The cargo is not intended to be carried in bulk.14.8Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI UN number		Technical name (hazardous ingredients)	Hydrochloric acid %, Iron(III) chloride
IMDG-Code ICAO-TI Packing group UN RTDG IMDG-Code IMDG-Code IMDG-Code IAO-TI ICAO-TI ICAO-TI ICAO-TI ICAO-TI Invironmental hazards Environmentally hazardous substance (aquatic environment): 14.6 Special precautions for user There is no additional information. 14.7 Information for each of the UN Model Regulations Additional information information information information information information information. 14.8 Information for each of the UN Model Regulations Additional information information information information. 14.8 Information for each of the UN Model Regulations Additional information information. 14.9 Information for each of the UN Model Regulations Additional information. 14.9 Information for each of the UN Model Regulations Additional information. 14.9 Information for each of the UN Model Regulations Additional information. 14.9 Information for each of the UN Model Regulations Additional information. 14.9 Information for each of the UN Model Regulations Additional information.	14.3	Transport hazard class(es)	
 ICAO-TI Packing group UN RTDG IMDG-Code ICAO-TI ICAO-TI ICAO-TI ICAO-TI Invironmental hazards Invironmentally hazardous substance (aquatic environment): Special precautions for user There is no additional information. Special precautions for user There is no additional information. Information for each of the UN Model Regulations and the IBC Code the carried in bulk. Information for each of the UN Model Regulations and the IBC Code to be carried in bulk. 		UN RTDG	8
14.4Packing groupUN RTDGIIIMDG-CodeIIICAO-TIIIICAO-TIIIEnvironmental hazardshazardous to the aque Cobalt(II) chloride14.5Special precautions for user There is no additional information.14.7Special precautions for user There is no additional information.14.8Information for each of the UN Model Regulations14.8Information for each of the UN Model Regulations14.8Information for each of the UN Model Regulations14.8Information for each of the UN Model Regulations14.9Information National regulationsAdditional information(U) Transport informationNational regulationsAdditional information(U) Transport informationNational regulationsAdditional information(U) Transport informationNational regulationsAdditional information(U) 		IMDG-Code	8
UN RTDGIIIMDG-CodeIIICAO-TIII14.5Environmental hazardshazardous to the aque Environmentally hazardous substance (aquatic environment):Cobalt(II) chloride14.6Special precautions for user There is no additional information.Cobalt(II) chloride14.7Transport in bulk according to Annex II of MARPUL and the IBC Code The cargo is not intended to be carried in bulk.14.8Information for each of the UN Model RegulationsAdditional information(UI UN number3264		ICAO-TI	8
IMDG-Code II ICAO-TI II 14.5 Environmental hazards hazardous to the aque Environmentally hazardous substance (aquatic environment): 14.6 Special precautions for user There is no additional information. Cobalt(II) chloride Environment): 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI) UN number	14.4	Packing group	
 ICAO-TI II Environmental hazards hazards hazardous substance (aquatic environment): Special precautions for user There is no additional information. Transport in bulk according to Annex II of MARP-L and the IBC Code The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations Additional information(U) UN number 		UN RTDG	II
14.5Environmental hazardshazardous to the aque Cobalt(II) chlorideEnvironment):Cobalt(II) chloride14.6Special precautions for user There is no additional information.Cobalt(II) chloride14.7Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.and the IBC Code Transport informationNational regulationsAdditional information(UI UN number		IMDG-Code	II
 Environmentally hazardous substance (aquatic cobalt(II) chloride environment): 14.6 Special precautions for user There is no additional information. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI UN number 3264) 		ICAO-TI	II
 environment): 14.6 Special precautions for user There is no additional information. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI UN number 3264 	14.5	Environmental hazards	hazardous to the aquatic environment
There is no additional information. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI UN number		Environmentally hazardous substance (aquatic environment):	Cobalt(II) chloride
The cargo is not intended to be carried in bulk. 14.8 Information for each of the UN Model Regulations Transport informationNational regulationsAdditional information(UI UN number 3264	14.6	• •	
14.8Information for each of the UN Model RegulationsTransport informationNational regulationsAdditional information(UN Number3264	14.7	Transport in bulk according to Annex II of MAR	RPOL and the IBC Code
Transport informationNational regulationsAdditional information(U UN number 3264		The cargo is not intended to be carried in bulk.	
UN number 3264	14.8	Information for each of the UN Model Regulat	ions
		Transport informationNational regulationsAde	ditional information(UN RTDG)
Class 8		UN number	3264
		Class	8
Environmental hazards Yes Hazardous to the aqu		Environmental hazards	Yes Hazardous to the aquatic environment
Packing group II		Packing group	II
Danger label(s) 8		Danger label(s)	8 Fish and tree
		Special provisions (SP)	274 UN RTDG
Special provisions (SP) 274		Excepted quantities (EQ)	E2
Special provisions (SP) 274 UN RTDG			UN RIDG

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

International Maritime Dangerous Goods Coc	le (IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Hydrochloric acid %, Iron(III) chloride, Cobalt(II) chloride), 8, II, MAR- INE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment), (Cobalt(II) chlor- ide)
Danger label(s)	8, "Fish and tree"
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	В
Segregation group	1 - Acids
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Hydrochloric acid %, Iron(III) chlor- ide), 8, II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Safe Work Australia - Code of Practice



Colour Standard ROTI®Calipure Gardner 13

article number: **1HTX**

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid %	7647-01-0	Table II	2806.10

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
ΤW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENG	S List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EÌNEĆS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Re	eg. REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity

acc. to Safe Work Australia - Code of Practice

Colour Standard ROTI®Calipure Gardner 13



article number: **1HTX**

Abbr.	Descriptions of used abbreviations
Resp. Sens.	Respiratory sensitisation
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne conatminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.