according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: **1KNP** Version: **1.0 en**

date of compilation: 01.06.2021

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Colour Standard ROTI®Calipure Saybolt +12

1KNP

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

#### **1.4** Emergency telephone number

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

#### Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)


Signal word Danger

according to Regulation (EC) No. 1907/2006 (REACH)

#### Colour Standard ROTI®Calipure Saybolt +12



article number: **1KNP** 



H304	May be fatal if swallowed and enters alrways.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
EUH066	Repeated exposure may cause skin dryness or cracking.
contains:	n-Dodecane

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
n-Dodecane	CAS No 112-40-3	≥50	Asp. Tox. 1 / H304 EUH066		
	EC No 203-967-9				

according to Regulation (EC) No. 1907/2006 (REACH)

#### Colour Standard ROTI®Calipure Saybolt +12



#### article number: 1KNP

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

- **4.2 Most important symptoms and effects, both acute and delayed** Aspiration hazard
- **4.3 Indication of any immediate medical attention and special treatment needed** none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$ ), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

article number: 1KNP

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

#### article number: 1KNP

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Data are not available.

#### **Relevant PNECs of components of the mixture**

	-					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
n-Dodecane	112-40-3	PNEC	0,96 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
n-Dodecane	112-40-3	PNEC	0,93 <sup>µg</sup> /I	aquatic organ- isms	marine water	short-term (single instance)
n-Dodecane	112-40-3	PNEC	14 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
n-Dodecane	112-40-3	PNEC	2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
n-Dodecane	112-40-3	PNEC	2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
n-Dodecane	112-40-3	PNEC	0,81 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

article number: 1KNP

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	acc. to product description
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% - 6,5 vol%
Flash point	71 °C
Auto-ignition temperature	200 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	(practically insoluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined

#### Colour Standard ROTI®Calipure Saybolt +12

® Roth

article number: **1KNP** 

0,753 <sup>g</sup>/<sub>cm<sup>3</sup></sub> at 15 °C Density Relative vapour density information on this property is not available Particle characteristics not relevant (liquid) Other safety parameters Oxidising properties none 9.2 **Other information** Information with regard to physical hazard hazard classes acc. to GHS classes: (physical hazards): not relevant Other safety characteristics: Temperature class (EU, acc. to ATEX) Τ4 Maximum permissible surface temperature on the equipment: 135°C

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3 Possibility of hazardous reactions**

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

#### article number: 1KNP

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components	cute toxicity of components of the mixture						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
n-Dodecane	112-40-3	oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat		
n-Dodecane	112-40-3	inhalation: dust/mist	LC50	≥6.100 <sup>mg</sup> / <sub>m³</sub> / 4h	rat		
n-Dodecane	112-40-3	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

aspiration hazard

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

repeated exposure may cause skin dryness or cracking

#### Other information

none

according to Regulation (EC) No. 1907/2006 (REACH)

#### Colour Standard ROTI®Calipure Saybolt +12

article number: 1KNP

- **11.2 Endocrine disrupting properties** None of the ingredients are listed.
- **11.3 Information on other hazards** There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### **Biodegradation**

The relevant substances of the mixture are readily biodegradable.

12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance         CAS No         BCF         Log KOW         BOD5/COD						
n-Dodecane	112-40-3		6,98 (pH value: 7, 25 °C)			

#### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).



according to Regulation (EC) No. 1907/2006 (REACH)





#### Colour Standard ROTI®Calipure Saybolt +12

article number: 1KNP

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1 UN number or ID number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

- 14.4 Packing group
- 14.5 **Environmental hazards**

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

Maritime transport in bulk according to IMO instruments 14.7 The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Relevant provisions of the European Union (EU)** 

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Colour Standard ROTI®Calipure Say- bolt	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

 games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN)

5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging

according to Regulation (EC) No. 1907/2006 (REACH)

#### Colour Standard ROTI®Calipure Saybolt +12



#### article number: **1KNP**

#### Legend

and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for supply to the general public.

decorative lamps, labelled R65 or H304, intended for supply to the general public. 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

#### **Seveso Directive**

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes		
	not assigned				

#### **Deco-Paint Directive**

VOC content         100 % 753 <sup>g</sup> /l
--

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	753 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

none of the ingredients are listed

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

#### article number: 1KNP

#### **Regulation concerning the export and import of hazardous chemicals (PIC)**

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Australian Inventory of Chemical Substances List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals AICS CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances TCSI TSCA Taiwan Chemical Substance Inventory Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

#### article number: 1KNP

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

according to Regulation (EC) No. 1907/2006 (REACH)



#### Colour Standard ROTI®Calipure Saybolt +12

#### article number: **1KNP**

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.