Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance

Article number

Karl Fischer ROTI®Hydroguant coulo CG-K, for KF titration, coulometric for aldehydes and ketones

1KPP

Registration number (REACH)

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

not relevant (mixture)

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318



date of compilation: 2021-06-16

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1B	Repr. 1B	H360Df
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)



Hazard statements

H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H360Df	May damage the unborn child. Suspected of damaging fertility
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed)

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/eye protection

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTRE/doctor if you feel unwell

For professional users only

Hazardous ingredients for labelling:

N-Methylformamide, Iodine, Imidazole, Tetrahydrofurfuryl alcohol

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger





H318 H360Df Causes serious eye damage. May damage the unborn child. Suspected of damaging fertility.

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

P280	Wear protective gloves/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
contains:	N-Methylformamide, Iodine, Imidazole, Tetrahydrofurfuryl alcohol

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
CAS No 123-39-7	≥ 50	Acute Tox. 4 / H312 Eye Irrit. 2 / H319	(!)	GHS-HC
EC No 204-624-6		Repr. 167 13000		
Index No 616-056-00-X				
CAS No 14426-21-2	10 - 25	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319		
EC No 238-396-4				
CAS No 97-99-4	10 - 25	Eye Irrit. 2 / H319 Repr. 1B / H360Df	(!)	GHS-HC
EC No 202-625-6				
Index No 603-061-00-7				
CAS No 288-32-4	1 – 5	Acute Tox. 4 / H302 Skin Corr. 1C / H314		GHS-HC
EC No 206-019-2		Repr. 1B / H360D		
Index No 613-319-00-0			N	
REACH Reg. No 01-2119485825- 24-xxxx				
	CAS No 123-39-7 EC No 204-624-6 Index No 616-056-00-X CAS No 14426-21-2 EC No 238-396-4 CAS No 97-99-4 EC No 202-625-6 Index No 603-061-00-7 CAS No 288-32-4 EC No 206-019-2 Index No 613-319-00-0 REACH Reg. No 01-2119485825-	CAS No ≥ 50 123-39-7 ≥ 50 EC No 204-624-6 Index No - 616-056-00-X 10 - 25 CAS No 10 - 25 14426-21-2 10 - 25 EC No 238-396-4 CAS No 10 - 25 97-99-4 10 - 25 S02-625-6 10 - 25 Index No - 603-061-00-7 288-32-4 EC No 206-019-2 Index No 1 - 5 288-32-4 EC No 206-019-2 1 - 5 Index No 613-319-00-0 REACH Reg. No - 01-2119485825- -	CAS No 123-39-7≥ 50Acute Tox. 4 / H312 Eye Irrit. 2 / H319 Repr. 1B / H360DEC No 204-624-6Index No 616-056-00-XIO - 25Skin Irrit. 2 / H315 Eye Irrit. 2 / H319CAS No 14426-21-210 - 25Skin Irrit. 2 / H315 Eye Irrit. 2 / H319EC No 238-396-410 - 25Eye Irrit. 2 / H319CAS No 97-99-410 - 25Eye Irrit. 2 / H319CAS No 202-625-610 - 25Eye Irrit. 2 / H319Index No 603-061-00-710 - 25Eye Irrit. 2 / H319 Repr. 1B / H360DfCAS No 208-32-41 - 5Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360DEC No 206-019-21 - 5Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360DREACH Reg. No 01-2119485825-II	CAS No ≥ 50 Acute Tox. 4 / H312 ↓ EC No 204-624-6 -

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Iodine	CAS No 7553-56-2 EC No 231-442-4 Index No 053-001-00-3 REACH Reg. No 01-2119485285- 30-xxxx	1 – 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400		GHS-HC

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
N-methylform- amide	CAS No 123-39-7	-	-	1.289 ^{mg} / _{kg}	dermal
	EC No 204-624-6				
	Index No 616-056-00-X				
Imidazole	CAS No 288-32-4	-	-	970 ^{mg} / _{kg}	oral
	EC No 206-019-2				
	Index No 613-319-00-0				
Iodine	CAS No 7553-56-2	-	-	1.500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >4,588 ^{mg} /∣/	oral dermal
	EC No 231-442-4			24,588 3// 4h	inhalation: dust/ mist
	Index No 053-001-00-3				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Karl Fischer ROTI $\ensuremath{\mathbb{B}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions



Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters National limit values according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo CG-K, for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Occupational exposure limit values (Workplace Exposure Limits)

-	-				_						
Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	iodine	7553-56- 2	WEL			0,1	1,1				EH40/ 2005

Notation Ceiling-C STEL

TWA

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs	Relevant DNELs of components of the mixture											
Name of sub- stance	CAS No	End- point			Used in	Exposure time						
Tetrahydrofurfuryl alcohol	97-99-4	DNEL	1,4 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects						
Tetrahydrofurfuryl alcohol	97-99-4	DNEL	1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects						
Imidazole	288-32-4	DNEL	10,6 mg/ m ³	m ³ ory		chronic - systemic effects						
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day			chronic - systemic effects						
Iodine	7553-56-2	DNEL	DNEL 0,07 mg/ human, inhalat- worker (indus m ³ ory		worker (industry)	chronic - systemic effects						
Iodine	7553-56-2 DNEL		0,01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects						

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	1,9 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	0,19 ^{mg} / _l aquatic organ- marine water isms		short-term (single instance)			
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	8,6 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	0,86 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Tetrahydrofurfuryl alcohol	97-99-4	PNEC	0,6 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Imidazole	288-32-4	PNEC	1,3 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease		

Karl Fischer ROTI $\ensuremath{\$B}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Relevant PNECs	Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No			Environmental compartment	Exposure time			
Imidazole	288-32-4	PNEC	0,13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Imidazole	288-32-4	PNEC	0,013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Imidazole	288-32-4	PNEC	0,336 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Imidazole	288-32-4	PNEC	0,034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Imidazole	288-32-4	PNEC	0,043 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)		
Iodine	7553-56-2	PNEC	18,13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Iodine	7553-56-2	PNEC	60,01 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Iodine	7553-56-2	PNEC	11 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Iodine	7553-56-2	PNEC	3,99 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Iodine	7553-56-2	PNEC	20,22 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Iodine	7553-56-2	PNEC	5,95 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection





Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	1,5 vol% - 10,6 vol%
Flash point	74 °C
Auto-ignition temperature	280 °C
Decomposition temperature	not relevant

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{B}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

pH (value)	5 – 6,5 (in aqueous solution: 100 ^g / _l , 20 °C)
Kinematic viscosity	not determined
Colubility/ioc)	
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	2 hPa at 10 °C
Density	1,095 ^g / _{cm³}
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard	hazard classes acc. to GHS
classes:	(physical hazards): not relevant
Other safety characteristics:	
Temperature class (EU, acc. to ATEX)	T3
	Maximum permissible surface temperature on the equipment: 200°C

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Nitrate, Nitric acid, Acids, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.



Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

- **10.5** Incompatible materials
 - different plastics
- 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance CAS No Exposure route ATE							
N-methylformamide	123-39-7	dermal	1.289 ^{mg} / _{kg}				
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}				
Iodine	7553-56-2	oral	1.500 ^{mg} / _{kg}				
Iodine	7553-56-2	dermal	1.100 ^{mg} / _{kg}				
Iodine	7553-56-2	inhalation: dust/mist	>4,588 ^{mg} / _l /4h				

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
N-methylformamide	123-39-7	oral	LD50	3.000 ^{mg} / _{kg}	rat
N-methylformamide	123-39-7	dermal	LD50	1.289 ^{mg} / _{kg}	rabbit
Tetrahydrofurfuryl alcohol	97-99-4	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat
Iodine	7553-56-2	oral	LD50	14.000 ^{mg} / _{kg}	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 ^{mg} / _l / 4h	rat
Iodine	7553-56-2	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	thyroid gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
N-methylformamide	123-39-7	LC50	>10.000 ^{mg} / _l	fish	96 h		
N-methylformamide	123-39-7	EC50	>500 ^{mg} / _l	aquatic invertebrates	48 h		
N-methylformamide	123-39-7	ErC50	>500 ^{mg} / _l	algae	72 h		
Tetrahydrofurfuryl al- cohol	97-99-4	LC50	>101 ^{mg} / _l	fish	96 h		
Tetrahydrofurfuryl al- cohol	97-99-4	EC50	>91,7 ^{mg} / _l	aquatic invertebrates	48 h		
Tetrahydrofurfuryl al- cohol	97-99-4	ErC50	>98,9 ^{mg} /l	algae	72 h		
Imidazole	288-32-4	LC50	283,6 ^{mg} / _l	fish	48 h		
Imidazole	288-32-4	EC50	341,5 ^{mg} / _l	aquatic invertebrates	48 h		
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h		
Iodine	7553-56-2	LC50	1,67 ^{mg} / _l	fish	96 h		
Iodine	7553-56-2	ErC50	0,13 ^{mg} / _l	algae	72 h		

Aquatic toxicity (chronic) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Tetrahydrofurfuryl al- cohol	97-99-4	EC50	>95,1 ^{mg} / _l	aquatic invertebrates	21 d		
Imidazole	288-32-4	EC50	>1.000 ^{mg} / _l	microorganisms	30 min		
Iodine	7553-56-2	EC50	280 ^{mg} / _l	microorganisms	3 h		

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
N-methylform- amide	123-39-7	DOC removal	100 %	7 d		ECHA	
Tetrahydrofur- furyl alcohol	97-99-4	oxygen deple- tion	92 %	28 d		ECHA	



Karl Fischer ROTI $\ensuremath{\mathbb{B}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Imidazole	288-32-4	biotic/abiotic	86 %	19 d			
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA	

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture							
Name of substance	CAS No BCF Log KOW BOD5/COD						
N-methylformamide	123-39-7		-0,87 (25 °C)				
Tetrahydrofurfuryl alcohol	97-99-4		-0,14 (24,7 °C)				
Imidazole	288-32-4		0,0586				
Iodine	7553-56-2		2,49 (20 °C)				

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1760
	IMDG-Code	UN 1760
	ICAO-TI	UN 1760
14.2	UN proper shipping name	
	ADR/RID/ADN	CORROSIVE LIQUID, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, N.O.S.
	ICAO-TI	Corrosive liquid, n.o.s.
	Technical name (hazardous ingredients)	Imidazole, Iodine
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
A A C	Consistence and the second second	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional
information

Proper shipping name	CORROSIVE LIQUID, N.O.S.
Particulars in the transport document	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, III, (E)
Classification code	C9
Danger label(s)	8
\land	

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ${\rm ROTI} \circledast {\rm Hydroquant\ coulo\ CG-K}$, for KF titration, coulometric for aldehydes and ketones

article number: 1KPP	
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
International Maritime Dangerous Goods Co	de (IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Particulars in the shipper's declaration	UN1760, CORROSIVE LIQUID, N.O.S., (contains: Imidazole, Iodine), 8, III
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
International Civil Aviation Organization (IC	AO-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, n.o.s.
Particulars in the shipper's declaration	UN1760, Corrosive liquid, n.o.s., (contains: Im- idazole, Iodine), 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo CG-K, for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο		
Karl Fischer ROTI®Hydroquant coulo CG-K	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Diethanolamine hydrochloride	substances in tattoo inks and perman- ent make-up		R75	75		
N-methylformamide	toxic for reproduction		R28-30	30		
N-methylformamide	substances in tattoo inks and perman- ent make-up		R75	75		
Tetrahydrofurfuryl alcohol	toxic for reproduction		R28-30	30		
Tetrahydrofurfuryl alcohol	substances in tattoo inks and perman- ent make-up		R75	75		
Imidazole	toxic for reproduction		R28-30	30		

Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances, - as constituents of other substances, or,

- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 (b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:
motor fuels which are covered by Directive 98/70/EC,
mineral oil products intended for use as fuel in mobile or fixed combustion plants,
fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;

(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;

(f) devices covered by Regulation (EU) 2017/745.



Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in orna-

mental lamps and ashtrays,
tricks and jokes,
games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010;

opaque containers not exceeding 1 litre by 1 December 2010.';

® §POTH

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Legen	
R75	 Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such su stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is c
	are present in the following circumstances:
	(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category
	1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration
	equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicar
	category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
	weight;
	(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-
	egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight:
	(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-
	egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the
	substance is present in the mixture in a concentration equal to or greater than:
	(i) 0,1 % by weight, if the substance is used solely as a pH regulator; (ii) 0,01 % by weight, in all other cases;
	(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the
	mixture in a concentration equal to or greater than 0,00005 % by weight;
	(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g
	(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
	(i) "Rinse-off products";
	(ii) "Not to be used in products applied on mucous membranes";
	(iii) "Not to be used in eye products";
	(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for us preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present
	the mixture in a concentration, or in some other way, that does not accord with the condition specified in that colur
	(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a conce
	tration equal to or greater than the concentration limit specified for that substance in that Appendix.
	For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-
	monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the ain
	making a mark or design on his or her body.
	3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest
	concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Append 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of
	paragraph 1 shall apply to that substance.
	4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
	(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
	5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a s
	stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such
	that it then falls within a different one of those points from the one within which it fell previously, and the date of a
	plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, par graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as
	taking effect on the date of application of that new or revised classification.
	6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listi
	of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or
	such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry,
	that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from th
	date falling 18 months after entry into force of the act by which that amendment was made.
	7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022,
	mixture is marked with the following information: (a) the statement "Mixture for use in tattoos or permanent make-up";
	(b) a reference number to uniquely identify the batch;
	(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient
	names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients sl
	be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means
	any substance added during the process of formulation and present in the mixture for use for tattooing purposes.
	purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of
	this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingre ent does not need to be marked in accordance with this Regulation;
	(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
	(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-
	tion limit specified in Appendix 13;
	(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) belo
	the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) N 1272/2008.
	1272/2008.
	The information shall be clearly visible, easily legible and marked in a way that is indelible.
	The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on th market, unless the Member State(s) concerned provide(s) otherwise.
	Where necessary because of the size of the package, the information listed in the first subparagraph, except for poi
	(a), shall be included instead in the instructions for use.
	Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the
	procedure with the information marked on the package or included in the instructions for use pursuant to this para
	graph.

Karl Fischer ROTI $\ensuremath{\mathbb{B}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

Deco-Paint Directive

VOC content	94 %
-------------	------

Industrial Emissions Directive (IED)

VOC content	94 %
-------------	------

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Diethanolamine hydrochloride	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
N-methylformamide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: 1KPP

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Tetrahydrofurfuryl alcohol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed

® BOTH

Karl Fischer ROTI $\$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Country	Inventory	Status
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIOC PICCS REACH Reg.	Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) . REACH registered substances Taiwan Chemical Substance Inventory	

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo CG-K , for KF titration, coulometric for aldehydes and ketones

article number: **1KPP**

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.