acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: **1L35**Version: **GHS 2.0 en**date of compilation: 2021-07-07
Revision: 2024-03-04

Replaces version of: 2021-07-07

Version: (GHS 1)



1.1 Product identifier

Identification of the substance Formic acid D 95 % solution in D₂O, 98 Atom%D

Article number 1L35

CAS number 925-94-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal

feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Australia (en) Page 1 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



| Section | on Hazard class | | Hazard class and category | Hazard statement |
|---------|--|----|---------------------------|---------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.1I | Acute toxicity (inhal.) | 3 | Acute Tox. 3 | H331 |
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|------------------------------------|
| AUH071 | corrosive to the respiratory tract |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS05, GHS06



Hazard statements

| H226 | Flammable liquid and vapour |
|------|---|
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |
| H331 | Toxic if inhaled |
| | |

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking |
|------|--|
| P260 | Do not breathe dusts or mists |
| P280 | Wear eye protection/face protection |

Precautionary statements - response

Australia (en) Page 2 / 14

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P403+P235 Store in a well-ventilated place. Keep cool

Supplemental hazard information

AUH071 Corrosive to the respiratory tract.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Formic acid D

Molecular formula ${\rm CHDO_2}$ Molar mass ${\rm 47.03~g/_{mol}}$ CAS No ${\rm 925-94-0}$

Impurities/additives/constituents:

| Name of substance | Identifier | Wt% |
|-------------------|---------------------|-----|
| Deuterium oxide | CAS No 7789-20-0 | 5 |

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Australia (en) Page 3 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO₂), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|---------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|--------|
| AU | formic acid | 64-18-6 | WES | 5 | 9.4 | 10 | 19 | | | | WES |

Notation

Ceiling-C STEL

TWA

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

CR: chloroprene (chlorobutadiene) rubber

material thickness

0.65 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Page 6 / 14 Australia (en)

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging
Melting point/freezing point 8 °C

Boiling point or initial boiling point and boiling

range

101 °C at 1,013 hPa

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 12 vol% (LEL) - 38 vol% (UEL)

Flash point 49 °C at 1,013 hPa (c.c.)

Auto-ignition temperature 528 °C

Decomposition temperature not relevant

pH (value) 2.2 (in aqueous solution: $10 \frac{g}{l}$, $20 ^{\circ}$ C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 43 hPa at 20 °C 55 hPa at 25 °C

171 hPa at 50 °C

Density and/or relative density

Density $1.25 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}$ C

Relative vapour density 1.59 (air = 1)

Australia (en) Page 7 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Substance or mixture corrosive to metals.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Mixtures of sodium hypochlorite, Metal catalyst, Nitro compound, Hydrogen peroxide

Exothermic reaction with: Alkali hydroxide (caustic alkali), Strong alkali, Oxidisers, Nitric acid, Sulphuric acid, concentrated

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Australia (en) Page 8 / 14

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Shall not be classified as a specific target organ toxicant (single exposure).

Shall not be classified as a specific target organ toxicant (repeated exposure).

Shall not be classified as presenting an aspiration hazard.

• If on skin

causes severe burns, causes poorly healing wounds

Other information

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Theoretical Oxygen Demand: 0.1701 mg/mg

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

Australia (en) Page 9 / 14



Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea, pulmonary oedema

11.2 Endocrine disrupting properties

SECTION 12: Ecological information

12.1 Toxicity

Theoretical Carbon Dioxide: 0.9357 mg/mg

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

H8 Corrosives

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

UN 1779
IMDG-Code UN 1779
ICAO-TI UN 1779

14.2 UN proper shipping name

UN RTDG FORMIC ACID

IMDG-Code FORMIC ACID

ICAO-TI Formic acid

14.3 Transport hazard class(es)

UN RTDG 8 (3)

IMDG-Code 8 (3)

Australia (en) Page 10 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

ICAO-TI 8 (3)

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1779
Class 8
Subsidiary risk(s) 3
Packing group II
Danger label(s) 8+3



Special provisions (SP)

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ)

UN RTDG

Emergency Action Code 2W

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FORMIC ACID

Particulars in the shipper's declaration UN1779, FORMIC ACID, 8 (3), II, 49°C c.c.

Marine pollutant -

Danger label(s) 8+3



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, S-C

Stowage category A

Australia (en) Page 11 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Formic acid

Particulars in the shipper's declaration UN1779, Formic acid, 8 (3), II

Danger label(s) 8+3





Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|-----------|---------------------|
| EU | ECSI | substance is listed |
| TW | TCSI | substance is listed |

Legend

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
TCSI Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 2.1 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.2 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 14.8 | | Emergency Action Code: 2W | yes |

Australia (en) Page 12 / 14



acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 15.1 | | Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | yes |

Abbreviations and acronyms

| abbi eviacions | |
|----------------|---|
| Abbr. | Descriptions of used abbreviations |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35



List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H226 | Flammable liquid and vapour. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14