according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Revision: 04.03.2024

date of compilation: 07.07.2021

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35 Version: 2.0 en Replaces version of: 07.07.2021 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance

Article number

Registration number (REACH)

Formic acid D 95 % solution in D₂O, 98 Atom%D

1L35

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number

CAS number

213-129-4

925-94-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

Supplemental hazard information

Code	Supplemental hazard information			
EUH071	corrosive to the respiratory tract			

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms

GHS02, GHS05, GHS06

Hazard statements

H226	Flammable liquid and vapour
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H331	Toxic if inhaled

Precautionary statements

Precautionary statements - prevention

P260Do not breathe mist/vapoursP280Wear protective gloves/protective clothing/eye protection/face protection/hear-
ing protection

Precautionary statements - response

P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower]
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)

H314 H331	Causes severe skin burns and eye damage. Toxic if inhaled.
P260 P280 P301+P330+P331	Do not breathe mist/vapours. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
EUH071	Corrosive to the respiratory tract.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Formic acid D
Molecular formula	CHDO₂
Molar mass	47,03 ^g / _{mol}
CAS No	925-94-0
EC No	213-129-4

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Deuterium oxide	CAS No 7789-20-0	5
	EC No 232-148-9	

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	_	730 ^{mg} / _{kg} 7,85 ^{mg} / _l /4h	oral inhalation: vapour

Remarks

For full text of abbreviations: see SECTION 16



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	formic acid	64-18-6	IOELV	5	9						2006/15/ EC
MT	formic acid	64-18-6	OELV	5	9						CAP. 424

Notation

TWA

Ceiling value is a limit value above which exposure should not occur Ceiling-C STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection





according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





article number: **1L35**

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

CR: chloroprene (chlorobutadiene) rubber

material thickness

0,65 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	8 °C
Boiling point or initial boiling point and boiling range	101 °C at 1.013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	12 vol% (LEL) - 38 vol% (UEL)
Flash point	49 °C at 1.013 hPa (c.c.)
Auto-ignition temperature	528 °C
Decomposition temperature	not relevant
pH (value)	2,2 (in aqueous solution: 10 ^g / _l , 20 °C)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

articl	e number: 1L35	
	Kinematic viscosity	not determined
	Solubility(ies)	
	Water solubility	miscible in any proportion
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	43 hPa at 20 °C 55 hPa at 25 °C 171 hPa at 50 °C
	Density and/or relative density	
	Density	1,25 ^g / _{cm³} at 20 °C
	Relative vapour density	1,59 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Substance or mixture corrosive to metals.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

10.3 Possibility of hazardous reactions

Danger of explosion: Mixtures of sodium hypochlorite, Metal catalyst, Nitro compound, Hydrogen peroxide,

Exothermic reaction with: Alkali hydroxide (caustic alkali), Strong alkali, Oxidisers, Nitric acid, Sulphuric acid, concentrated

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

• If inhaled

corrosive to the respiratory tract, cough, Dyspnoea, pulmonary oedema

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand: 0,1701 ^{mg}/_{mg} Theoretical Carbon Dioxide: 0,9357 ^{mg}/_{mg}

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP 8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR	UN 1779
	IMDG-Code	UN 1779
	ICAO-TI	UN 1779
14.2	UN proper shipping name	
	ADR	FORMIC ACID
	IMDG-Code	FORMIC ACID
	ICAO-TI	Formic acid
14.3	Transport hazard class(es)	
	ADR	8 (3)
	IMDG-Code	8 (3)
	ICAO-TI	8 (3)
14.4	Packing group	
	ADR	II
	IMDG-Code	П
	ICAO-TI	П
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

cle number: 1L35	
Agreement concerning the International C information	arriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	FORMIC ACID
Particulars in the transport document	UN1779, FORMIC ACID, 8 (3), II, (D/E)
Classification code	CF1
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	83
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	FORMIC ACID
Particulars in the shipper's declaration	UN1779, FORMIC ACID, 8 (3), II, 49°C c.c.
Marine pollutant	-
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-C
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
Proper shipping name	Formic acid
Particulars in the shipper's declaration	UN1779, Formic acid, 8 (3), II
Danger label(s)	8+3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
Formic acid D	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Formic acid D	flammable / pyrophoric		R40	40
Formic acid D	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Formic acid D 95 % solution in D₂O, 98 Atom%D



article number: 1L35



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Device the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire	and upper-tier re-	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

Deco-Paint Directive

VOC content	100 %
VOC content (Water content was discounted)	1.334 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content (Water content was discounted)	1.334 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





article number: 1L35

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
EU	ECSI	substance is listed
TW	TCSI	substance is listed

Legend

ECSI TCSI

EC Substance Inventory (EINECS, ELINCS, NLP) Taiwan Chemical Substance Inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance. According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-
			relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 % 1.299 ^g / _l	VOC content: 100 %	yes
15.1		VOC content (Water content was discounted): 1.334 ^g / _l	yes
15.1	VOC content: 1.281 ^g / _l		yes
15.1	VOC content Water content was discounted: 1.299 ^g / _l	VOC content (Water content was discounted): 1.334 ^g / _l	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: No Chemical Safety Assessment has been car- ried out for this substance. According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or compon- ents of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D_2O , 98 Atom%D

article number: 1L35

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Formic acid D 95 % solution in D₂O, 98 Atom%D

article number: 1L35

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.