acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)

article number: **1L4P** Version: **2.0 en** Replaces version of: 2021-07-29 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Sodium nitrite ROTI®METIC 99,99 % (4N)		
Article number	1L4P		
Index No (GB CLP)	007-010-00-4		
EC number	231-555-9		
CAS number	7632-00-0		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

sicherheit@carlroth.de

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture





date of compilation: 2021-07-29

Revision: 2024-03-01

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI® METIC 99,99 % (4N)



article number: 1L4P

Classification	acc. to GHS
----------------	-------------

Section Hazard class		Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	3	Ox. Sol. 3	H272
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS03, GHS06, GHS09



Hazard statements

H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H319	Causes serious eye irritation
H400	Very toxic to aquatic life

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P220	Keep/store away from clothing/combustible materials
P264	Wash thoroughly after handling
P273	Avoid release to the environment

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: 1L4P

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Sodium nitrite
Molecular formula	NaNO ₂
Molar mass	68,99 ^g / _{mol}
CAS No	7632-00-0
EC No	231-555-9
Index No (GB CLP)	007-010-00-4

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits M-Factors ATE Exposure route					
-	-	180 ^{mg} / _{kg}	oral		

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, The product is skin resorptive

4.3 Indication of any immediate medical attention and special treatment needed Water, to which activated charcoal may be added.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI® METIC 99,99 % (4N)



article number: 1L4P

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)



article number: 1L4P

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Store locked up.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur
Inhalable fraction
Respirable fraction
STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: 1L4P

Γ

Human health values						
Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	2 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		

Environmental values

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,005 ^{mg} / _l	aquatic organisms	water	intermittent release		
PNEC	0,005 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,006 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)		
PNEC	21 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	0,019 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,022 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	0,001 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: 1L4P

- type of material
- NBR (Nitrile rubber)
- material thickness
- >0,11 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	271 °C at 1.013 hPa (ECHA)
Boiling point or initial boiling point and boiling range	320 °C (slow decomposition)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>280 °C
pH (value)	8 – 9 (in aqueous solution: 100 ^g / _l , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	820 ^g / _l at 20 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	-3,7 (OECD-107)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI® METIC 99,99 % (4N)



article number: 1L4P

	Vapour pressure	not determined
	Density and/or relative density	
	Density	~ 2,17 ^g / _{cm³}
	Relative vapour density	Information on this property is not available.
	Bulk density	~ 1.200 ^{kg} / _{m³}
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Risk of ignition: Combustible materials, **Violent reaction with:** Amines, Ammonia, Metal powder, Organic substances, Reducing agents, Acids, Cyanide

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >280 °C. Protect from moisture.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: 1L4P

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed.

GHS of the United Nations, annex 4. May be harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	180 ^{mg} / _{kg}	rat		TOXNET
inhalation: dust/ mist	LC50	5,5 ^{mg} / _{kg} /4h	rat		

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

diarrhoea, vomiting, abdominal pain, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI® METIC 99,99 % (4N)



article number: **1L4P**

Other information

This information is based upon the present state of our knowledge. The product is skin resorptive

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- **11.3 Information on other hazards** There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	26,3 ^{mg} / _l	fish	ECHA	96 h
EC50	15,4 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	>100 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	114,9 ^{mg} / _l	aquatic invertebrates	ECHA	80 d
LC50	>95,6 ^{mg} / _l	aquatic invertebrates	ECHA	80 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-3,7 (OECD-107)	
---------------------------	-----------------	--

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)



article number: **1L4P**

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant skin irritation and eye damage
- HP6 acute toxicity
- HP 14 ecotoxic

13.3 Remarks

14.2

14.3

14.4

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 1500
	IMDG-Code	UN 1500
	ICAO-TI	UN 1500
2	UN proper shipping name	
	ADRRID	SODIUM NITRITE
	IMDG-Code	SODIUM NITRITE
	ICAO-TI	Sodium nitrite
3	Transport hazard class(es)	
	ADRRID	5.1 (6.1)
	IMDG-Code	5.1 (6.1)
	ICAO-TI	5.1 (6.1)
ŀ	Packing group	
	ADRRID	III

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ROTI®METIC 99,99 % (4N)

article number: 1L4P

	IMDG-Code	III
	ICAO-TI	III
4.5	Environmental hazards	hazardous to the aquatic environment
4.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should	be complied within the premises.
4.7	Maritime transport in bulk according to IM	AO instruments
	The cargo is not intended to be carried in bu	lk.
4.8	Information for each of the UN Model Reg	ulations
	Agreement concerning the International (information	Carriage of Dangerous Goods by Road (ADR)Addition
	Proper shipping name	SODIUM NITRITE
	Particulars in the transport document	UN1500, SODIUM NITRITE, 5.1 (6.1), III, (E), envir onmentally hazardous
	Classification code	OT2
	Danger label(s)	5.1+6.1, "Fish and tree"
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Special provisions (SP)	802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	3
	Tunnel restriction code (TRC)	E
	Hazard identification No	56
	Emergency Action Code	1Z
	Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additiona
	Classification code	OT2
	Danger label(s)	5.1+6.1, "Fish and tree"
	Environmental hazards	Yes Hazardous to water
	Special provisions (SP)	802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	3
	Hazard identification No	56

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI® METIC 99,99 % (4N)



article number: **1L4P**

International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	SODIUM NITRITE
Particulars in the shipper's declaration	UN1500, SODIUM NITRITE, 5.1 (6.1), III, MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	5.1+6.1, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-Q
Stowage category	A
Segregation group	12 - Nitrites and their mixtures
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information
Proper shipping name	Sodium nitrite
Particulars in the shipper's declaration	UN1500, Sodium nitrite, 5.1 (6.1), III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	5.1+6.1
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower a quiren		Notes
P8	oxidising liquids and solids	50	200	55)

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 %
-------------	-----

acc. to Regulation (EC) No. 1907/2006 (REACH)



Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: 1L4P

Industrial Emissions Directive (IED)		
	VOC content	0 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Sodium nitrite	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Sodium nitrite	Metals and their compounds		a)	

Legend a)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)



article number: 1L4P

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)



article number: 1L4P

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: OT2	yes
14.8		Danger label(s): 5.1+6.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 56	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium nitrite ROTI®METIC 99,99 % (4N)



article number: 1L4P

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Soth

Sodium nitrite ROTI® METIC 99,99 % (4N)

article number: **1L4P**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.