acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2021-08-09

Revision: 2024-03-02

## Germanium (IV) oxide ROTI®METIC

article number: **1L52** Version: **2.0 en** Replaces version of: 2021-08-09 Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

Identification of the substance	Germanium (IV) oxide ROTI®METIC
Article number	1L52
EC number	215-180-8
CAS number	1310-53-8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

## e-mail (competent person):

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332

For full text of abbreviations: see SECTION 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Germanium (IV) oxide ROTI®METIC

article number: 1L52

GHS07

#### 2.2 Label elements

## Labelling

**Signal word** Warning



## **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled

## **Precautionary statements**

## **Precautionary statements - prevention**

P261 Avoid breathing dust

## **Precautionary statements - response**

P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing

#### 2.3 **Other hazards**

## **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance	Germanium (IV) oxide
Molecular formula	GeO <sub>2</sub>
Molar mass	104,6 <sup>g</sup> / <sub>mol</sub>
CAS No	1310-53-8
EC No	215-180-8

# Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 <sup>mg</sup> / <sub>kg</sub> >3,1 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist



acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

article number: 1L52

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



## **General notes**

Take off contaminated clothing.

## **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

# **4.2 Most important symptoms and effects, both acute and delayed** Vomiting

**4.3 Indication of any immediate medical attention and special treatment needed** none

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Non-combustible.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

article number: 1L52

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid dust formation.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

## Incompatible substances or mixtures

Observe hints for combined storage.

## Consideration of other advice:

## **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

article number: 1L52

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

## Human health values

## Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	335 µg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,24 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

#### **Relevant PNECs and other threshold levels** Threshold level End-Organism **Environmental com-Exposure time** point partment 599,4 <sup>mg</sup>/<sub>kg</sub> PNEC freshwater sediment aquatic organisms short-term (single instance) PNEC marine sediment 19,6 <sup>mg</sup>/<sub>kg</sub> aquatic organisms short-term (single instance) 43,4 <sup>mg</sup>/<sub>kg</sub> terrestrial organisms PNEC soil short-term (single instance) 43,4 <sup>µg</sup>/<sub>l</sub> PNEC aquatic organisms marine water short-term (single instance) 7 <sup>mg</sup>/<sub>l</sub> PNEC aquatic organisms sewage treatment plant short-term (single instance) (STP) PNEC 43,4 <sup>µg</sup>/<sub>l</sub> aquatic organisms freshwater short-term (single instance)

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Germanium (IV) oxide ROTI®METIC



article number: **1L52** 

## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	white
Odour	odourless
Melting point/freezing point	1.086 – 1.115 °C
Boiling point or initial boiling point and boiling range	not determined
5	
Flammability	non-combustible
Flammability Lower and upper explosion limit	non-combustible not determined
Lower and upper explosion limit	not determined
Lower and upper explosion limit Flash point	not determined not applicable

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Germanium (IV) oxide ROTI®METIC

#### article number: 1L52



	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	4,228 <sup>g</sup> / <sub>l</sub> at 25 °C
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density and/or relative density	
	Density	4,32 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
	Relative vapour density	Information on this property is not available.
	Bulk density	1.430 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

## article number: 1L52

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Classification acc. to GHS**

## Acute toxicity

Harmful if swallowed. Harmful if inhaled.

## Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/ mist	LC50	>3.100 <sup>mg</sup> / <sub>m³</sub> /4h	rat		ECHA

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## • If swallowed

gastrointestinal complaints

## • If in eyes

Data are not available.

## • If inhaled

causes slight to moderate irritation

## • If on skin

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Germanium (IV) oxide ROTI®METIC

article number: 1L52

## Other information

none

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .
- 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	>96 <sup>mg</sup> /I	fish	ECHA	96 h	
EC50	67,5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	206,7 <sup>µg</sup> / <sub>l</sub>	algae	ECHA	72 h	

## Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

## 12.2 Persistence and degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## 12.7 Other adverse effects

Data are not available.



acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

article number: **1L52** 

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP6 acute toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# SECTION 14: Transport information14.1UN number or ID numbernot subject to transport regulations14.2UN proper shipping namenot assigned14.3Transport hazard class(es)none14.4Packing groupnot assigned14.5Environmental hazardsnon-environmentally hazardous acc. to the dan-<br/>gerous goods regulations

# **14.6** Special precautions for user There is no additional information.

- **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.
- 14.8 Information for each of the UN Model Regulations

## **International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

## article number: **1L52**

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

## **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

## Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

## Regulation on substances that deplete the ozone layer (ODS)

not listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

## **Regulation on persistent organic pollutants (POP)**

not listed

## National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

**Restrictions according to GB REACH, Annex 17** 

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Germanium (IV) oxide ROTI®METIC

article number: 1L52

not listed

## **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

## Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China Korea Existing Chemicals Inventory National Chemical Inventory New Zealand Inventory of Chemicals PEACH registered substances AIIČ CSCL-ENCS DSL ECSI IECSC KECI NCI NZIoC REACH Reg. REACH registered substances TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

## article number: 1L52

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN.		yes
15.1	Restrictions according to REACH, Annex XVII: not listed		yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 0 % 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Germanium (IV) oxide ROTI®METIC

#### article number: 1L52

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H332	Harmful if inhaled.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.