according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T date of compilation: 2021-08-04 Version: **3.0 en** Revision: 2024-03-02

Replaces version of: 2024-01-10

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Zinc chloride ROTI®METIC 99,999 % (5N)

Article number 1L5T

Registration number (REACH) It is not required to list the identified uses be-

cause the substance is not subject to registration

according to REACH (< 1 t/a).

Index number in CLP Annex VI 030-003-00-2 EC number 231-592-0 CAS number 7646-85-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

sicherheit@carlroth.de

Uses advised against: Do not use for squirting or spraying. Do not use

> for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

1.4

# e-mail (competent person): **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

Ireland (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.8R	3.8R Specific target organ toxicity - single exposure (respiratory tract irritation)		STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS07, GHS09







#### **Hazard statements**

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H410 Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

# **Precautionary statements - prevention**

P260 Do not breathe dust

P273 Avoid release to the environment P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Ireland (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### Symbol(s)



H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

P260 Do not breathe dust.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Zinc chloride

Molecular formula ZnCl<sub>2</sub>

Molar mass 136,3 g/<sub>mol</sub>

CAS No 7646-85-7

EC No 231-592-0

Index No 030-003-00-2

# Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
STOT SE 3; H335: C ≥ 5 %	-	1.100 <sup>mg</sup> / <sub>kg</sub>	oral

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Ireland (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Irritation, Cough, Dyspnoea

**4.3** Indication of any immediate medical attention and special treatment needed none

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Hydrogen chloride (HCl)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust. Provide adequate ventilation.

# **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Ireland (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

# Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Handle and open container with care. Provision of sufficient ventilation. Avoid dust formation. Clear contaminated areas thoroughly.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

# Measures to protect the environment

Avoid release to the environment.

# Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Hygroscopic solid.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

# Protect against external exposure, such as

humidity

### **Consideration of other advice:**

### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ireland (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001
IE	zinc chloride	7646-85-7	OELV	1	2		fume	S.I. No. 619 of 2001

#### Notation

Ceiling-C fume Ceiling value is a limit value above which exposure should not occur

As fume Inhalable fraction Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

# **Human health values**

#### **Relevant DNELs and other threshold levels Endpoint Threshold** Protection goal, **Used in Exposure time** level route of exposure DNEL 1 mg/m<sup>3</sup> human, inhalatory worker (industry) chronic - systemic effects DNEL 8,3 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects day

#### **Environmental values**

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	117,8 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	56,5 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	35,6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	
PNEC	6,1 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	20,6 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	100 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	

#### 8.2 **Exposure controls**

Ireland (en) Page 6 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

### **Individual protection measures (personal protective equipment)**

### **Eve/face protection**





Use safety goggle with side protection. Wear face protection.

# Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

Ireland (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder, crystalline

Colour white

Odour odourless

Melting point/freezing point 287 – 304 °C (ECHA)

Boiling point or initial boiling point and boiling 732 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined

Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >360 °C

pH (value) 4,5 – 5,5 (in aqueous solution:  $100 \, ^{9}/_{1}$ ,  $20 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility >3.600 <sup>g</sup>/<sub>l</sub> at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density  $\sim 2.91 \, \mathrm{g/cm^3}$  at 20 °C

Relative vapour density Information on this property is not available.

Bulk density  $1.400 - 1.800 \, \text{kg/m}^3$ 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Ireland (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

Moisture-sensitive. Hygroscopic solid.

# 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Sodium

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >360 °C. Protect from moisture.

### 10.5 Incompatible materials

different metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Harmful if swallowed.

### **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	1.100 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

Ireland (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

none

# 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	168 <sup>µg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	360 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
LC50	330 <sup>µg</sup> / <sub>l</sub>	fish	ECHA	95 h
EC50	5,2 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

# 12.2 Persistence and degradability

Data are not available.

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

Ireland (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

BCF	96,05 (ECHA)
-----	--------------

### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

# Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

**HP8** corrosive

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Ireland (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 2331 IMDG-Code UN 2331 ICAO-TI UN 2331

# 14.2 UN proper shipping name

ADRRID ZINC CHLORIDE, ANHYDROUS IMDG-Code ZINC CHLORIDE, ANHYDROUS

ICAO-TI Zinc chloride, anhydrous

### 14.3 Transport hazard class(es)

ADRRID 8
IMDG-Code 8
ICAO-TI 8

# 14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

**14.5 Environmental hazards** hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ZINC CHLORIDE, ANHYDROUS

Particulars in the transport document UN2331, ZINC CHLORIDE, ANHYDROUS, 8, III, (E),

environmentally hazardous

Classification code C2

Danger label(s) 8, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3

Ireland (en) Page 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

Tunnel restriction code (TRC) Ε 80 Hazard identification No

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code C2

Danger label(s) 8, "Fish and tree"

**Environmental hazards** 

Hazardous to water

**Excepted quantities (EQ)** E1 Limited quantities (LQ) 5 kg 3 **Transport category (TC) Hazard identification No** 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

ZINC CHLORIDE, ANHYDROUS Proper shipping name

UN2331, ZINC CHLORIDE, ANHYDROUS, 8, III, Particulars in the shipper's declaration

MARINE POLLUTANT

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 8, "Fish and tree"

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 kg F-A, S-B **EmS** 

Stowage category

Segregation group 1 - Acids

7 - Heavy metals and their salts

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Zinc chloride, anhydrous

Particulars in the shipper's declaration UN2331, Zinc chloride, anhydrous, 8, III **Environmental hazards YES** (hazardous to the aquatic environment)

Danger label(s) 8

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Ireland (en) Page 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Zinc chloride	substances in tattoo inks and perman- ent make-up		R75	75

#### Legend

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

substance is present in the mixture in a concentration equal to or greater than:
(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
(ii) 0,01 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g
(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight: (i) "Rinse-off products";

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Imputition of the ingredients of the process purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of

Page 14 / 19 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### Legend

this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-

tion limit specified in Appendix 13;
(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the

market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-

graph.
8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

# List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (to plication of lower ar quireme		Notes		
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)		

#### Notation

Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 g/l

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Page 15 / 19 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

#### **Water Framework Directive (WFD)**

#### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Zinc chloride	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants

# Regulation on the marketing and use of explosives precursors

not listed

# **Regulation on drug precursors**

not listed

# Regulation on substances that deplete the ozone layer (ODS)

not listed

# Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

# Regulation on persistent organic pollutants (POP)

not listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) AIIC CICR CSCL-ENCS

Ireland (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

Legend

ECSI IECSC INSQ

EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

TSCA **Toxic Substance Control Act** 

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

Ireland (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Ireland (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



# Zinc chloride ROTI®METIC 99,999 % (5N)

article number: 1L5T

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 19 / 19