acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2021-08-05

Revision: 2024-03-02

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)

article number: **1L6X** Version: **3.0 en** Replaces version of: 2023-11-08 Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

Identification of the substance	Bismuth(III) oxide ROTI®METIC 99,999 % (5N)	
Article number	1L6X	
EC number	215-134-7	
CAS number	1304-76-3	
Polovant identified uses of the substance or mixture and uses advised against		

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

# **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

# e-mail (competent person):

# sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

# 2.2 Label elements

### Labelling

not required

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: **1L6X** 

### 2.3 Other hazards

# Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Bismuth(III) oxide
Molecular formula	Bi <sub>2</sub> O <sub>3</sub>
Molar mass	466 <sup>g</sup> / <sub>mol</sub>
CAS No	1304-76-3
EC No	215-134-7

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



### **General notes**

No special measures are necessary.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

# Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: 1L6X

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

Control of dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® ROTH

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)

article number: **1L6X** 

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

No special measures are necessary.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

# Incompatible substances or mixtures

Observe hints for combined storage.

# Consideration of other advice:

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# National limit values

# **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

 

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

# Human health values

Relevant DNE	Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	70,5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: **1L6X** 

Environm	Environmental values				
Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0,1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0,01 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	17,5 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	45.709 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	4.571 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	67,6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

# 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

# Eye/face protection



Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

### • type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: **1L6X** 

## Environmental exposure controls

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Colour	light yellow
Odour	odourless
Melting point/freezing point	817 – 820 °C
Boiling point or initial boiling point and boiling range	1.890 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(practically insoluble)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	8,93 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	Information on this property is not available.
Bulk density	~1.000 <sup>kg</sup> / <sub>m³</sub>
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	none
Other information	

9.2

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)

article number: 1L6X

Information with regard to physical hazard classes:

Other safety characteristics:

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

**10.3 Possibility of hazardous reactions** No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# **10.5** Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

#### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
inhalation: dust/ mist	LC50	>5,07 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

ROTH

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: **1L6X** 

# Carcinogenicity

Shall not be classified as carcinogenic.

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

# • If swallowed

Data are not available.

### • If in eyes

Data are not available.

# If inhaled

Inhalation of dust may cause irritation of the respiratory system

# • If on skin

Data are not available.

# • Other information

none

# **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>137 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	>137 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	>137 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

# 12.2 Persistence and degradability

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)

article number: 1L6X

# 12.3 Bioaccumulative potential

Data are not available.

- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

# Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: 1L6X

# 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### Seveso Directive

2012/	2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes			
	not assigned					

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> /l

### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Bismuth(III) oxide	Metals and their compounds		a)		

Legend

a)

Indicative list of the main pollutants

# Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: 1L6X

# Regulation on substances that deplete the ozone layer (ODS)

not listed

# Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

# **Regulation on persistent organic pollutants (POP)**

not listed

### National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

# **Restrictions according to GB REACH, Annex 17**

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

 

 AIIC
 Australian Inventory of Industrial Chemicals

 CSCL-ENCS
 List of Existing and New Chemical Substances (CSCL-ENCS)

 DSL
 Domestic Substances List (DSL)

 ECSI
 EC Substance Inventory (EINECS, ELINCS, NLP)

 IECSC
 Inventory of Existing Chemical Substances Produced or Imported in China

 KECI
 Korea Existing Chemicals Inventory

 VICI
 National Chemicals Inventory

 NCI National Chemical Inventory NCI National Chemical Inventory NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances Taiwan Chemical Substance Inventory TCSI TSCA **Toxic Substance Control Act** 

### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



article number: **1L6X** 

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Bismuth(III) oxide ROTI®METIC 99,999 % (5N)



#### article number: **1L6X**

Abbr.	Descriptions of used abbreviations	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

# Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.