acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

article number: **1L8A** Version: **GHS 1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

1L8A

microscopy

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

not required

Classification acc. to GHS



date of compilation: 2021-07-26





acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

article number: 1L8A

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium hydrogen- sulphite%	CAS No 7631-90-5	0.25 - < 1	Acute Tox. 4 / H302 EUH031		B(a)

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none



acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



article number: 1L8A

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture None.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



SECTION 7: Handling and storage

Precautions for safe handling 7.1

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities 7.2

Store in a dry place. Store in a well-ventilated place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	sodium bisulfite (so- dium hydrogen- sulfite)	7631-90- 5	WES		5						WES

Notation

Ceiling-C STEL Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs	of compone	ents of th	e mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Sodium hydrogen- sulphite%	7631-90-5	DNEL	246 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects

acc. to Safe Work Australia - Code of Practice



D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

article number: **1L8A**

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Sodium hydrogen- sulphite%	7631-90-5	PNEC	1.09 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Sodium hydrogen- sulphite%	7631-90-5	PNEC	0.11 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium hydrogen- sulphite%	7631-90-5	PNEC	10.71 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



article number: **1L8A**

SEC	TION 9: Physical and chemical proper	ties
9.1	Information on basic physical and chemical pro	perties
	Physical state	liquid
	Colour	violet
	Odour	characteristic
	Melting point/freezing point	~0 °C
	Boiling point or initial boiling point and boiling range	~100 °C at 1,013 hPa
	Flammability	non-combustible
	Lower and upper explosion limit	not determined
	Flash point	not determined
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	7.4 - 7.8
	Kinematic viscosity	not determined
	Solubility(ies)	
	Water solubility	soluble
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	23.5 hPa at 20 °C 123.8 Pa at 50 °C
	Density	1.039 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity							
Exposure route	Endpoint	Value		Species	s M	ethod	Source
oral	LD50	>2,000 ^{mg} / _{kg}]	rat			
Acute toxicity estimate (ATE) of components of the mixture							
Name	of substance	CA	S No	E	xposure rout	e	ATE
Sodium hy	drogensulphite%	763	1-90-5		oral		500 ^{mg} / _{kg}
Acute toxicity of components of the mixture							
Name of su	Ibstance	CAS No	Exposi rout		Endpoint	Value	Species

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sodium hydrogensulphite%	7631-90-5	inhalation: dust/mist	LC50	>5.5 ^{mg} /ı/4h	rat



acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

® Foth

article number: 1L8A

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sodium hydrogensulphite%	7631-90-5	dermal	LD50	>2,000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



article number: **1L8A**

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydrogen- sulphite%	7631-90-5	LC50	62.3 ^{mg} / _l	fish	96 h
Sodium hydrogen- sulphite%	7631-90-5	EC50	89 ^{mg} / _l	aquatic invertebrates	48 h
Sodium hydrogen- sulphite%	7631-90-5	ErC50	43.8 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydrogen- sulphite%	7631-90-5	EC50	>1,000 ^{mg} / _l	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



article number: 1L8A

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

not assigned

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not assigned not assigned non-environmentally hazardous acc. to the dangerous goods regulations

not subject to transport regulations

- **14.6** Special precautions for user There is no additional information.
- **14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code** The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.


International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

acc. to Safe Work Australia - Code of Practice

D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy



National i	National inventories						
Country	Inventory	Status					
AU	AICS	not all ingredients are listed					
CA	DSL	not all ingredients are listed					
CN	IECSC	all ingredients are listed					
EU	ECSI	all ingredients are listed					
EU	REACH Reg.	not all ingredients are listed					
JP	CSCL-ENCS	not all ingredients are listed					
JP	ISHA-ENCS	not all ingredients are listed					
KR	KECI	not all ingredients are listed					
MX	INSQ	not all ingredients are listed					
NZ	NZIoC	all ingredients are listed					
PH	PICCS	all ingredients are listed					
TR	CICR	not all ingredients are listed					
TW	TCSI	all ingredients are listed					
US	TSCA	not all ingredients are listed					
Legend		•					

Legend

	Legena	
	AICS	Australian Inventory of Chemical Substances
(CICR	Chemical Inventory and Control Regulation
(CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
	DSL	Domestic Substances List (DSL)
	ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
1	IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
	INSQ	National Inventory of Chemical Substances
1	ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
	KECI	Korea Existing Chemicals Inventory
	NZIoC	New Zealand Inventory of Chemicals
	PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH Reg.	REACH registered substances
	TCSI	Taiwan Chemical Substance Inventory
	TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level



acc. to Safe Work Australia - Code of Practice



D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

article number: **1L8A**

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne conatminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.

acc. to Safe Work Australia - Code of Practice



D/E Neutralisation buffer ISO 16212, ISO 18416, ISO 21149, ISO 21150, ISO 22717, ISO 22718, for microscopy

article number: **1L8A**

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.