acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

date of compilation: 2021-10-12 Revision: 2022-10-24 article number: 1LHP Version: 2.0 en

Replaces version of: 2021-10-12

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Multi-Element ICP - Standard Solution CR-05

ROTI®Star 19 elements in 5 % HNO₃ - mg/l

Article number 1LHP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

United Kingdom (en) Page 1 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07, GHS08, GHS09









Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H340	May cause genetic defects
H350i	May cause cancer by inhalation
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

United Kingdom (en) Page 2 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

For professional users only

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid ...%

 $[C \le 70 \%]$, Calcium nitrate, Cobalt(II) nitrate

hexahydrate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
	Index No 007-030-00-3				
magnesium nitrate	CAS No 10377-60-3 EC No 233-826-7	< 4	Ox. Sol. 2 / H272	(2)	
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	<3	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318	(!)	
Sodium nitrate	CAS No 7631-99-4 EC No 231-554-3	<2	Ox. Sol. 3 / H272 Eye Irrit. 2 / H319	(2)	
Potassium nitrate	CAS No 7757-79-1 EC No 231-818-8	<2	Ox. Sol. 3 / H272		

United Kingdom (en) Page 3 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Boric acid	CAS No 10043-35-3 EC No 233-139-2 Index No 005-007-00-2	< 0,5	Repr. 1B / H360FD	&	GHS-HC
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Cobalt(II) nitrate hexahydrate	CAS No 10026-22-9 EC No 233-402-1 Index No 027-009-00-2	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) GHS-HC IARC: 2B
Copper(II) nitrate hydrate	CAS No 13778-31-9 EC No 604-036-3	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(2) (!)	
Zinc nitrate	CAS No 7779-88-6 EC No 231-943-8	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	(E) (!) (E)	
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	< 0,5	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	\$	GHS-HC IARC: 1 RoC "Known"
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) (*)	1(a) A(a) GHS-HC IARC: 2A IOELV

Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture

United Kingdom (en) Page 4 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Notes

A(a): The name of substance is a general description. It is required that the correct name is stated on the label

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

IARC: 1: IARC: 2A: IARC: 2B: IOELV: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

Substance with a community indicative occupational exposure limit value NTP-RoC: Known To Be A Human Carcinogen

RoC "Known"

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
	EC No 231-714-2	SKIN COTT. 1B; H314: 5 % ≤ C < 20 %			
Calcium nitrate	CAS No 10124-37-5	-	-	>300 ^{mg} / _{kg}	oral
	EC No 233-332-1				
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	M-factor (acute) = 1 M-factor	1.620 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %	(chronic) = 1		IIIISC
Cobalt(II) nitrate hexahydrate	CAS No 10026-22-9	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor	434 ^{mg} / _{kg}	oral
	EC No 233-402-1		(chronic) = 10		
Copper(II) ni- trate hydrate	CAS No 13778-31-9	-	-	940 ^{mg} / _{kg}	oral
	EC No 604-036-3				
Zinc nitrate	CAS No 7779-88-6	-	-	>300 ^{mg} / _{kg}	oral
	EC No 231-943-8				
Cadmium nitrate	CAS No 10325-94-7	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10	147 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 1,5 ^{mg} / _I /4h	oral dermal
	EC No 233-710-6		M-factor (chronic) = 10	۱,۵ و,۱	inhalation: dust/ mist
Lead(II) nitrate	CAS No 10099-74-8	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 %	M-factor (acute) = 10	500 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/
	EC No 233-245-9	STOT RE 2; H373: C ≥ 0,5 %			mist

United Kingdom (en) Page 5 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Substance of Very High Concern (SVHC)											
Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks						
Cobalt(II) nitrate hexahy- drate	cobalt dinitrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c						
Boric acid	boric acid	10043-35-3	233-139-2	Candidate list	Repr. A57c						
Lead(II) nitrate	lead dinitrate	10099-74-8	233-245-9	Candidate list	Repr. A57c						
Cadmium nitrate	cadmium nitrate	10325-94-7	233-710-6	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH						

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV list

Carc. A57a Carcinogenic (article 57a)

Muta. A57b Mutagenic (article 57b)
Repr. A57c Toxic for reproduction (article 57c)
STOT-re Specific target organ toxicity - repe

STOT-re Specific target organ toxicity - repeated exposure (article 57(f) - human health)

A57(f)-HH

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 6 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO_3 - mg/l

article number: 1LHP

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 7 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
EU	arsenic acid	7778-39- 4	IOELV		0,01					i, As- limit	2019/ 983/EU
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR

United Kingdom (en) Page 8 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	cobalt compounds		WEL		0,1					Со	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005
GB	arsenic compounds	7778-39- 4	WEL		0,1					As	EH40/ 2005

Notation

As Calculated as As (arsenic)
As-limit For the copper smelting sector, the limit value shall apply from 11 July 2023
Ceiling-C Ceiling value is a limit value above which exposure should not occur
cmr_NicompThe limit value shall apply from 18 January 2025
cmr_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.

Сo Calculated as Co (cobalt) Inhalable fraction Calculated as Ni (nickel) Calculated as Pb (lead) Respirable fraction . Ni Pb

r STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Biological limit values

Coun	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR

United Kingdom (en) Page 9 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Coun	Name of agent	CAS No	lo Parameter		Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

Notation

Pb-med-4

Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capa-Pb-bio-2

city, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m³ but less than 0.100 mg/m³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, be-

ing not greater than 3 months

Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration) Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-Pb-med-2

Pb-med-3

ine (urinary lead concentration)

suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration)

Medical surveillance: in respect of any other employee, 35 μ g/dl (blood-lead concentration) or 40 μ g Pb/g creatinine (urinary lead concentration) suspension level: in respect of a young person, 50 μ g/dl (blood-lead concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration) or 110 μ g Pb/g creatinine (urinary lead) concentration)

inary lead concentration) wmn<45y Women of reproductive capacity (women < 45 years)

wmn>45y, Women of non-reproductive capacity, men (women > 45 years) men

Adolescents (young person < 18 years) young

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
magnesium nitrate	10377-60-3	DNEL	147 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
magnesium nitrate	10377-60-3	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Sodium nitrate	7631-99-4	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Sodium nitrate	7631-99-4	DNEL	36,7 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	8,3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 10 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



effects

Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Cobalt(II) nitrate hexahydrate	10026-22-9	DNEL	124,2 μg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Copper(II) nitrate hydrate	13778-31-9	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Copper(II) nitrate hydrate	13778-31-9	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Copper(II) nitrate hydrate	13778-31-9	DNEL	137 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Zinc nitrate	7779-88-6	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Zinc nitrate	7779-88-6	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Cadmium nitrate	10325-94-7	DNEL	4 μg/m³	human, inhalat-	worker (industry)	chronic - systemic		

ory

Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** d level stance point compartment 0,45 ^{mg}/_I short-term (single 10377-60-3 **PNEC** magnesium nitrate aquatic organfreshwater isms instance) 0,045 ^{mg}/_I magnesium nitrate 10377-60-3 **PNEC** aquatic organmarine water short-term (single isms instance) 10377-60-3 **PNEC** 4,5 mg/_I aquatic organintermittent remagnesium nitrate water isms lease magnesium nitrate 10377-60-3 **PNEC** 18 ^{mg}/_I aquatic organsewage treatment short-term (single plant (STP) instance) isms 18 ^{mg}/_I Calcium nitrate 10124-37-5 sewage treatment short-term (single **PNEC** aquatic organplant (STP) instance) $0,45 \frac{mg}{I}$ short-term (single Sodium nitrate 7631-99-4 **PNEC** aquatic organfreshwater instance) isms $0,045 \frac{mg}{I}$ Sodium nitrate 7631-99-4 **PNEC** aquatic organmarine water short-term (single instance) 4,5 mg/_I 7631-99-4 **PNEC** Sodium nitrate aquatic organwater intermittent reisms lease Sodium nitrate 18 ^{mg}/_I aquatic organ-7631-99-4 **PNEC** sewage treatment short-term (single plant (STP) instance) isms 18 ^{mg}/_I Potassium nitrate 7757-79-1 **PNEC** aquatic organsewage treatment short-term (single isms plant (STP) instance) Boric acid 10043-35-3 **PNEC** 2,9 mg/I aquatic organfreshwater short-term (single isms instance) 2,9 mg/_I Boric acid 10043-35-3 **PNEC** aquatic organmarine water short-term (single isms instance)

United Kingdom (en) Page 11 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Relevant PNECs	of compone	nts of th	ne mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tim
Boric acid	10043-35-3	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Boric acid	10043-35-3	PNEC	5,7 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	0,62 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	2,36 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	53,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	69,8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sin- instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	10,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sinding)
Copper(II) nitrate hydrate	13778-31-9	PNEC	7,8 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sin- instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	5,2 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sin- instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	230 ^{µg} / _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	87 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sin- instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	676 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sin- instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	65 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	20,6 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	6,1 ^{µg} / _I	aquatic organ- isms	marine water	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	100 ^{µg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	117,8 ^{mg} /	aquatic organ- isms	freshwater sedi- ment	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	56,5 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sin- instance)
Zinc nitrate	7779-88-6	PNEC	35,6 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sinding)
Cadmium nitrate	10325-94-7	PNEC	0,19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sinding)
Cadmium nitrate	10325-94-7	PNEC	1,14 ^{µg} / _I	aquatic organ- isms	marine water	short-term (sin- instance)

United Kingdom (en) Page 12 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Cadmium nitrate	10325-94-7	PNEC	20 ^{µg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Cadmium nitrate	10325-94-7	PNEC	1,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Cadmium nitrate	10325-94-7	PNEC	0,64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Cadmium nitrate	10325-94-7	PNEC	0,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 13 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO_3 - mg/l

article number: 1LHP

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: NO (against nitrous gases (nitrogen oxides), colour code: Blue).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour stinging

Melting point/freezing point 0 °C

Boiling point or initial boiling point and boiling 100 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $\sim 1 \text{ g/}_{\text{cm}^3}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

United Kingdom (en) Page 14 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO_3 - mg/l

article number: 1LHP

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

United Kingdom (en) Page 15 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h
Calcium nitrate	10124-37-5	oral	>300 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 ^{mg} / _l /4h
Cobalt(II) nitrate hexahydrate	10026-22-9	oral	434 ^{mg} / _{kg}
Copper(II) nitrate hydrate	13778-31-9	oral	940 ^{mg} / _{kg}
Zinc nitrate	7779-88-6	oral	>300 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	oral	147 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	dermal	1.100 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 ^{mg} / _l /4h
Lead(II) nitrate	10099-74-8	oral	500 ^{mg} / _{kg}
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
magnesium nitrate	10377-60-3	oral	LD50	>2.000 ^{mg} / _{kg}	rat
magnesium nitrate	10377-60-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Calcium nitrate	10124-37-5	oral	LD50	>300 - <2.000 mg/ _{kg}	rat
Calcium nitrate	10124-37-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Sodium nitrate	7631-99-4	oral	LD50	3.430 ^{mg} / _{kg}	rat
Sodium nitrate	7631-99-4	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Potassium nitrate	7757-79-1	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Potassium nitrate	7757-79-1	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Boric acid	10043-35-3	oral	LD50	3.450 ^{mg} / _{kg}	rat
Boric acid	10043-35-3	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit
nickel dinitrate	13138-45-9	oral	LD50	1.620 ^{mg} / _{kg}	rat
Cobalt(II) nitrate hexahydrate	10026-22-9	oral	LD50	434 ^{mg} / _{kg}	rat
Zinc nitrate	7779-88-6	oral	LD50	>300 ^{mg} / _{kg}	rat
Zinc nitrate	7779-88-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

United Kingdom (en) Page 16 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
Cadmium nitrate	10325-94-7	oral	LD50	147 ^{mg} / _{kg}	rat		
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat		
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Information on this property is not available.

United Kingdom (en) Page 17 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

11.3 Information on other hazards

Cadmium nitrate

Cadmium nitrate

Lead(II) nitrate

Lead(II) nitrate

10325-94-7

10325-94-7

10099-74-8

10099-74-8

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
magnesium nitrate	10377-60-3	LC50	1.378 ^{mg} / _l	fish	96 h			
magnesium nitrate	10377-60-3	EC50	490 ^{mg} / _l	aquatic invertebrates	48 h			
Calcium nitrate	10124-37-5	LC50	>100 ^{mg} / _l	fish	96 h			
Calcium nitrate	10124-37-5	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h			
Sodium nitrate	7631-99-4	EC50	8.609 ^{mg} / _l	aquatic invertebrates	24 h			
Potassium nitrate	7757-79-1	LC50	>100 ^{mg} / _l	fish	96 h			
Potassium nitrate	7757-79-1	EC50	490 ^{mg} / _l	aquatic invertebrates	48 h			
Cobalt(II) nitrate hexahydrate	10026-22-9	LC50	1,512 ^{mg} / _l	fish	96 h			
Cobalt(II) nitrate hexahydrate	10026-22-9	EC50	2.618 ^{µg} / _l	aquatic invertebrates	48 h			
Cobalt(II) nitrate hexahydrate	10026-22-9	ErC50	71.314 ^{µg} / _l	algae	96 h			
Copper(II) nitrate hy- drate	13778-31-9	LC50	193 ^{µg} / _l	fish	96 h			
Zinc nitrate	7779-88-6	LC50	315 ^{µg} / _I	fish	96 h			
Zinc nitrate	7779-88-6	EC50	2.140 ^{µg} / _l	aquatic invertebrates	48 h			
Cadmium nitrate	10325-94-7	LC50	58,16 ^{µg} / _l	aquatic invertebrates	48 h			

Aquatic toxicity (chronic) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
magnesium nitrate	10377-60-3	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h			
magnesium nitrate	10377-60-3	ErC50	>1.700 ^{mg} / _I	algae	10 d			
Calcium nitrate	10124-37-5	ErC50	>1.700 ^{mg} / _l	algae	10 d			

1.900 ^{µg}/_I

70 ^{µg}/_I

107 ^{µg}/_I

35,9 ^{µg}/_I

aquatic invertebrates

algae

fish

algae

72 h

96 h

48 h

United Kingdom (en) Page 18 / 31

EC50

ErC50

LC50

ErC50

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Aquatic toxicity (chronic) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Calcium nitrate	10124-37-5	EC50	>1.000 ^{mg} / _l	microorganisms	180 min	
Sodium nitrate	7631-99-4	ErC50	>1.700 ^{mg} / _I	algae	10 d	
Sodium nitrate	7631-99-4	EC50	>1.000 ^{mg} / _I	microorganisms	180 min	
Potassium nitrate	7757-79-1	ErC50	>1.700 ^{mg} / _I	algae	10 d	
Potassium nitrate	7757-79-1	EC50	>1.000 ^{mg} / _I	microorganisms	180 min	
Cobalt(II) nitrate hexahydrate	10026-22-9	EC50	82,2 ^{µg} / _l	aquatic invertebrates	21 d	
Zinc nitrate	7779-88-6	EC50	0,22 ^{mg} / _l	aquatic invertebrates	24 h	
Cadmium nitrate	10325-94-7	LC50	1.500 ^{µg} / _I	fish	4 d	
Cadmium nitrate	10325-94-7	EC50	8.1 ^{µg} /ı	fish	100 d	

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture							
Name of substance	CAS No	BCF	Log KOW	BOD5/COD			
Boric acid	10043-35-3		-1,09 (pH value: 7,5, 22 °C)				
Cobalt(II) nitrate hexahydrate	10026-22-9	23					
Zinc nitrate	7779-88-6	96,05					

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 19 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO_3 - mg/l

article number: 1LHP

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity

HP 7 carcinogenic

HP8 corrosive

HP 10 toxic for reproduction

HP 11 mutagenic

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 2031
IMDG-Code	UN 2031
ICAO-TI	UN 2031

14.2 UN proper shipping name

ADRRID	NITRIC ACID
IMDG-Code	NITRIC ACID
ICAO-TI	Nitric acid

14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADRRID	II

United Kingdom (en) Page 20 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO_3 - mg/l

article number: 1LHP

IMDG-Code II ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment):

Nickel dinitrate

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name NITRIC ACID

Particulars in the transport document UN2031, NITRIC ACID, 8, II, (E), environmentally

hazardous

Classification code C1

Danger label(s) 8, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 80
Emergency Action Code 2R

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1

Danger label(s) 8
Fish and tree

Environmental hazards Yes

Hazardous to water

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2

United Kingdom (en) Page 21 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name NITRIC ACID

Particulars in the shipper's declaration UN2031, NITRIC ACID, 8, II, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8, "Fish and tree"





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category D

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Nitric acid

Particulars in the shipper's declaration UN2031, Nitric acid, 8, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes					
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)					

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

United Kingdom (en) Page 22 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

VOC content	0 % 0 ^g / _I
-------------	--------------------------------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) $\,$

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Zinc nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Zinc nitrate	Metals and their compounds		a)	
Copper(II) nitrate hydrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Copper(II) nitrate hydrate	Metals and their compounds		a)	
Cobalt(II) nitrate hexahydrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cobalt(II) nitrate hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cobalt(II) nitrate hexahydrate	Metals and their compounds		a)	
Boric acid	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	

United Kingdom (en) Page 23 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
Calcium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Calcium nitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	
magnesium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
magnesium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	

United Kingdom (en) Page 24 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
nickel dinitrate	Metals and their compounds		a)	
Sodium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Sodium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Sodium nitrate	Metals and their compounds		a)	
Potassium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Potassium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Potassium nitrate	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

A) B) C) HAZ

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Calcium nitrate	10124-37- 5	2,045	Annex II			
Sodium nitrate	7631-99-4	1,848	Annex II			
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/w
Potassium nitrate	7757-79-1	1,29	Annex II			

Legend

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below annex I

United Kingdom (en) Page 25 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Legend

annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Lead(II) nitrate	lead compounds		0,08	i(2)	sr
Cadmium nitrate	cadmium compounds		0,105	i(1) i(2)	sr sr

Legend

i(1) i(2)

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Multi-Element	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 26 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

TCSI TSCA

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes

United Kingdom (en) Page 27 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid % [C ≤ 70 %], Cobalt(II) nitrate hexahydrate	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid % [C ≤ 70 %], Calcium nitrate, Cobalt(II) nitrate hexahydrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Cadmium nitrate, Nitric acid % [C ≤ 70 %], Cobalt(II) nitrate hexahydrate		yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

United Kingdom (en) Page 28 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

Abbr.	Descriptions of used abbreviations
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in eithe growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals

United Kingdom (en) Page 29 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1LHP

Abbr.	Descriptions of used abbreviations
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom (en) Page 30 / 31

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1LHP

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer (if inhaled).
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 31 / 31