

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**
Version: **2.0 en**
Replaces version of: 12.10.2021
Version: (1)

date of compilation: 12.10.2021
Revision: 24.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l
Article number	1LHP
Registration number (REACH)	not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350i

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS07,
GHS08, GHS09



Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H340	May cause genetic defects
H350i	May cause cancer by inhalation
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Calcium nitrate, Cobalt(II) nitrate hexahydrate

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350i May cause cancer by inhalation.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

EUH071 Corrosive to the respiratory tract.

contains: Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Calcium nitrate, Cobalt(II) nitrate hexahydrate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
magnesium nitrate	CAS No 10377-60-3 EC No 233-826-7	< 4	Ox. Sol. 2 / H272		
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	< 3	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318		
Sodium nitrate	CAS No 7631-99-4 EC No 231-554-3	< 2	Ox. Sol. 3 / H272 Eye Irrit. 2 / H319		
Potassium nitrate	CAS No 7757-79-1 EC No 231-818-8	< 2	Ox. Sol. 3 / H272		

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Boric acid	CAS No 10043-35-3 EC No 233-139-2 Index No 005-007-00-2	< 0,5	Repr. 1B / H360FD		GHS-HC
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Cobalt(II) nitrate hexahydrate	CAS No 10026-22-9 EC No 233-402-1 Index No 027-009-00-2	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) GHS-HC IARC: 2B
Copper(II) nitrate hydrate	CAS No 13778-31-9 EC No 604-036-3	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
Zinc nitrate	CAS No 7779-88-6 EC No 231-943-8	< 0,5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	< 0,5	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IARC: 1 RoC "Known"
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) A(a) GHS-HC IARC: 2A IOELV

Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Notes

A(a): The name of substance is a general description. It is required that the correct name is stated on the label
 B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)
 IARC: 2A: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)
 IARC: 2B: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)
 IOELV: Substance with a community indicative occupational exposure limit value
 RoC NTP-RoC: Known To Be A Human Carcinogen
 "Known"
 :

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 mg/l/4h	inhalation: va- pour
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	-	-	>300 mg/kg	oral
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	1.620 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist
Cobalt(II) nitrate hexahydrate	CAS No 10026-22-9 EC No 233-402-1 Index No 027-009-00-2	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	434 mg/kg	oral
Copper(II) nitrate hydrate	CAS No 13778-31-9 EC No 604-036-3	-	-	940 mg/kg	oral
Zinc nitrate	CAS No 7779-88-6 EC No 231-943-8	-	-	>300 mg/kg	oral
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	147 mg/kg 1.100 mg/kg 1,5 mg/l/4h	oral dermal inhalation: dust/ mist

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist

Substance of Very High Concern (SVHC)

Name of substance	Name acc. to inventory	CAS No	EC No	Listed in	Remarks
Cobalt(II) nitrate hexahydrate	cobalt dinitrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c
Boric acid	boric acid	10043-35-3	233-139-2	Candidate list	Repr. A57c
Lead(II) nitrate	lead dinitrate	10099-74-8	233-245-9	Candidate list	Repr. A57c
Cadmium nitrate	cadmium nitrate	10325-94-7	233-710-6	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV
Carc. A57a Carcinogenic (article 57a)
Muta. A57b Mutagenic (article 57b)
Repr. A57c Toxic for reproduction (article 57c)
STOT-re A57(f)-HH Specific target organ toxicity - repeated exposure (article 57(f) - human health)

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes hold-
ing eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identifi er	TW A [pp m]	TWA [mg/ m ³]	STE L [pp m]	STEL [mg/ m ³]	Ceil ing-C [pp m]	Ceil ing-C [mg/ m ³]	Nota tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
EU	nitric acid	7697-37-2	IOELV			1	2,6				2006/15/EC
EU	arsenic acid	7778-39-4	IOELV		0,01					i, As-limit	2019/983/EU
MT	lead compounds		OELV		0,15						CAP. 424
MT	nitric acid	7697-37-2	OELV			1	2,6				CAP. 424

Notation

As-limit For the copper smelting sector, the limit value shall apply from 11 July 2023

Ceiling-C Ceiling value is a limit value above which exposure should not occur

cmr_Nicomp The limit value shall apply from 18 January 2025

cmr_Nicomp The limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m³ shall apply.

2

i Inhalable fraction

r Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
magnesium nitrate	10377-60-3	DNEL	147 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
magnesium nitrate	10377-60-3	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Sodium nitrate	7631-99-4	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Sodium nitrate	7631-99-4	DNEL	36,7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	8,3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cobalt(II) nitrate hexahydrate	10026-22-9	DNEL	124,2 µg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Copper(II) nitrate hydrate	13778-31-9	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Copper(II) nitrate hydrate	13778-31-9	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Copper(II) nitrate hydrate	13778-31-9	DNEL	137 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Zinc nitrate	7779-88-6	DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Zinc nitrate	7779-88-6	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Cadmium nitrate	10325-94-7	DNEL	4 µg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
magnesium nitrate	10377-60-3	PNEC	0,45 mg/l	aquatic organisms	freshwater	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0,045 mg/l	aquatic organisms	marine water	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	4,5 mg/l	aquatic organisms	water	intermittent release
magnesium nitrate	10377-60-3	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Calcium nitrate	10124-37-5	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0,45 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	0,045 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium nitrate	7631-99-4	PNEC	4,5 mg/l	aquatic organisms	water	intermittent release
Sodium nitrate	7631-99-4	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Potassium nitrate	7757-79-1	PNEC	18 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Boric acid	10043-35-3	PNEC	2,9 mg/l	aquatic organisms	freshwater	short-term (single instance)
Boric acid	10043-35-3	PNEC	2,9 mg/l	aquatic organisms	marine water	short-term (single instance)
Boric acid	10043-35-3	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Boric acid	10043-35-3	PNEC	5,7 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	0,62 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	2,36 µg/l	aquatic organisms	marine water	short-term (single instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	0,37 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	53,8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	69,8 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cobalt(II) nitrate hexahydrate	10026-22-9	PNEC	10,9 mg/kg	terrestrial organisms	soil	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	7,8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	5,2 µg/l	aquatic organisms	marine water	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	230 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	87 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	676 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Copper(II) nitrate hydrate	13778-31-9	PNEC	65 mg/kg	terrestrial organisms	soil	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	20,6 µg/l	aquatic organisms	freshwater	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	6,1 µg/l	aquatic organisms	marine water	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	100 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	117,8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	56,5 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	35,6 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 µg/l	aquatic organisms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,9 mg/kg	terrestrial organisms	soil	short-term (single instance)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm


• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: NO (against nitrous gases (nitrogen oxides), colour code: Blue).

Environmental exposure controls

Keep away from drains, surface and ground water.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - light yellow
Odour	stinging
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	~ 1 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Miscibility

completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH₃), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 mg _i /4h
Calcium nitrate	10124-37-5	oral	>300 mg _i /kg
nickel dinitrate	13138-45-9	oral	1.620 mg _i /kg
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 mg _i /4h
Cobalt(II) nitrate hexahydrate	10026-22-9	oral	434 mg _i /kg
Copper(II) nitrate hydrate	13778-31-9	oral	940 mg _i /kg
Zinc nitrate	7779-88-6	oral	>300 mg _i /kg
Cadmium nitrate	10325-94-7	oral	147 mg _i /kg

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Cadmium nitrate	10325-94-7	dermal	1.100 mg/kg
Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 mg/l/4h
Lead(II) nitrate	10099-74-8	oral	500 mg/kg
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 mg/l/4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2,65 mg/l/4h	rat
magnesium nitrate	10377-60-3	oral	LD50	>2.000 mg/kg	rat
magnesium nitrate	10377-60-3	dermal	LD50	>5.000 mg/kg	rat
Calcium nitrate	10124-37-5	oral	LD50	>300 – <2.000 mg/kg	rat
Calcium nitrate	10124-37-5	dermal	LD50	>2.000 mg/kg	rat
Sodium nitrate	7631-99-4	oral	LD50	3.430 mg/kg	rat
Sodium nitrate	7631-99-4	dermal	LD50	>5.000 mg/kg	rat
Potassium nitrate	7757-79-1	oral	LD50	>2.000 mg/kg	rat
Potassium nitrate	7757-79-1	dermal	LD50	>5.000 mg/kg	rat
Boric acid	10043-35-3	oral	LD50	3.450 mg/kg	rat
Boric acid	10043-35-3	dermal	LD50	>2.000 mg/kg	rabbit
nickel dinitrate	13138-45-9	oral	LD50	1.620 mg/kg	rat
Cobalt(II) nitrate hexahydrate	10026-22-9	oral	LD50	434 mg/kg	rat
Zinc nitrate	7779-88-6	oral	LD50	>300 mg/kg	rat
Zinc nitrate	7779-88-6	dermal	LD50	>2.000 mg/kg	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 mg/kg	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 mg/kg	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 mg/kg	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

• Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Endocrine disrupting chemicals (EDC)				
Name of substance	CAS No	Combined category	Human health category	Wildlife category
Boric acid	10043-35-3	CAT1	CAT1	CAT2

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals
CAT2 Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

11.3 Information on other hazards

There is no additional information.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	LC50	1.378 mg/l	fish	96 h
magnesium nitrate	10377-60-3	EC50	490 mg/l	aquatic invertebrates	48 h
Calcium nitrate	10124-37-5	LC50	>100 mg/l	fish	96 h
Calcium nitrate	10124-37-5	EC50	490 mg/l	aquatic invertebrates	24 h
Sodium nitrate	7631-99-4	EC50	8.609 mg/l	aquatic invertebrates	24 h
Potassium nitrate	7757-79-1	LC50	>100 mg/l	fish	96 h
Potassium nitrate	7757-79-1	EC50	490 mg/l	aquatic invertebrates	48 h
Cobalt(II) nitrate hexahydrate	10026-22-9	LC50	1,512 mg/l	fish	96 h
Cobalt(II) nitrate hexahydrate	10026-22-9	EC50	2.618 µg/l	aquatic invertebrates	48 h
Cobalt(II) nitrate hexahydrate	10026-22-9	ErC50	71.314 µg/l	algae	96 h
Copper(II) nitrate hydrate	13778-31-9	LC50	193 µg/l	fish	96 h
Zinc nitrate	7779-88-6	LC50	315 µg/l	fish	96 h
Zinc nitrate	7779-88-6	EC50	2.140 µg/l	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	LC50	58,16 µg/l	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	EC50	1.900 µg/l	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	ErC50	70 µg/l	algae	72 h
Lead(II) nitrate	10099-74-8	LC50	107 µg/l	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 µg/l	algae	48 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
magnesium nitrate	10377-60-3	EC50	490 mg/l	aquatic invertebrates	24 h
magnesium nitrate	10377-60-3	ErC50	>1.700 mg/l	algae	10 d
Calcium nitrate	10124-37-5	ErC50	>1.700 mg/l	algae	10 d
Calcium nitrate	10124-37-5	EC50	>1.000 mg/l	microorganisms	180 min
Sodium nitrate	7631-99-4	ErC50	>1.700 mg/l	algae	10 d

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium nitrate	7631-99-4	EC50	>1.000 mg/l	microorganisms	180 min
Potassium nitrate	7757-79-1	ErC50	>1.700 mg/l	algae	10 d
Potassium nitrate	7757-79-1	EC50	>1.000 mg/l	microorganisms	180 min
Cobalt(II) nitrate hexahydrate	10026-22-9	EC50	82,2 µg/l	aquatic invertebrates	21 d
Zinc nitrate	7779-88-6	EC50	0,22 mg/l	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	LC50	1.500 µg/l	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 µg/l	fish	100 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Boric acid	10043-35-3		-1,09 (pH value: 7,5, 22 °C)	
Cobalt(II) nitrate hexahydrate	10026-22-9	23		
Zinc nitrate	7779-88-6	96,05		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Endocrine disrupting chemicals (EDC)				
Name of substance	CAS No	Combined category	Human health category	Wildlife category
Boric acid	10043-35-3	CAT1	CAT1	CAT2

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals
CAT2 Category 2 - at least some in vitro evidence of biological activity related to endocrine disruption

12.7 Other adverse effects

Data are not available.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 6 acute toxicity
- HP 7 carcinogenic
- HP 8 corrosive
- HP 10 toxic for reproduction
- HP 11 mutagenic
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	UN 2031
IMDG-Code	UN 2031
ICAO-TI	UN 2031

14.2 UN proper shipping name

ADR	NITRIC ACID
IMDG-Code	NITRIC ACID
ICAO-TI	Nitric acid

14.3 Transport hazard class(es)

ADR	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADR	II
-----	----

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

IMDG-Code	II
ICAO-TI	II
14.5 Environmental hazards	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment):	Nickel dinitrate
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	
14.8 Information for each of the UN Model Regulations	
Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information	
Proper shipping name	NITRIC ACID
Particulars in the transport document	UN2031, NITRIC ACID, 8, II, (E), environmentally hazardous
Classification code	C1
Danger label(s)	8, "Fish and tree"
Environmental hazards	YES (hazardous to the aquatic environment)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	NITRIC ACID
Particulars in the shipper's declaration	UN2031, NITRIC ACID, 8, II, MARINE POLLUTANT
Marine pollutant	YES (hazardous to the aquatic environment)
Danger label(s)	8, "Fish and tree"
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	D
Segregation group	1 - Acids

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Nitric acid
Particulars in the shipper's declaration	UN2031, Nitric acid, 8, II
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	8



Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi-Element	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Zinc nitrate	substances in tattoo inks and permanent make-up		R75	75
Copper(II) nitrate hydrate	substances in tattoo inks and permanent make-up		R75	75
Cobalt(II) nitrate hexahydrate	carcinogenic		R28-30	28
Cobalt(II) nitrate hexahydrate	toxic for reproduction		R28-30	30
Cobalt(II) nitrate hexahydrate	substances in tattoo inks and permanent make-up		R75	75
Boric acid	toxic for reproduction		R28-30	30
Boric acid	substances in tattoo inks and permanent make-up		R75	75
Lead(II) nitrate	toxic for reproduction		R28-30	30
Lead(II) nitrate	substances in tattoo inks and permanent make-up		R75	75
Lead(II) nitrate	lead compounds		R63	63
Lead(II) nitrate	lead compounds		R72 R72_Pb	72
Calcium nitrate	substances in tattoo inks and permanent make-up		R75	75
Cadmium nitrate	cadmium compounds		R23	23
Cadmium nitrate	cadmium compounds		R72 R72_Cd	72

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cadmium nitrate	carcinogenic		R28-30	28
Cadmium nitrate	germ cell mutagenic (mutagenic)		R28-30	29
Cadmium nitrate	substances in tattoo inks and permanent make-up		R75	75
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27
Sodium nitrate	substances in tattoo inks and permanent make-up		R75	75
Nitric acid ...% [C ≤ 70 %]	substances in tattoo inks and permanent make-up		R75	75

Legend

- R23 For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87 (1).
1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter referred to as plastic material):
- polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21]
 - polyurethane (PUR) [3909 50]
 - low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10]
 - cellulose acetate (CA) [3912 11]
 - cellulose acetate butyrate (CAB) [3912 11]
 - epoxy resins [3907 30]
 - melamine-formaldehyde (MF) resins [3909 20]
 - urea-formaldehyde (UF) resins [3909 10]
 - unsaturated polyesters (UP) [3907 91]
 - polyethylene terephthalate (PET) [3907 60]
 - polybutylene terephthalate (PBT)
 - transparent/general-purpose polystyrene [3903 11]
 - acrylonitrile methylmethacrylate (AMMA)
 - cross-linked polyethylene (VPE)
 - high-impact polystyrene
 - polypropylene (PP) [3902 10]
- Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011.
- The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (13) and acts adopted on its basis.
- By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to prepare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted.
2. Shall not be used or placed on the market in paints with codes [3208] [3209] in a concentration (expressed as Cd metal) equal to or greater than 0,01 % by weight.
- For paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.
- Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.
3. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.
4. By way of derogation, paragraph 1, second subparagraph shall not apply to:
- mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC',
 - mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications:
- (a) profiles and rigid sheets for building applications;
 - (b) doors, windows, shutters, walls, blinds, fences, and roof gutters;
 - (c) decks and terraces;
 - (d) cable ducts;
 - (e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above.
- Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pictogram:

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

image

In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017.

5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic surface.

Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:

(a) equipment and machinery for:

- food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11]

- agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436]

- cooling and freezing [8418]

- printing and book-binding [8440] [8442] [8443]

(b) equipment and machinery for the production of:

- household goods [7321] [8421 12] [8450] [8509] [8516]

- furniture [8465] [8466] [9401] [9402] [9403] [9404]

- sanitary ware [7324]

- central heating and air conditioning plant [7322] [8403] [8404] [8415]

In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufactured in the sectors listed in point (b) above is prohibited.

6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below:

(a) equipment and machinery for the production of:

- paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452]

(b) equipment and machinery for the production of:

- industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431]

- road and agricultural vehicles [chapter 87]

- rolling stock [chapter 86]

- vessels [chapter 89]

7. However, the restrictions in paragraphs 5 and 6 shall not apply to:

- articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels,

- electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on which they are installed.

8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight.

Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight.

For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.

9. By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons.

10. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in:

(i) metal beads and other metal components for jewellery making;

(ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including:

- bracelets, necklaces and rings,

- piercing jewellery,

- wrist-watches and wrist-wear,

- brooches and cufflinks.

11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011.

R27

1. Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 µg/cm²/week (migration limit);

(b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,

- necklaces, bracelets and chains, anklets, finger rings,

- wrist-watch cases, watch straps and tighteners,

- rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm²/week.

(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm²/week for a period of at least two years of normal use of the article.

2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirements set out in that paragraph.

3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

- R28-30 1. Shall not be placed on the market, or used,
- as substances,
- as constituents of other substances, or,
- in mixtures,
for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
- the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following fuels and oil products:
- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.
- R3 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
— can be used as fuel in decorative oil lamps for supply to the general public, and
— present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

- R63
1. Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0,05 % by weight.
 2. For the purposes of paragraph 1:
 - (i) 'jewellery articles' shall include jewellery and imitation jewellery articles and hair accessories, including:
 - (a) bracelets, necklaces and rings;
 - (b) piercing jewellery;
 - (c) wrist watches and wrist-wear;
 - (d) brooches and cufflinks;
 - (ii) 'any individual part' shall include the materials from which the jewellery is made, as well as the individual components of the jewellery articles.
 3. Paragraph 1 shall also apply to individual parts when placed on the market or used for jewellery-making.
 4. By way of derogation, paragraph 1 shall not apply to:
 - (a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Council Directive 69/493/EEC (14);
 - (b) internal components of watch timepieces inaccessible to consumers;
 - (c) non-synthetic or reconstructed precious and semiprecious stones (CN code 7103, as established by Regulation (EEC) No 2658/87), unless they have been treated with lead or its compounds or mixtures containing these substances;
 - (d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of minerals melted at a temperature of at least 500 °C.
 5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before 9 October 2013 and jewellery articles produced before 10 December 1961.
 6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 1 and, if appropriate, modify this entry accordingly.
 7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (expressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and those articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children.

That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any such accessible part of an article, whether coated or uncoated, does not exceed 0,05 µg/cm² per hour (equivalent to 0,05 µg/g/h), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a period of at least two years of normal or reasonably foreseeable conditions of use of the article.

For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in the mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.
 8. By way of derogation, paragraph 7 shall not apply to:
 - (a) jewellery articles covered by paragraph 1;
 - (b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;
 - (c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation (EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substances;
 - (d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a temperature of at least 500 °C;
 - (e) keys and locks, including padlocks;
 - (f) musical instruments;
 - (g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as metal) in the brass alloy does not exceed 0,5 % by weight;
 - (h) the tips of writing instruments;
 - (i) religious articles;
 - (j) portable zinc-carbon batteries and button cell batteries;
 - (k) articles within the scope of:
 - (i) Directive 94/62/EC;
 - (ii) Regulation (EC) No 1935/2004;
 - (iii) Directive 2009/48/EC of the European Parliament and of the Council (1);
 - (iv) Directive 2011/65/EU of the European Parliament and of the Council (2)
 9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly.
 10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 June 2016.
 11. Doing either of the following acts after 15 February 2023 in or within 100 metres of wetlands is prohibited:
 - (a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;
 - (b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.

For the purposes of the first subparagraph:

 - (a) "within 100 metres of wetlands" means within 100 metres outward from any outer boundary point of a wetland;
 - (b) "wetland shooting" means shooting in or within 100 metres of wetlands;
 - (c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate that it was some other type of shooting.

The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies the Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph.
 12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Member State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following acts throughout the whole of its territory from 15 February 2024:
 - (a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;
 - (b) the discharging of any such gunshot;
 - (c) carrying any such gunshot while out shooting or as part of going shooting.

Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commission of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopted by it to the Commission without delay and in any event by 15 August 2023. The Commission shall make publicly available without delay any such notices of intention and texts of national measures received by it.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

13. For the purposes of paragraphs 11 and 12:

(a) "wetlands" means areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres;

(b) "gunshot" means pellets used or intended for use in a single charge or cartridge in a shotgun;

(c) "shotgun" means a smooth-bore gun, excluding airguns;

(d) "shooting" means any shooting with a shotgun;

(e) "carrying" means any carrying on the person or carrying or transporting by any other means;

(f) in determining whether a person found with gunshot is carrying gunshot "as part of going shooting":

(i) regard shall be had to all the circumstances of the case;

(ii) the person found with the gunshot need not necessarily be the same person as the person shooting.

14. Member States may maintain national provisions for protection of the environment or human health in force on 15 February 2021 and restricting lead in gunshot more severely than provided for in paragraph 11.

The Member State shall communicate the text of those national provisions to the Commission without delay. The Commission shall make publicly available without delay any such texts of national provisions received by it.

R72 1. Shall not be placed on the market after 1 November 2020 in any of the following:

R72_Cd (a) clothing or related accessories;

(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

(c) footwear;

if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.

2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.

3. Paragraph 1 shall not apply to:

(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;

(b) non-textile fasteners and non-textile decorative attachments;

(c) second-hand clothing, related accessories, textiles other than clothing or footwear

(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.

4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).

5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.

6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.

7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.

(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).

(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

Appendix 12 (maximum concentration limits by weight in homogeneous materials): 1 mg/kg after extraction (expressed as Cd metal that can be extracted from the material)

R72 1. Shall not be placed on the market after 1 November 2020 in any of the following:

R72_Pb (a) clothing or related accessories;

(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

(c) footwear;

if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.

2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.

3. Paragraph 1 shall not apply to:

(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;

(b) non-textile fasteners and non-textile decorative attachments;

(c) second-hand clothing, related accessories, textiles other than clothing or footwear

(d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.

4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).

5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.

6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.

7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.

(*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).

(**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

Appendix 12 (maximum concentration limits by weight in homogeneous materials): 1 mg/kg after extraction (expressed as Pb metal that can be extracted from the material)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
 - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
 - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
 - (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
- The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.
Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.
9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).
10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)						
Name acc. to inventory	CAS No	Listed in	Remarks	Latest application date	Sunset date	Date of inclusion
cobalt dinitrate	10141-05-6	Candidate list	Carc. A57a Repr. A57c			15.12.2010
boric acid	10043-35-3	Candidate list	Repr. A57c			18.06.2010
cadmium nitrate	10325-94-7	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH			15.01.2018

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

Muta. A57b Mutagenic (article 57b)

Repr. A57c Toxic for reproduction (article 57c)

STOT-re A57(f)- Specific target organ toxicity - repeated exposure (article 57(f) - human health)

HH

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	0 % 0 g/l
-------------	--------------

Industrial Emissions Directive (IED)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Zinc nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Zinc nitrate	Metals and their compounds		a)	
Copper(II) nitrate hydrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Copper(II) nitrate hydrate	Metals and their compounds		a)	
Cobalt(II) nitrate hexahydrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cobalt(II) nitrate hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Cobalt(II) nitrate hexahydrate	Metals and their compounds		a)	
Boric acid	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
Calcium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Calcium nitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (depending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	
magnesium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
magnesium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: 1LHP

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Sodium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Sodium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Sodium nitrate	Metals and their compounds		a)	
Potassium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Potassium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Potassium nitrate	Metals and their compounds		a)	

Legend

- A) Indicative list of the main pollutants
- B) List of priority substances in the field of water policy
- C) Environmental Quality Standards for Priority Substances and certain other pollutants
- HAZ Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licens- ing un- der Art- icle 5(3)
Calcium nitrate	10124-37-5	2,045	Annex II			
Sodium nitrate	7631-99-4	1,848	Annex II			
Nitric acid ...% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/w
Potassium nitrate	7757-79-1	1,29	Annex II			

Legend

- annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below
- annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcategory	Use limitation
Lead(II) nitrate	lead compounds		0,08	i(2)	sr
Cadmium nitrate	cadmium compounds		0,105	i(1) i(2)	sr sr

Legend

i(1) Sub-category: i(1) - industrial chemical for professional use
i(2) Sub-category: i(2) - industrial chemical for public use
sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Cobalt(II) nitrate hexahydrate	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Calcium nitrate, Cobalt(II) nitrate hexahydrate	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Cobalt(II) nitrate hexahydrate	contains: Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C ≤ 70 %], Calcium nitrate, Cobalt(II) nitrate hexahydrate	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer (if inhaled).
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-05 ROTI®Star 19 elements in 5 % HNO₃ - mg/l

article number: **1LHP**

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.