according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: **1LX7** Version: **1.0 en** date of compilation: 16.11.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Ninhydrin in petroleum ether spray solution

1LX7

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.3	Aerosols	1	Aerosol 1	H222,H229
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: **1LX7**

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07, GHS09



Hazard statements

H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P261	Avoid breathing gas/mist/vapours/spray

Precautionary statements - response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Additional labelling according to Directive 75/324/EEC relating to aerosol dispensers

Extremely flammable. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Hazardous ingredients for labelling:

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

• •	•
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
EUH066	Repeated exposure may cause skin dryness or cracking.
contains:	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

2.3 **Other hazards**

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

Chemical identity of the main constituent

"UVCB substance" (substance of unknown or variable composition).

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	EC No 926-605-8 REACH Reg. No 01-2119486291- 36-xxxx	50 - < 55	Flam. Liq. 2 / H225 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 EUH066		
dimethyl ether	CAS No 115-10-6 EC No 204-065-8 Index No 603-019-00-8	45 - < 50	Flam. Gas 1 / H220 Press. Gas C / H280		GHS-HC IOELV U
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No 01-2119457610- 43-xxxx	1-<5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC IARC: 1

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IARC: 1:

IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) Substance with a community indicative occupational exposure limit value When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is IOELV: U: packaged and therefore has to be assigned case by case.

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
dimethyl ether	CAS No 115-10-6	-	-	308 ^{ppmV} / _{4h}	inhalation: gas
	EC No 204-065-8 Index No				
	603-019-00-8				

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: 1LX7

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Vomiting, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$), May produce toxic fumes of carbon monoxide if burning.

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



٦

Ninhydrin in petroleum ether spray solution

article number: 1LX7

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
EU	dimethyl ether	115-10-6	IOELV	1.920				2000/39/EC
MT	dimethyl ether	115-10-6	OELV	1.920				CAP. 424

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs	Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Hydrocarbons, C6- C7, isoalkanes, cyc- lics, <5% n-hexane		DNEL	5.306 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Hydrocarbons, C6- C7, isoalkanes, cyc- lics, <5% n-hexane		DNEL	13.964 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Ethanol	64-17-5	DNEL	1.900 mg/ m ³	human, inhalat- ory	worker (industry)	acute - systemic effects		
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects		
Ethanol	64-17-5	DNEL	950 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		

Relevant PNECs of components of the mixture

•							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Ethanol	64-17-5	PNEC	0,79 ^{mg} / _{cm³}	unknown	marine water	intermittent re- lease	
Ethanol	64-17-5	PNEC	2,75 ^{mg} / _{cm³}	unknown	air	intermittent re- lease	
Ethanol	64-17-5	PNEC	3,6 ^{mg} / _{cm³}	unknown	freshwater sedi- ment	intermittent re- lease	
Ethanol	64-17-5	PNEC	580 ^{mg} / _{cm³}	unknown	sewage treatment plant (STP)	intermittent re- lease	
Ethanol	64-17-5	PNEC	0,63 ^{mg} / _{cm³}	unknown	soil	intermittent re- lease	
Ethanol	64-17-5	PNEC	0,96 ^{mg} / _{cm³}	unknown	freshwater	intermittent re- lease	

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: 1LX7

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR: acrylonitrile-butadiene rubber, Butyl caoutchouc (butyl rubber)

material thickness

>0,4 mm 0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at:

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution

® Roth

article number: 1LX7

SECTION 9: Physical and chemical properties

9.1	Information on basic physical a	nd chemical properties

Physical state	liquid gaseous
Form	spray aerosol
Colour	colourless
Odour	characteristic
Melting point/freezing point	-153,6 °C at 101,3 kPa (data apply to the main component)
Boiling point or initial boiling point and boiling range	-24,9 °C (data apply to the main component)
Flammability	flammable aerosol in accordance with GHS criter- ia
Lower and upper explosion limit	57 g/m³ (LEL) - 360 g/m³ (UEL) / 1,1 vol% (LEL) - 27,7 vol% (UEL)
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	5.200 hPa at 20 °C
Density	~ 0,63 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (aerosol)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	

9.2

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

Aerosols

Components(flammable)

Other safety characteristics:

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ATE	
dimethyl ether	115-10-6	inhalation: gas	308 ^{ppmV} / _{4h}	

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
dimethyl ether	115-10-6	inhalation: gas	LC50	308 ^{mg} / _l /4h	rat
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 ^{mg} / _l /4h	rat
Ethanol	64-17-5	oral	LD50	7.060 ^{mg} / _{kg}	rat

4%

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: 1LX7

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, aspiration hazard

• If in eyes

causes slight to moderate irritation

• If inhaled

headache, vertigo, drowsiness, dizziness, narcosis

• If on skin

has degreasing effect on the skin

• Other information

none

11.2 Endocrine disrupting properties None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethanol	64-17-5	LC50	8.140 ^{mg} / _l	orfe (Leuciscus idus)	96 h
Ethanol	64-17-5	EC50	9.000 – 14.000 ^{mg} / _l	daphnia magna	48 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Hydrocarbons, C6-C7, isoalkanes, cyc- lics, <5% n-hex- ane		oxygen deple- tion	83 %	10 d		ECHA
Ethanol	64-17-5	biotic/abiotic	94 %	d		

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane			3,6 (pH value: 7, 20 °C)	
Ethanol	64-17-5		-0,31	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1950
	IMDG-Code	UN 1950
	ICAO-TI	UN 1950
14.2	UN proper shipping name	
	ADR/RID/ADN	AEROSOLS
	IMDG-Code	AEROSOLS
	ICAO-TI	Aerosols, flammable
14.3	Transport hazard class(es)	
	ADR/RID/ADN	2 (2.1)
	IMDG-Code	2.1
	ICAO-TI	2.1
14.4	Packing group	not assigned
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment):	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n- hexane
14.6	Special precautions for user	

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: **1LX7**

Information for each of t	he UN Model Reg	ulations	
Transport of dangerous g information	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information		
Proper shipping name		AEROSOLS	
Particulars in the transport	document	UN1950, AEROSOLS, 2.1, (D), environmentally hazardous	
Classification code		5F	
Danger label(s)		2.1, "Fish and tree"	
Environmental hazards		Yes (hazardous to the aquatic environment)	
Special provisions (SP)		190, 327, 344, 625	
Excepted quantities (EQ)		EO	
Limited quantities (LQ)		1 L	
Transport category (TC)		2	
Tunnel restriction code (TR	C)	D	
International Maritime D	angerous Goods	Code (IMDG) - Additional information	
Proper shipping name		AEROSOLS	
Particulars in the shipper's	declaration	UN1950, AEROSOLS, (Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane), 2.1, MARIN POLLUTANT	
Marine pollutant		yes (hazardous to the aquatic environment), (Hydrocarbo C6-C7, isoalkanes, cyclics, <5% n-hexane)	
Danger label(s)		2.1, "Fish and tree"	
•			
Special provisions (SP)		63, 190, 277, 327, 344, 381, 959	
Excepted quantities (EQ)		EO	
Limited quantities (LQ)		1 L	
EmS		F-D, S-U	
Stowage category		-	
International Civil Aviation	on Organization (ICAO-IATA/DGR) - Additional information	
Proper shipping name		Aerosols, flammable	
Particulars in the shipper's	declaration	UN1950, Aerosols, flammable, 2.1	
Environmental hazards		Yes (hazardous to the aquatic environment)	
Danger label(s)		2.1	
A CONTRACT OF CONTRACT.			

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

Special provisions (SP)	A145, A167
Excepted quantities (EQ)	EO
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

Restrictions according to REACH, Annex XVII

Dangerous substances with re	estrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Hydrocarbons, C6-C7, isoalkanes, cyc- lics, <5% n-hexane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Hydrocarbons, C6-C7, isoalkanes, cyc- lics, <5% n-hexane	flammable / pyrophoric		R40	40
dimethyl ether	flammable / pyrophoric		R40	40
Ethanol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Ethanol	flammable / pyrophoric		R40	40
Ethanol	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
a present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN)

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 1LX7

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,

- 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: 1LX7



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: **1LX7**

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/	18/EU (Seveso III)		
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
РЗа	flammable aerosols (containing Flam. Gas or Flam. Liq.)	150 500	46)

Notation

46) 'Flammable' aerosols category 1 or 2, containing flammable gases category 1 or 2 or flammable liquids category 1 Note: qualifying quantity = net

Deco-Paint Directive

VOC content	55 % , 346,5 ^g /l

Industrial Emissions Directive (IED)

VOC content	55 %
VOC content	346,5 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

Indicative list of the main pollutants

A)

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 1LX7

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in i mentation of Council Directive 98/24/EC	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Ir land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
Asp. Tox.	Aspiration hazard	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BOD	Biochemical Oxygen Demand	
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Gas	Flammable gas	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	

according to Regulation (EC) No. 1907/2006 (REACH)



Ninhydrin in petroleum ether spray solution

article number: 1LX7

Abbr.	Descriptions of used abbreviations	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
Press. Gas	Gas under pressure	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
STOT SE	Specific target organ toxicity - single exposure	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

according to Regulation (EC) No. 1907/2006 (REACH)

Ninhydrin in petroleum ether spray solution



article number: 1LX7

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.