acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30 date of compilation: 2022-01-10 Version: GHS 2.0 en Revision: 2024-03-02

Replaces version of: 2022-01-10

Version: (GHS 1)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Cadmium** powder, p.a., Battery Grade

Article number 1N30

7440-43-9 CAS number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

# Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	2	Repr. 2	H361fd

Australia (en) Page 1 / 15

acc. to Safe Work Australia - Code of Practice



article number: 1N30



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

# The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

# Labelling

Signal word Danger

# **Pictograms**

GHS06, GHS08





#### **Hazard statements**

H330 Fatal if inhaled

H341 Suspected of causing genetic defects

H350 May cause cancer

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child H372 Causes damage to organs (kidney, lung, bone) through prolonged or repeated

exposure (if inhaled)

#### **Precautionary statements**

### **Precautionary statements - prevention**

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P284 In case of inadequate ventilation wear respiratory protection

### **Precautionary statements - response**

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfort-

able for breathing

P310 Immediately call a POISON CENTER or doctor/physician

#### Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

# **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

For professional users only

Australia (en) Page 2 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Cadmium

Molecular formula Cd

Molar mass  $112.4 \, {}^{9}/_{mol}$  CAS No 7440-43-9

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Self-protection of the first aider.

### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

# **Following skin contact**

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# 4.2 Most important symptoms and effects, both acute and delayed

Delayed or immediate effects can be expected after short or long-term exposure, Irreversible damage to internal organs

# 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 3 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



# **SECTION 7: Handling and storage**

# Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Avoid dust formation.

# Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

# Advice on general occupational hygiene

Wash hands before breaks and after work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

## **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

# **National limit values**

# Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nuisance dusts		WES	10			i	WES
AU	cadmium	7440-43-9	WES	0.01				WES

#### Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

Inhalable fraction
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA** 

# **Human health values**

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	4 μg/m³	human, inhalatory	worker (industry)	chronic - local effects	

Australia (en) Page 5 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



#### **Environmental values**

### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0.19 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	1.14 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	20 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	1.8 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.64 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Australia (en) Page 6 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30

### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder Colour grey

Odour odourless

Melting point/freezing point 309 – 316 °C at 1,013 hPa (ECHA)

Boiling point or initial boiling point and boiling

range

767 °C (ECHA)

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature 270 °C at 1 atm (ECHA)

pH (value) not applicable
Kinematic viscosity not relevant

Dynamic viscosity >500 mPa s at 318 °C

Solubility(ies)

Water solubility  $0.002 \, ^{\rm g}/_{\rm l}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 0 bar at 25 °C

Density and/or relative density

Density 8.64 <sup>g</sup>/<sub>cm³</sub> at 22 °C (ECHA)

Relative vapour density Information on this property is not available.

Bulk density  $\sim 2,700 \text{ kg/}_{\text{m}^3}$ 

Australia (en) Page 7 / 15



acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

(physical hazards): not relevant

hazard classes acc. to GHS

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Danger of explosion: Heat, Ammonium nitrate, Halogens, Acids, Zinc,

Violent reaction with: Ammonia (NH3), Potassium, Lithium, strong oxidiser, Potassium chlorate,

Phosphorus trichloride, Selenium, Tellurium

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 270 °C at 1 atm.

# 10.5 Incompatible materials

zinc

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Classification acc. to GHS

#### **Acute toxicity**

Fatal if inhaled.

GHS of the United Nations, annex 4. May be harmful if swallowed.

# Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	2,330 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Australia (en) Page 8 / 15



acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Suspected of causing genetic defects.

# Carcinogenicity

May cause cancer.

# **Reproductive toxicity**

Suspected of damaging the unborn child. Suspected of damaging fertility.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Causes damage to organs (kidney, lung, bone) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
1	kidney	if inhaled
1	lung	if inhaled
1	bone	if inhaled

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

diarrhoea, vomiting, nausea, gastrointestinal complaints

#### • If in eyes

slightly irritant but not relevant for classification

#### • If inhaled

Inhalation of dust may cause irritation of the respiratory system, varying degrees of pulmonary injury

# • If on skin

Data are not available.

#### Other information

Other adverse effects: Renal impairment, Irreversible damage to internal organs

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Australia (en) Page 9 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

# **Aquatic toxicity (acute)**

Endpoint	Value	Species	Source	Exposure time
LC50	58.16 <sup>μg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
EC50	1,900 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	24 h
ErC50	120 <sup>µg</sup> / <sub>l</sub>	algae	ECHA	72 h

# **Aquatic toxicity (chronic)**

Endpoint	Value	Species	Source	Exposure time
LC50	1,500 <sup>µg</sup> / <sub>l</sub>	fish	ECHA	4 d
EC50	8.1 <sup>µg</sup> / <sub>l</sub>	fish	ECHA	100 d

### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

# 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recycling/reclamation of metals and metal compounds.

# Sewage disposal-relevant information

Do not empty into drains.

Australia (en) Page 10 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

# **Relevant provisions relating to waste(Basel Convention)**

#### Properties of waste which render it hazardous

**H6.1** Poisonous (Acute)

**H11** Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

#### 14.1 UN number

UN 3288
IMDG-Code UN 3288
ICAO-TI UN 3288

### 14.2 UN proper shipping name

UN RTDGTOXIC SOLID, INORGANIC, N.O.S.IMDG-CodeTOXIC SOLID, INORGANIC, N.O.S.

ICAO-TI Toxic solid, inorganic, n.o.s.

Technical name Cadmium

### 14.3 Transport hazard class(es)

UN RTDG 6.1
IMDG-Code 6.1
ICAO-TI 6.1

### 14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

# **14.5 Environmental hazards** hazardous to the aquatic environment

# 14.6 Special precautions for user

There is no additional information.

# 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# 14.8 Information for each of the UN Model Regulations

Australia (en) Page 11 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30

Transport informationNational regulationsAdditional information(UN RTDG)

**UN number** 3288 Class 6.1

**Environmental hazards** 

Hazardous to the aquatic environment

**Packing group** ΙΙ

Danger label(s) Fish and tree

**Special provisions (SP)** 274

**UN RTDG** 

**Excepted quantities (EQ)** 

**UN RTDG** 

500 g UN RTDG Limited quantities (LQ)

**Emergency Action Code** 2X

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TOXIC SOLID, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN3288, TOXIC SOLID, INORGANIC, N.O.S., (Cad-

mium), 6.1, II, MARINE POLLUTANT

Marine pollutant **YES** (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"





Special provisions (SP) 274 Excepted quantities (EQ) E4 Limited quantities (LQ) 500 g **EmS** F-A, S-A Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toxic solid, inorganic, n.o.s.

Particulars in the shipper's declaration UN3288, Toxic solid, inorganic, n.o.s., (Cadmium),

**Environmental hazards** yes (hazardous to the aquatic environment)

6.1 Danger label(s)

A3, A5 Special provisions (SP) E4 Excepted quantities (EQ)

Australia (en) Page 12 / 15



acc. to Safe Work Australia - Code of Practice

# Cadmium powder, p.a., Battery Grade

article number: 1N30

Limited quantities (LQ) 1 kg



# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

# National regulations(Australia)

### **Australian Inventory of Chemical Substances(AICS)**

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals

DSL ECSI

Australian Inventory of Industrial Chemicals
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
National Chemical Inventory IECSC INSQ

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

**Toxic Substance Control Act** 

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

Australia (en) Page 13 / 15

acc. to Safe Work Australia - Code of Practice

# Cadmium powder, p.a., Battery Grade

article number: 1N30



# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 2X	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Australia (en) Page 14 / 15

acc. to Safe Work Australia - Code of Practice

### Cadmium powder, p.a., Battery Grade

article number: 1N30



Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

# Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs (kidney, lung, bone) through prolonged or repeated exposure (if inhaled).

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 15 / 15