acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: **1P57**Version: **2.0 en**date of compilation: 2022-04-04
Revision: 2024-03-02

Replaces version of: 2022-04-04

Version: (1)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Calcium peroxide ≥65 %, pure

Article number 1P57

EC number 215-139-4 CAS number 78403-22-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data 
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 1P57



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS03, GHS07



#### **Hazard statements**

H272	May intensify fire; oxidiser
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P220 Keep/store away from clothing/combustible materials

P261 Avoid breathing dust

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance Calcium peroxide

Molecular formula CaO<sub>2</sub>

Molar mass 72,08 <sup>g</sup>/<sub>mol</sub>
CAS No 78403-22-2

EC No 215-139-4

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



#### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Calcium hydroxide	CAS No 1305-62-0	< 30
	EC No 215-137-3	

#### Remarks

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

### Unsuitable extinguishing media

water jet

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



#### 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

#### Protect against external exposure, such as

humidity

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### **Calcium peroxide ≥65 %, pure**

article number: 1P57

Consideration of other advice:

**Ventilation requirements** 

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation Ceiling-C

Ceiling value is a limit value above which exposure should not occur Inhalable fraction

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### **Relevant DNELs of components**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Calcium hydroxide	1305-62-0	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium hydroxide	1305-62-0	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

### **Relevant PNECs of components**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Calcium hydroxide	1305-62-0	PNEC	0,49 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	0,32 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	3 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	1.080 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom (en) Page 5 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### **Calcium peroxide ≥65 %, pure**

article number: 1P57



#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### · breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state solid
Colour white

Odour characteristic

Melting point/freezing point >365 °C

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible

Lower and upper explosion limit not determined Flash point not applicable

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density not determined

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

classes:

Information with regard to physical hazard There is no additional information.

Other safety characteristics: There is no additional information.

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Oxidising property.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Organic substances, Reducing agents

#### 10.4 Conditions to avoid

Protect from moisture.

#### 10.5 Incompatible materials

combustible materials

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Calcium hydroxide	1305-62-0	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Calcium hydroxide	1305-62-0	inhalation: dust/mist	LC50	>6,04 <sup>mg</sup> / <sub>l</sub> /4h	rat
Calcium hydroxide	1305-62-0	dermal	LD50	>2.500 <sup>mg</sup> / <sub>kg</sub>	rabbit

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

United Kingdom (en) Page 8 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation

#### Other information

none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components Exposure time Name of sub-**CAS No Endpoint Value Species** stance Calcium hydroxide 1305-62-0 LC50 50,6 <sup>mg</sup>/<sub>I</sub> fish 96 h Calcium hydroxide 1305-62-0 EC50 49,1 <sup>mg</sup>/<sub>I</sub> aquatic invertebrates 48 h Calcium hydroxide 184,6 <sup>mg</sup>/<sub>I</sub> 72 h 1305-62-0 ErC50 algae


Aquatic toxicity (chronic) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Calcium hydroxide	1305-62-0	LC50	53,1 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	14 d		
Calcium hydroxide	1305-62-0	EC50	300,4 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h		

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



Data are not available.

Data are not available.

#### 12.4 Mobility in soil

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 2 oxidising

**HP 4** irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

United Kingdom (en) Page 10 / 17



### 12.3 Bioaccumulative potential

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

#### Other adverse effects

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 1457
IMDG-Code UN 1457
ICAO-TI UN 1457

14.2 UN proper shipping name

ADRRID CALCIUM PEROXIDE IMDG-Code CALCIUM PEROXIDE ICAO-TI Calcium peroxide

14.3 Transport hazard class(es)

ADRRID 5.1 IMDG-Code 5.1 ICAO-TI 5.1

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CALCIUM PEROXIDE

Particulars in the transport document UN1457, CALCIUM PEROXIDE, 5.1, II, (E)

Classification code O2
Danger label(s) 5.1



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg
Transport category (TC) 2
Tunnel restriction code (TRC) E

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57

Hazard identification No 50

Emergency Action Code 1Y

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code O2

Danger label(s) 5.1

5.1

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg
Transport category (TC) 2
Hazard identification No 50

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CALCIUM PEROXIDE

Particulars in the shipper's declaration UN1457, CALCIUM PEROXIDE, 5.1, II

Marine pollutant Danger label(s) 5.1

5.1

Special provisions (SP) 
Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-G, S-Q

Stowage category C

Segregation group 16 - Peroxides

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Calcium peroxide

Particulars in the shipper's declaration UN1457, Calcium peroxide, 5.1, II

Danger label(s) 5.1

Excepted quantities (EQ) E2
Limited quantities (LQ) 2,5 kg

United Kingdom (en) Page 12 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

### Calcium peroxide ≥65 %, pure

article number: 1P57



## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes		
P8	oxidising liquids and solids	50	200	55)		

#### **Notation**

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

#### **Deco-Paint Directive**

VOC content	0 %

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### **Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Calcium peroxide	Metals and their compounds		a)	

#### Legend

a) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 13 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium peroxide ≥65 %, pure

article number: 1P57



#### National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Restrictions according to GB REACH, Annex 17

not listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) AIIC CSCL-ENCS

DSL ECSI IECSC

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

National Theritory Chemicals Inventory
National Chemical Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory

**Toxic Substance Control Act** 

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

**Calcium peroxide ≥65 %, pure** 

article number: 1P57



## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 5.1	Classification code: O2	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Calcium peroxide ≥65 %, pure

article number: 1P57



Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

## **Calcium peroxide ≥65 %, pure**

article number: 1P57



## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17