acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: **1P59** Version: **GHS 2.0 en** Replaces version of: 2022-04-01 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number CAS number **Calcium** ≥98 %, <2 mm, pure, granulate 1P59

7440-70-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.12	Substance and mixture which, in contact with water, emits flammable gas	2	Water-react. 2	H261

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

In contact with water releases flammable gases which may ignite spontaneously.

date of compilation: 2022-04-01 Revision: 2024-03-02

acc. to Safe Work Australia - Code of Practice

Calcium ≥98 %, <2 mm, pure, granulate



artic	le number: 1P59				
2.2	Label elements				
	Labelling				
	Signal word	Danger			
	Pictograms				
	GHS02				
	Hazard statemen	nts			
	H261	In contact with water releases flammable gases			
	Precautionary sta	atements			
	Precautionary sta	atements - prevention			
	P223	Keep away from any possible contact with water, because of violent reac possible flash fire	tion and		
	P231+P232 P280	Handle and store contents under inert gas. Protect from moisture Wear protective gloves/protective clothing/eye protection/face protection			
	Precautionary statements - response				
	P302+P335+P334 P370+P378	IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wet bandages In case of fire: Use sand, carbon dioxide or powder extinguisher for extir			
	Precautionary statements - storage				
	P402+P404	Store in a dry place. Store in a closed container			
2.3	Other hazards				
	Results of PBT and vPvB assessment				
	According to the results of its assessment, this substance is not a PBT or a vPvB.				
	Endocrine disrupting properties				
	Does not contain a	an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.			
SEC	CTION 3: Compo	osition/information on ingredients			
3.1	Substances				
	Name of substance	ce Calcium			
	Molecular formula	a Ca			
	Molar mass	40.08 ^g / _{mol}			

7440-70-2

CAS No

acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings D-powder, dry sand

Unsuitable extinguishing media

water, dry extinguishing powder, carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Product may release hydrogen gas. Increased storage temperatures will accelerate this process. Water-reactive (in contact with water releases flammable gases).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust. Take up carefully when dry.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. Keep under inert gas.

Incompatible substances or mixtures

Observe hints for combined storage. Do not allow contact with water.

Evaporative conditions

Keep container tightly closed and in a well-ventilated place. Keep contents under petroleum.

Protect against external exposure, such as

humidity, contact with air/oxygen

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	4 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

solid
light silver
odourless
842 °C (ECHA)
1,484 °C at 1 atm (ECHA)
substance which, in contact with water, emits flammable gases (in accordance with GHS criter- ia)
not determined
not applicable
>730 – <750 °C (ECHA) (relative self-ignition tem- perature for solids)
not relevant
not applicable
not relevant
(spontaneous decomposition)
not relevant (inorganic)
not determined
1.54 ^g / _{cm³} at 20 °C (ECHA)
Information on this property is not available.

acc. to Safe Work Australia - Code of Practice

Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59



	Particle characteristics	
	Particle size	<2 mm
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Reactivity with water.

10.2 Chemical stability

Moisture-sensitive.

10.3 Possibility of hazardous reactions

Material reacts vigorously with water emitting flammable gases, **Dangerous/dangerous reactions with:** strong oxidiser, Alkali hydroxide (caustic alkali), Ammonia (NH3)

10.4 Conditions to avoid

Protect from moisture.

10.5 Incompatible materials

water

Release of flammable materials with

Water

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

acc. to Safe Work Australia - Code of Practice

Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59



Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H4.3 Substances or wastes which, in contact with water emit ammable gases

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number	
	UN RTDG	UN 1401
	IMDG-Code	UN 1401
	ICAO-TI	UN 1401
14.2	UN proper shipping name	
	UN RTDG	CALCIUM
	IMDG-Code	CALCIUM
	ICAO-TI	Calcium
14.3	Transport hazard class(es)	
14.3	Transport hazard class(es) UN RTDG	4.3
14.3	•	4.3 4.3
14.3	UN RTDG	
14.3	UN RTDG IMDG-Code	4.3
	UN RTDG IMDG-Code ICAO-TI	4.3
	UN RTDG IMDG-Code ICAO-TI Packing group	4.3 4.3

acc. to Safe Work Australia - Code of Practice



non-environmentally hazardous acc. to the dan-

gerous goods regulations

Calcium ≥98 %, <2 mm, pure, granulate

article number: **1P59**

- 14.5 Environmental hazards
- 14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdd	litional information(UN RTDG)
UN number	1401
Class	4.3
Packing group	II
Danger label(s)	4.3
Special provisions (SP)	- UN RTDG
Excepted quantities (EQ)	E2 UN RTDG
Limited quantities (LQ)	500 g UN RTDG
Emergency Action Code	4W
International Maritime Dangerous Goods Code	
International Maritime Dangerous Goods Code	(IMDG) - Additional information
International Maritime Dangerous Goods Code Proper shipping name	(IMDG) - Additional information CALCIUM
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration	(IMDG) - Additional information CALCIUM
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant	(IMDG) - Additional information CALCIUM UN1401, CALCIUM, 4.3, II -
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant	(IMDG) - Additional information CALCIUM UN1401, CALCIUM, 4.3, II -
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s)	(IMDG) - Additional information CALCIUM UN1401, CALCIUM, 4.3, II -
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) Special provisions (SP)	(IMDG) - Additional information CALCIUM UN1401, CALCIUM, 4.3, II - 4.3
International Maritime Dangerous Goods Code Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) Special provisions (SP) Excepted quantities (EQ)	(IMDG) - Additional information CALCIUM UN1401, CALCIUM, 4.3, II - 4.3

acc. to Safe Work Australia - Code of Practice

Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59



International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Calcium	
Particulars in the shipper's declaration	UN1401, Calcium, 4.3, II	
Danger label(s)	4.3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	5 kg	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

AIIC	
CICR	
DSL	
ECSI	
IECSC	
INSQ	
KECI	
NCI	

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory National Chemical Inventory

acc. to Safe Work Australia - Code of Practice





article number: 1P59

Legend	
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 4W	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

acc. to Safe Work Australia - Code of Practice



Calcium ≥98 %, <2 mm, pure, granulate

article number: 1P59

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H261	In contact with water releases flammable gases.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.