

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** Version: **2.0 en** Replaces version of: 2022-06-01 Version: (1) date of compilation: 2022-06-01 Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance	<b>3-Methoxy-3-methyl-1-butanol</b> SOLVAGREEN® ≥99 %, for synthesis	
Article number	1PKN	
EC number	260-252-4	
CAS number	56539-66-3	

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory and analytical use Laboratory chemical
Uses advised against:	Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 2 Math thul 1 hut nal SOI VAGREEN® >99 % fa ~ -.

3-Me	ethoxy-3-methyl-1-	butanol SOLVAGREEN® ≥99 9	%, for synthesis		
articl	le number: <b>1PKN</b>				
	Labelling				
	Signal word	Warning			
	Pictograms	•			
	GHS07				
	Hazard stateme	nts			
	H319	Causes serious eye irritati	on		
	Precautionary st	atements			
	Precautionary st	atements - prevention			
	P280	Wear protective gloves/eye	protection		
	Precautionary st	atements - response			
	P305+P351+P338	IF IN EYES: Rinse cautiously lenses, if present and easy	with water for several minutes. Remove con to do. Continue rinsing	tact	
2.3	Other hazards				
	This material is combustible, but will not ignite readily.				
	Results of PBT and vPvB assessment				
	According to the results of its assessment, this substance is not a PBT or a vPvB.				
	Endocrine disrup				
	Does not contain	an endocrine disruptor (ED) at	t a concentration of $\geq 0,1\%$ .		
SEC	CTION 3: Comp	osition/information o	n ingredients		
3.1	Substances				
	Name of substan	ce	3-Methoxy-3-methyl-1-butanol		
	Molecular formul	a	$C_{6}H_{14}O_{2}$		
	Molar mass		118,2 <sup>g</sup> / <sub>mol</sub>		

56539-66-3

260-252-4

CAS No EC No

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



**General notes** Take off contaminated clothing.

® §ROTH

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3 Indication of any immediate medical attention and special treatment needed** none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.



acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

Human healtl	luman health values					
Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	18 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	6,25 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



® §ROTH

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

#### article number: **1PKN**

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	operties
	Physical state	liquid
	Colour	colourless
	Odour	faintly perceptible
	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range	173 °C at 1.013 hPa (ECHA)
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	1,2 vol% (LEL) - 13,1 vol% (UEL)
	Flash point	71 °C at 1.013 mbar (ECHA)
	Auto-ignition temperature	395 °C at 1.013 mbar (ECHA)
	Decomposition temperature	not relevant
	pH (value)	not determined
	Kinematic viscosity	13,59 <sup>mm²</sup> / <sub>s</sub> at 20 °C
	Dynamic viscosity	12,5 mPa s at 20 °C
	Solubility(ies)	
	Water solubility	≥100 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	0,18 (pH value: 6,4, 24,8 °C) (ECHA)
	Vapour pressure	0,47 hPa at 20 °C
	Density and/or relative density	
	Density	0,92 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	4,1 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

#### 9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Classification acc. to GHS**

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis



#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

none

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	>1.000 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

Page 8 / 14



acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: 1PKN

Aquatic toxicity (chi	ronic)			
Endpoint	Value	Species	Source	Exposure time
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,302 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,234 <sup>mg</sup>/<sub>mg</sub>

Process of degradability				
Process	Degradation rate	Time		
carbon dioxide generation	78,9 %	28 d		
oxygen depletion	93 %	28 d		

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,18 (pH value: 6,4, 24,8 °C) (ECHA)
BCF	3,16 (ECHA)

#### 12.4 Mobility in soil

Henry's law constant	0,1 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
----------------------	---

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

#### **14.6** Special precautions for user There is no additional information.

**14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**



acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

VOC content	100 %
VOC content	920 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	920 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### Regulation on persistent organic pollutants (POP)

not listed

#### National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

#### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
3-Methoxy-3-methyl-1-butanol	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ®ROTH

#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

#### article number: 1PKN

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

	ciia	
AIIČ		Australian Inventory of Industrial Chemicals
CICR	ł	Chemical Inventory and Control Regulation
CSCL	ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL		Domestic Substances List (DSL)
ECSI		EC Substance Inventory (EINECS, ELINCS, NLP)
IECS		Inventory of Existing Chemical Substances Produced or Imported in China
INSC	2	National Inventory of Chemical Substances
KECI		Korea Existing Chemicals Inventory
NCI		National Chemical Inventory
NZIc		New Zealand Inventory of Chemicals
PICC		Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REAC	CH Reg.	REACH registered substances
TCSI		Taiwan Chemical Substance Inventory
TSCA	4	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN.		yes
15.1	VOC content: 100 % 920 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

article number: **1PKN** 

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		VOC content: 920 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
UEL	Upper explosion limit (UEL)	

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### 3-Methoxy-3-methyl-1-butanol SOLVAGREEN® ≥99 %, for synthesis

#### article number: **1PKN**

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H319	Causes serious eye irritation.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.