according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: **1PL8** date of compilation: 2022-09-28

Version: 1.0 en

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Single-Element Standard Solution ROTI®Star

1000 mg/l Sc in 75 cSt Hydrocarbon Oil

Article number 1PL8

Registration number (REACH) not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

Ireland (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS08



### **Hazard statements**

H304 May be fatal if swallowed and enters airways

### **Precautionary statements**

### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

Hazardous ingredients for labelling: Hydrocarbon Oil

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H304 May be fatal if swallowed and enters airways.

contains: Hydrocarbon Oil

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrocarbon Oil	CAS No 8042-47-5 EC No 232-455-8	≥80	Asp. Tox. 1 / H304		

Ireland (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrocarbon Oil	CAS No 8042-47-5	-	-	-	inhalation: dust/ mist
	EC No 232-455-8				

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following skin contact**

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

Ireland (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### 5.2 Special hazards arising from the substance or mixture

Combustible.

### **Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

Ireland (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt **Hydrocarbon Oil**

article number: 1PL8

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### **National limit values**

### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	Mineral oils that have been used be- fore in internal com- bustion engines to lubricate and cool the moving parts within the engine	8042-47- 5	OELV							Т	S.I. No. 619 of 2001

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H STEL

Absorbed through the skin
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Hydrocarbon Oil	8042-47-5	DNEL	164,6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Hydrocarbon Oil	8042-47-5	DNEL	217,1 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			

#### 8.2 **Exposure controls**

### Individual protection measures (personal protective equipment)

### **Eye/face protection**



Use safety goggle with side protection.

### Skin protection



Ireland (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

### type of material

NBR (Nitrile rubber)

#### material thickness

≥0,3 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state liquid
Form viscous
Colour brown

Odour characteristic
Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

>218 °C at 1.013 hPa

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 115 °C

Auto-ignition temperature >325 °C (auto-ignition temperature (liquids and

gases))

Ireland (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt **Hydrocarbon Oil**

article number: 1PL8

Decomposition temperature not relevant

pH (value) not determined not determined Kinematic viscosity

Solubility(ies)

Water solubility (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

 $0.862 \, {\rm g}/{\rm cm}^3$  at 20 °C Density

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS

classes:

(physical hazards): not relevant

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 300°C

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Page 7 / 14 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

### **Acute toxicity**

Shall not be classified as acutely toxic.

### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hydrocarbon Oil	8042-47-5	inhalation: dust/mist	

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbon Oil	8042-47-5	oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rat
Hydrocarbon Oil	8042-47-5	inhalation: dust/mist	LC50	>5 <sup>mg</sup> / <sub>l</sub> /4h	rat
Hydrocarbon Oil	8042-47-5	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Ireland (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

aspiration hazard

### • If in eyes

Data are not available.

#### If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

none

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### **Biodegradation**

Data are not available.

#### 12.2 Process of degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

Ireland (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

14.1	UN number or ID number	not subject to transport regulations
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

 ${\bf International\ Maritime\ Dangerous\ Goods\ Code\ (IMDG)\ -\ Additional\ information}$ 

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Ireland (en) Page 10 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt **Hydrocarbon Oil**

article number: 1PL8

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Pangerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	No		
Single-Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		

#### Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

- 2. Articles not complying with paragraph 1 shall not be placed on the market.

  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- can be used as fuel in decorative oil lamps for supply to the general public, and
   present an aspiration hazard and are labelled with H304.

  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage";
  (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by

1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)								
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes						
	not assigned								

#### **Deco-Paint Directive**

VOC content	100 % 862 <sup>g</sup> / <sub>I</sub>	
-------------	--	--

#### **Industrial Emissions Directive (IED)**

Page 11 / 14 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

VOC content	100 %
VOC content	862 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### **Water Framework Directive (WFD)**

none of the ingredients are listed

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### **Regulation on drug precursors**

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Ireland (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt **Hydrocarbon Oil**

article number: 1PL8

Legend

AIIC CICR DSL ECSI IECSC Australian Inventory of Industrial Chemicals

Adstrainan Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zoaland Inventory of Chemicals

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TCSI TSCA

Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval

Ireland (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element Standard Solution ROTI®Star 1000 mg/l Sc in 75 cSt Hydrocarbon Oil

article number: 1PL8

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 14 / 14