

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**  
Version: **1.0 en**

date of compilation: 08.06.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry</b>
Article number	1PPH
Registration number (REACH)	not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory and analytical use Laboratory chemical
Uses advised against:	Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** sicherheit@carlroth.de

**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** sicherheit@carlroth.de

#### 1.4 Emergency telephone number

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.8	Specific target organ toxicity - single exposure	1	STOT SE 1	H370

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS02, GHS05,  
GHS06, GHS08



#### Hazard statements

H225	Highly flammable liquid and vapour
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
H314	Causes severe skin burns and eye damage
H360D	May damage the unborn child
H370	Causes damage to organs (eye)

#### Precautionary statements

##### Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/eye protection

##### Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor

For professional users only

#### Hazardous ingredients for labelling:

Methanol, Imidazole

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H360D	May damage the unborn child.
H370	Causes damage to organs (eye).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/eye protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.  
contains: Methanol, Imidazole

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1  EC No 200-659-6  Index No 603-001-00-X  REACH Reg. No 01-2119433307- 44-xxxx	≥ 50	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		GHS-HC IOELV
Imidazole	CAS No 288-32-4  EC No 206-019-2  Index No 613-319-00-0  REACH Reg. No 01-2119485825- 24-xxxx	1 - 5	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D		GHS-HC

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methanol	CAS No 67-56-1  EC No 200-659-6  Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 mg/kg 300 mg/kg 3 mg/l/4h	oral dermal inhalation: va- pour

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Imidazole	CAS No 288-32-4  EC No 206-019-2  Index No 613-319-00-0	-	-	970 mg/kg	oral

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Vertigo, Headache,

Following skin contact: Has degreasing effect on the skin,

After eye contact: Conjunctival redness of the eyes, Conjunctivitis (pink eye),

Following ingestion: Abdominal pain, Malaise, Vomiting, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Loss of righting reflex, and ataxia, Serious physical decay of vision, Risk of blindness, Large doses may result in coma and death, Corrosion, Gastric perforation, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	methanol	67-56-1	IOELV	200	260					H	2006/15/EC
MT	methanol	67-56-1	OELV	200	260					H	CAP. 424

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Imidazole	288-32-4	DNEL	10,6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	20,8 mg/l	aquatic organisms	freshwater	short-term (single instance)
Methanol	67-56-1	PNEC	2,08 mg/l	aquatic organisms	marine water	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Methanol	67-56-1	PNEC	77 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	7,7 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Methanol	67-56-1	PNEC	100 mg/kg	terrestrial organisms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	1,3 mg/l	aquatic organisms	water	intermittent release
Imidazole	288-32-4	PNEC	0,13 mg/l	aquatic organisms	freshwater	short-term (single instance)
Imidazole	288-32-4	PNEC	0,013 mg/l	aquatic organisms	marine water	short-term (single instance)
Imidazole	288-32-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Imidazole	288-32-4	PNEC	0,336 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0,034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0,043 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

- **material thickness**

0,7mm

- **breakthrough times of the glove material**


>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	-98 °C
Boiling point or initial boiling point and boiling range	65 °C at 1.013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	5,5 vol% (LEL) - 44 vol% (UEL)
Flash point	11 °C
Auto-ignition temperature	455 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	not determined
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	128 hPa at 20 °C

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

### Density and/or relative density

Density	~ 0,81 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics not relevant (liquid)

### Other safety parameters

Oxidising properties none

## 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T1  
Maximum permissible surface temperature on the equipment: 450°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air.

#### **If heated**

Risk of ignition.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Danger of explosion:** Oxidisers, Perchlorates, Nitrogen oxides (NO<sub>x</sub>), Chlorates, Halogenated hydrocarbons, Hydrogen peroxide, Nitric acid, Sulphuric acid,

**Exothermic reaction with:** Reducing agents, Acids, Chlorine, Chloroform, Acid chlorides, inorganic,

**Dangerous/dangerous reactions with:** Fluorine, Alkali metals, Alkaline earth metal, strong oxidiser

### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

aluminium, iron, zinc, different plastics, Rubber articles

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Methanol	67-56-1	oral	100 mg/kg
Methanol	67-56-1	dermal	300 mg/kg
Methanol	67-56-1	inhalation: vapour	3 mg/l/4h
Imidazole	288-32-4	oral	970 mg/kg

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Methanol	67-56-1	inhalation: vapour	LC50	131 mg/l/4h	rat
Methanol	67-56-1	oral	LD50	5.628 mg/kg	rat
Methanol	67-56-1	oral	LDLo	143 mg/kg	human
Methanol	67-56-1	dermal	LD50	15.800 mg/kg	rabbit
Imidazole	288-32-4	oral	LD50	970 mg/kg	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

May damage the unborn child.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### Specific target organ toxicity - single exposure

Causes damage to organs (eye).

Hazard category	Target organ	Exposure route
1	eye	if exposed

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

abdominal pain, vomiting, loss of righting reflex, and ataxia, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, risk of blindness, large doses may result in coma and death, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

conjunctivitis (pink eye), causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

vertigo, cough, headache

#### • If on skin

has degreasing effect on the skin, causes severe burns, causes poorly healing wounds

#### • Other information

none

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Methanol	67-56-1	LC50	15.400 mg/l	fish	96 h
Methanol	67-56-1	ErC50	22.000 mg/l	algae	96 h
Imidazole	288-32-4	LC50	283,6 mg/l	fish	48 h
Imidazole	288-32-4	EC50	341,5 mg/l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 mg/l	algae	72 h

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Imidazole	288-32-4	EC50	>1.000 mg/l	microorganisms	30 min

### Biodegradation

Data are not available.

## 12.2 Process of degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen depletion	69 %	5 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

## 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Methanol	67-56-1		-0,77	
Imidazole	288-32-4		0,0586	

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

## 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR	UN 1992
IMDG-Code	UN 1992
ICAO-TI	UN 1992

### 14.2 UN proper shipping name

ADR	FLAMMABLE LIQUID, TOXIC, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, TOXIC, N.O.S.
ICAO-TI	Flammable liquid, toxic, n.o.s.
Technical name (hazardous ingredients)	Methanol, Imidazole

### 14.3 Transport hazard class(es)

ADR	3 (6.1)
IMDG-Code	3 (6.1)
ICAO-TI	3 (6.1)

### 14.4 Packing group

ADR	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

# Safety data sheet


according to Regulation (EC) No. 1907/2006 (REACH)




## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**


### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the transport document	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (contains: Methanol, Imidazole), 3 (6.1), II, (D/E)
Classification code	FT1
Danger label(s)	3+6.1
	
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	336

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the shipper's declaration	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (contains: Methanol, Imidazole), 3 (6.1), II, 11°C c.c.
Marine pollutant	-
Danger label(s)	3+6.1
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	B

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Flammable liquid, toxic, n.o.s.
Particulars in the shipper's declaration	UN1992, Flammable liquid, toxic, n.o.s., (contains: Methanol, Imidazole), 3 (6.1), II
Danger label(s)	3+6.1
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Karl-Fischer Roti®Hydroquant Methanol quick	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Imidazole	toxic for reproduction		R28-30	30
Methanol	methanol	67-56-1	R69	69
Methanol	flammable / pyrophoric		R40	40

##### Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances,
- as constituents of other substances, or,
- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
- the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;

(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);

(d) artists' paints covered by Regulation (EC) No 1272/2008;

(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;

(f) devices covered by Regulation (EU) 2017/745.

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

— can be used as fuel in decorative oil lamps for supply to the general public, and

— present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

### Legend

- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
  - artificial snow and frost,
  - 'whoopie' cushions,
  - silly string aerosols,
  - imitation excrement,
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  
'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69 Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
22	methanol	500	5.000	

### Deco-Paint Directive

VOC content	90 % 762,9 g/l
-------------	-------------------

### Industrial Emissions Directive (IED)

VOC content	90 %
VOC content (Water content was discounted)	762,9 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid,		a)	

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: 1PPH

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
	reproduction or other endocrine-related functions in or via the aquatic environment			
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

### Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

Country	Inventory	Status
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

Abbr.	Descriptions of used abbreviations
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer Roti®Hydroquant Methanol quick for KF titration, dry

article number: **1PPH**

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H360D	May damage the unborn child.
H370	Causes damage to organs (eye).

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.