acc. to Safe Work Australia - Code of Practice

Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

date of compilation: 2022-07-01

article number: 1T13 Version: GHS 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg

H₂O/ml, pyridine-free

Article number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into direct

contact with the skin. Do not use for products which come into contact with foodstuffs. Do not

use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360Df
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

Page 1 / 18 Australia (en)



acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08



Hazard statements

H314 Causes severe skin burns and eye damage

H351 Suspected of causing cancer

H360Df May damage the unborn child. Suspected of damaging fertility

H373 May cause damage to organs (thyroid gland) through prolonged or repeated ex-

posure (if swallowed)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dusts or mists P280 Wear eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 Specific treatment (see on this label)

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

Hazardous ingredients for labelling: 2-Methylimidazole, Iodine

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Australia (en) Page 2 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Diethylene glycol monoethyl ether	CAS No 111-90-0	50 – < 100			
2-Methylimidazole	CAS No 693-98-1	5 – 10	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Carc. 2 / H351 Repr. 1B / H360Df		IARC: 2B
Iodine	CAS No 7553-56-2	5 - < 10	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 STOT SE 3 / H335 STOT RE 1 / H372	!	
Imidazole	CAS No 288-32-4	1-<2			

Notes

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B:

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Australia (en) Page 3 / 18

acc. to Safe Work Australia - Code of Practice

ROTH

Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO_2), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Australia (en) Page 4 / 18

acc. to Safe Work Australia - Code of Practice

ROTH

Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	iodine	7553-56- 2	WES					0.1	1		WES

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL Short-term exposure limit: a limit value above which exposure shoul

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Australia (en) Page 5 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H_2O/ml , pyridine-free

article number: 1T13

Relevant DNELs of components of the mixture

Referant Divies of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Diethylene glycol monoethyl ether	111-90-0	DNEL	61 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Diethylene glycol monoethyl ether	111-90-0	DNEL	30 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Diethylene glycol monoethyl ether	111-90-0	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
2-Methylimidazole	693-98-1	DNEL	0.3 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
2-Methylimidazole	693-98-1	DNEL	0.04 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Iodine	7553-56-2	DNEL	0.07 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Iodine	7553-56-2	DNEL	0.01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Imidazole	288-32-4	DNEL	10.6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Imidazole	288-32-4	DNEL	1.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Diethylene glycol monoethyl ether	111-90-0	PNEC	1.98 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0.198 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	500 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	7.32 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0.732 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Diethylene glycol monoethyl ether	111-90-0	PNEC	0.34 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
2-Methylimidazole	693-98-1	PNEC	193 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Iodine	7553-56-2	PNEC	18.13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Iodine	7553-56-2	PNEC	60.01 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Iodine	7553-56-2	PNEC	11 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Iodine	7553-56-2	PNEC	3.99 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

Australia (en) Page 6 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

article number: 1T13

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Iodine	7553-56-2	PNEC	20.22 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Iodine	7553-56-2	PNEC	5.95 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Imidazole	288-32-4	PNEC	1.3 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Imidazole	288-32-4	PNEC	0.13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Imidazole	288-32-4	PNEC	0.013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Imidazole	288-32-4	PNEC	0.336 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Imidazole	288-32-4	PNEC	0.034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Imidazole	288-32-4	PNEC	0.043 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

Butyl caoutchouc (butyl rubber)

Australia (en) Page 7 / 18

acc. to Safe Work Australia - Code of Practice

Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

material thickness

0,5 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour brown

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 196 °C at 1,013 mPa (data apply to the main com-

range ponent)

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1.2 vol% (LEL) - 12.2 vol% (UEL) (data apply to the

main component)

Flash point 96 °C (data apply to the main component)

Auto-ignition temperature 204 °C (data apply to the main component)

Decomposition temperature not relevant pH (value) 6 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Australia (en) Page 8 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Density and/or relative density

Density 1.16 g/_{cm³} at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Australia (en) Page 9 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: **1T13**

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-Methylimidazole	693-98-1	oral	1,500 ^{mg} / _{kg}
Iodine	7553-56-2	oral	1,500 ^{mg} / _{kg}
Iodine	7553-56-2	inhalation: dust/mist	>4.588 ^{mg} / _l /4h
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Diethylene glycol monoethyl ether	111-90-0	oral	LD50	6,031 ^{mg} / _{kg}	mouse
Diethylene glycol monoethyl ether	111-90-0	dermal	LD50	9,143 ^{mg} / _{kg}	rabbit
2-Methylimidazole	693-98-1	oral	LD50	1,500 ^{mg} / _{kg}	rat
2-Methylimidazole	693-98-1	dermal	LD50	>2,000 ^{mg} / _{kg}	rat
Iodine	7553-56-2	oral	LD50	14,000 ^{mg} / _{kg}	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4.588 ^{mg} / _l / 4h	rat
Iodine	7553-56-2	dermal	LD50	>2,000 ^{mg} / _{kg}	rabbit
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	thyroid gland	if swallowed

Australia (en) Page 10 / 18

acc. to Safe Work Australia - Code of Practice

Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

Data are not available.

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life.

Aquatic toxicit	v (acute)	of compo	onents of	the mixture
7 19 0.0.0.0	, (5.55.55)	· · · · · · · · · · · · · · · · · · ·		

•	•				
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Diethylene glycol monoethyl ether	111-90-0	LC50	6,010 ^{mg} / _l	fish	96 h
Diethylene glycol monoethyl ether	111-90-0	ErC50	14,861 ^{mg} / _l	algae	72 h
2-Methylimidazole	693-98-1	LC50	190 ^{mg} / _l	fish	96 h
2-Methylimidazole	693-98-1	EC50	200 ^{mg} / _l	aquatic invertebrates	48 h
2-Methylimidazole	693-98-1	ErC50	256.3 ^{mg} / _l	algae	72 h
Iodine	7553-56-2	LC50	1.67 ^{mg} / _l	fish	96 h
Iodine	7553-56-2	ErC50	0.13 ^{mg} / _l	algae	72 h
Imidazole	288-32-4	LC50	283.6 ^{mg} / _l	fish	48 h
Imidazole	288-32-4	EC50	341.5 ^{mg} / _l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h

Australia (en) Page 11 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
2-Methylimidazole	693-98-1	EC50	459.9 ^{mg} / _l	microorganisms	7 h
Iodine	7553-56-2	EC50	280 ^{mg} / _l	microorganisms	3 h
Imidazole	288-32-4	EC50	>1,000 ^{mg} / _l	microorganisms	30 min

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Diethylene glycol mono- ethyl ether	111-90-0	biotic/abiotic	90 %	28 d		
Diethylene glycol mono- ethyl ether	111-90-0	carbon dioxide generation	7.1 %	3 d		ECHA
2-Methylim- idazole	693-98-1	carbon dioxide generation	0 %	10 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Diethylene glycol monoethyl ether	111-90-0		-0.54 (pH value: 7, 20 °C)	
2-Methylimidazole	693-98-1		0.22 (25 °C)	
Iodine	7553-56-2		2.49 (20 °C)	
Imidazole	288-32-4		0.0586	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 12 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

article number: 1T13

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 1760

IMDG-Code UN 1760

ICAO-TI UN 1760

14.2 UN proper shipping name

UN RTDGCORROSIVE LIQUID, N.O.S.IMDG-CodeCORROSIVE LIQUID, N.O.S.ICAO-TICorrosive liquid, n.o.s.Technical name (hazardous ingredients)2-Methylimidazole, Iodine

14.3 Transport hazard class(es)

UN RTDG 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

Australia (en) Page 13 / 18

acc. to Safe Work Australia - Code of Practice

Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

article number: 1T13

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1760 Class 8 **Packing group** Ш 8 Danger label(s)

Special provisions (SP) 223, 274

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ)

ŬN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1760, CORROSIVE LIQUID, N.O.S., (contains: 2-

Methylimidazole, Iodine), 8, III

Marine pollutant

Danger label(s) 8



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 5 L Limited quantities (LQ) **EmS** F-A, S-B

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, n.o.s.

Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: 2-

Methylimidazole, Iodine), 8, III

Danger label(s) 8



Special provisions (SP) **A3**

Page 14 / 18 Australia (en)

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

article number: 1T13

Excepted quantities (EQ) E1 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC CICR Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS DSL ECSI IECSC

Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

Korea Existing Chemicals Inventory

New Zealand Inventory of Chemicals

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 15 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

Australia (en) Page 16 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Australia (en) Page 17 / 18

acc. to Safe Work Australia - Code of Practice



Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H_2O/ml , pyridine-free

article number: 1T13

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 18 / 18