acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H₂O/ml, pyridine-free

date of compilation: 2022-07-01

article number: 1T13 Version: 1.0 en

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg

H<sub>2</sub>O/ml, pyridine-free

Article number

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into direct

contact with the skin. Do not use for products which come into contact with foodstuffs. Do not

use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360Df
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI® Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS08



#### **Hazard statements**

H314 Causes severe skin burns and eye damage

H351 Suspected of causing cancer

H360Df May damage the unborn child. Suspected of damaging fertility

H373 May cause damage to organs (thyroid gland) through prolonged or repeated ex-

posure (if swallowed)

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

For professional users only

**Hazardous ingredients for labelling:** 2-Methylimidazole, Iodine, Imidazole

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Diethylene glycol monoethyl ether	CAS No 111-90-0	50 – < 100			
	EC No 203-919-7				
2-Methylimidazole	CAS No 693-98-1 EC No 211-765-7	5 – 10	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Carc. 2 / H351 Repr. 1B / H360Df		IARC: 2B
Iodine	CAS No 7553-56-2 EC No 231-442-4	5-<10	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400	(!) (\$\)	GHS-HC
Imidazole	CAS No 288-32-4 EC No 206-019-2	1-<2	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D		GHS-HC

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
2-Methylim- idazole	CAS No 693-98-1	-	-	1.500 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 211-765-7				
Iodine	CAS No 7553-56-2	-	-	1.500 <sup>mg</sup> / <sub>kg</sub> 1.100 <sup>mg</sup> / <sub>kg</sub> >4,588 <sup>mg</sup> / <sub>l</sub> /	oral dermal inhalation: dust/
	EC No 231-442-4			4h	mist
Imidazole	CAS No 288-32-4	-	-	970 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 206-019-2				

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: **1T13** 

#### **Substance of Very High Concern (SVHC)**

Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks
2-Methylimidazole	2-methylimidazole	693-98-1	211-765-7	Candidate list	Repr. A57c

#### Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (article 57c)

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General** notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

United Kingdom (en) Page 4 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	iodine	7553-56- 2	WEL			0,1	1,1				EH40/ 2005

Notation

Ceiling-C

**Imidazole** 

Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposur

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

288-32-4

DNEL

#### Name of sub-**CAS No** End-**Threshol Protection Used** in **Exposure time** stance point d level goal, route of exposure Diethylene glycol 111-90-0 DNEL 61 mg/m<sup>3</sup> human, inhalatworker (industry) chronic - systemic effects monoethyl ether ory Diethylene glycol 111-90-0 DNEL 30 mg/m<sup>3</sup> human, inhalatworker (industry) chronic - local efmonoethyl ether fects ory DNEL Diethylene glycol 111-90-0 83 mg/kg human, dermal worker (industry) chronic - systemic monoethyl ether bw/day effects 2-Methylimidazole 693-98-1 DNEL 0,3 mg/m<sup>3</sup> human, inhalatworker (industry) chronic - systemic effects ory 2-Methylimidazole 693-98-1 DNEL 0,04 mg/kg human, dermal worker (industry) chronic - systemic bw/day effects human, inhalat-Iodine 7553-56-2 DNEL 0,07 mg/ worker (industry) chronic - systemic effects m³ ory Iodine 7553-56-2 DNEL 0,01 mg/kg human, dermal worker (industry) chronic - systemic effects bw/day **Imidazole** 288-32-4 DNEL 10,6 mg/ human, inhalatworker (industry) chronic - systemic m³ effects ory

United Kingdom (en) Page 6 / 20

1,5 mg/kg

bw/day

human, dermal

worker (industry)

chronic - systemic

effects

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg $H_2O/ml$ , pyridine-free

article number: 1T13

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Diethylene glycol monoethyl ether	111-90-0	PNEC	1,98 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)			
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,198 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)			
Diethylene glycol monoethyl ether	111-90-0	PNEC	500 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Diethylene glycol monoethyl ether	111-90-0	PNEC	7,32 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,732 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)			
Diethylene glycol monoethyl ether	111-90-0	PNEC	0,34 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)			
2-Methylimidazole	693-98-1	PNEC	193 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Iodine	7553-56-2	PNEC	18,13 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)			
Iodine	7553-56-2	PNEC	60,01 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	marine water	short-term (single instance)			
Iodine	7553-56-2	PNEC	11 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Iodine	7553-56-2	PNEC	3,99 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Iodine	7553-56-2	PNEC	20,22 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)			
Iodine	7553-56-2	PNEC	5,95 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)			
Imidazole	288-32-4	PNEC	1,3 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease			
Imidazole	288-32-4	PNEC	0,13 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)			
Imidazole	288-32-4	PNEC	0,013 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)			
Imidazole	288-32-4	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Imidazole	288-32-4	PNEC	0,336 <sup>mg</sup> /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Imidazole	288-32-4	PNEC	0,034 <sup>mg</sup> /	aquatic organ- isms	marine sediment	short-term (single instance)			
Imidazole	288-32-4	PNEC	0,043 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)			

United Kingdom (en) Page 7 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI® Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### · breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 8 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI® Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour brown

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 196 °C at 1.013 mPa (data apply to the main com-

range ponent)

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1,2 vol% (LEL) - 12,2 vol% (UEL) (data apply to the

main component)

Flash point 96 °C (data apply to the main component)

Auto-ignition temperature 204 °C (data apply to the main component)

Decomposition temperature not relevant pH (value) 6 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density  $1,16 \, \mathrm{g}/_{\mathrm{cm}^3}$  at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-Methylimidazole	693-98-1	oral	1.500 <sup>mg</sup> / <sub>kg</sub>
Iodine	7553-56-2	oral	1.500 <sup>mg</sup> / <sub>kg</sub>
Iodine	7553-56-2 dermal		1.100 <sup>mg</sup> / <sub>kg</sub>
Iodine	7553-56-2	inhalation: dust/mist	>4,588 <sup>mg</sup> / <sub>l</sub> /4h
Imidazole	288-32-4	oral	970 <sup>mg</sup> / <sub>kg</sub>

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

Acute toxicity of components of the mixture										
Name of substance	CAS No	Exposure route	Endpoint	Value	Species					
Diethylene glycol monoethyl ether	111-90-0	oral	LD50	6.031 <sup>mg</sup> / <sub>kg</sub>	mouse					
Diethylene glycol monoethyl ether	111-90-0	dermal	LD50	9.143 <sup>mg</sup> / <sub>kg</sub>	rabbit					
2-Methylimidazole	693-98-1	oral	LD50	1.500 <sup>mg</sup> / <sub>kg</sub>	rat					
2-Methylimidazole	693-98-1	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat					
Iodine	7553-56-2	oral	LD50	14.000 <sup>mg</sup> / <sub>kg</sub>	not specified					
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 <sup>mg</sup> / <sub>l</sub> / 4h	rat					
Iodine	7553-56-2	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit					
Imidazole	288-32-4	oral	LD50	970 <sup>mg</sup> / <sub>kg</sub>	rat					

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

May damage the unborn child. Suspected of damaging fertility.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	thyroid gland	if swallowed

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

United Kingdom (en) Page 11 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### If inhaled

Data are not available.

#### • If on skin

causes severe burns, causes poorly healing wounds

#### • Other information

none

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture										
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
Diethylene glycol monoethyl ether	111-90-0	LC50	6.010 <sup>mg</sup> / <sub>l</sub>	fish	96 h					
Diethylene glycol monoethyl ether	111-90-0	ErC50	14.861 <sup>mg</sup> / <sub>l</sub>	algae	72 h					
2-Methylimidazole	693-98-1	LC50	190 <sup>mg</sup> / <sub>l</sub>	fish	96 h					
2-Methylimidazole	693-98-1	EC50	200 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h					
2-Methylimidazole	693-98-1	ErC50	256,3 <sup>mg</sup> / <sub>l</sub>	algae	72 h					
Iodine	7553-56-2	LC50	1,67 <sup>mg</sup> / <sub>l</sub>	fish	96 h					
Iodine	7553-56-2	ErC50	0,13 <sup>mg</sup> / <sub>l</sub>	algae	72 h					
Imidazole	288-32-4	LC50	283,6 <sup>mg</sup> / <sub>l</sub>	fish	48 h					
Imidazole	288-32-4	EC50	341,5 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h					
Imidazole	288-32-4	ErC50	133 <sup>mg</sup> / <sub>l</sub>	algae	72 h					

Aquatic toxicity (chronic) of components of the mixture										
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
2-Methylimidazole	693-98-1	EC50	459,9 <sup>mg</sup> / <sub>l</sub>	microorganisms	7 h					
Iodine	7553-56-2	EC50	280 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h					
Imidazole	288-32-4	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min					

#### **Biodegradation**

Data are not available.

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### 12.2 Process of degradability

#### Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Diethylene glycol mono- ethyl ether	111-90-0	biotic/abiotic	90 %	28 d		
Diethylene glycol mono- ethyl ether	111-90-0	carbon dioxide generation	7,1 %	3 d		ECHA
2-Methylim- idazole	693-98-1	carbon dioxide generation	0 %	10 d		ECHA
Imidazole	288-32-4	biotic/abiotic	86 %	19 d		
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Diethylene glycol monoethyl eth- er	111-90-0		-0,54 (pH value: 7, 20 °C)	
2-Methylimidazole	693-98-1		0,22 (25 °C)	
Iodine	7553-56-2		2,49 (20 °C)	
Imidazole	288-32-4		0,0586	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

United Kingdom (en) Page 13 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 1760
IMDG-Code	UN 1760
ICAO-TI	UN 1760

#### 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, N.O.S.
IMDG-Code	CORROSIVE LIQUID, N.O.S.
ICAO-TI	Corrosive liquid, n.o.s.
Technical name (bazardous ingredients)	2-Methylimidazole Todine

#### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

## **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 14 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

Transport of dangerous good	ls by road, rai	l and inland wate	erway (ADR/RID/ADN)	- Additional
information	•			

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the transport document UN1760, CORROSIVE LIQUID, N.O.S., (contains: 2-

Methylimidazole, Iodine), 8, III, (E)

Classification code C9
Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 80

Emergency Action Code 2X

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C9

Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

Transport category (TC) 3

Hazard identification No 80

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1760, CORROSIVE LIQUID, N.O.S., (contains: 2-

Methylimidazole, Iodine), 8, III

Marine pollutant Danger label(s) 8



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

United Kingdom (en) Page 15 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: **1T13** 

EmS F-A, S-B

Stowage category A

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, n.o.s.

Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: 2-

Methylimidazole, Iodine), 8, III

Danger label(s)



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

928 <sup>9</sup> / <sub>I</sub>	VOC content	80 % 928 <sup>g</sup> / <sub>l</sub>
---------------------------------	-------------	---

#### **Industrial Emissions Directive (IED)**

VOC content	80 %
VOC content	928 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 16 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

#### **Water Framework Directive (WFD)**

#### **List of pollutants (WFD)**

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Methylimidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

A) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed

United Kingdom (en) Page 17 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus, 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

Country	Inventory	Status
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Koras Existing Chemicals Inventory AIIC CICR CSCL-ENCS DSL ECSI

**IECSC** 

**INSQ** KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

United Kingdom (en) Page 18 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H₂O/ml, pyridine-free

article number: 1T13

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
	Specific target organ toxicity - single exposure

United Kingdom (en) Page 19 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Karl-Fischer-ROTI®Hydroquant C5 plus , 5 mg H<sub>2</sub>O/ml, pyridine-free

article number: 1T13

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure (if swallowed).
H400	Very toxic to aquatic life.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20