acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2022-07-07

Revision: 2024-03-04

#### Polyvinyl alcohol 26-88, partially saponified

article number: **1T33** Version: **3.0 en** Replaces version of: 2023-01-18 Version: (2)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance Article number

CAS number

### Polyvinyl alcohol 26-88, partially saponified

1T33

25213-24-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

#### 2.2 Label elements

#### Labelling

not required

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



article number: 1T33

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Polyvinyl alcohol
Molecular formula	$(C_4H_6O_2 \cdot C_2H_4O)n$
CAS No	25213-24-5

#### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Methanol	CAS No 67-56-1	<3
	EC No 200-659-6	
	Index No 603-001-00-X	
Acetic acid methyl ester	CAS No 79-20-9	<2
	EC No 201-185-2	
	Index No 607-021-00-X	

#### Remarks

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



article number: **1T33** 

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Symptoms and effects are not known to date.
- **4.3 Indication of any immediate medical attention and special treatment needed** none

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Control of dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified

article number: 1T33

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 **Precautions for safe handling**

No special measures are necessary.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Polyvinyl alcohol 26-88, partially saponified



article number: 1T33

Relevant DNELs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects		
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects		
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects		
Acetic acid methyl ester	79-20-9	DNEL	300 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Acetic acid methyl ester	79-20-9	DNEL	3.777 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects		
Acetic acid methyl ester	79-20-9	DNEL	620 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects		
Acetic acid methyl ester	79-20-9	DNEL	43 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Methanol	67-56-1	PNEC	20,8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
Methanol	67-56-1	PNEC	2,08 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Methanol	67-56-1	PNEC	77 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Methanol	67-56-1	PNEC	7,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)		
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)		
Acetic acid methyl ester	79-20-9	PNEC	0,12 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
Acetic acid methyl ester	79-20-9	PNEC	0,012 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
Acetic acid methyl ester	79-20-9	PNEC	600 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Acetic acid methyl ester	79-20-9	PNEC	0,128 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



#### article number: 1T33

Relevant PNECs of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
Acetic acid methyl ester	79-20-9	PNEC	0,013 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Acetic acid methyl ester	79-20-9	PNEC	0,042 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)		

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Polyvinyl alcohol 26-88, partially saponified



article number: 1T33

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	solid
	Form	granulate
	Colour	whitish - whitish yellow
	Odour	faintly perceptible
	Melting point/freezing point	150 – 230 °C
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	4,5 – 7 (20 °C)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	not determined
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	not determined
	Density and/or relative density	
	Density	not determined
	Relative vapour density	Information on this property is not available.
	Bulk density	300 – 750 <sup>kg</sup> / <sub>m³</sub>
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Polyvinyl alcohol 26-88, partially saponified

article number: 1T33

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### **Classification acc. to GHS**

This substance does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of component	cute toxicity of components									
Name of substance	CAS No	Exposure route	Endpoint	Value	Species					
Methanol	67-56-1	inhalation: va- pour	LC50	131 <sup>mg</sup> / <sub>l</sub> /4h	rat					
Methanol	67-56-1	oral	LD50	5.628 <sup>mg</sup> / <sub>kg</sub>	rat					
Methanol	67-56-1	oral	LDLo	143 <sup>mg</sup> / <sub>kg</sub>	human					
Methanol	67-56-1	dermal	LD50	15.800 <sup>mg</sup> / <sub>kg</sub>	rabbit					
Acetic acid methyl ester	79-20-9	oral	LD50	6.482 <sup>mg</sup> / <sub>kg</sub>	rat					
Acetic acid methyl ester	79-20-9	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat					

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



article number: 1T33

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### Other information

Health effects are not known. This information is based upon the present state of our knowledge.

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### **11.3** Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Methanol	67-56-1	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h				
Methanol	67-56-1	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h				
Acetic acid methyl es- ter	79-20-9	LC50	≤350 <sup>mg</sup> / <sub>l</sub>	fish	96 h				

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



#### article number: 1T33

Aquatic toxicity (acute) of components									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Acetic acid methyl es- ter	79-20-9	EC50	1.027 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h				
Acetic acid methyl es- ter	79-20-9	ErC50	>120 <sup>mg</sup> /l	algae	72 h				

#### Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Acetic acid methyl es- ter	79-20-9	EC50	6.000 <sup>mg</sup> /l	microorganisms	16 h

#### 12.2 Persistence and degradability

#### **Degradability of components** Name of **CAS No** Process Degrada-Time Method Source substance tion rate Methanol 67-56-1 biotic/abiotic 99 % 30 d Methanol 67-56-1 oxygen deple-69 % 5 d ECHA tion Acetic acid 79-20-9 biotic/abiotic >70 % 19 d geschlossene methyl ester Flasche 79-20-9 1 % 0 d ECHA Acetic acid oxygen deplemethyl ester tion

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Methanol	67-56-1		-0,77	
Acetic acid methyl ester	79-20-9		0,18	

#### 12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Polyvinyl alcohol 26-88, partially saponified

article number: **1T33** 

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

14.1 UN number or ID number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

There is no additional information.

**14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Polyvinyl alcohol 26-88, partially saponified

#### article number: 1T33

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content

0 %

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### National regulations(GB)


## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

#### **Restrictions according to GB REACH, Annex 17**

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)





article number: 1T33

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

	Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Polyvinyl alcohol 26-88, partially saponified

#### article number: 1T33

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Polyvinyl alcohol 26-88, partially saponified



#### article number: **1T33**

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.