acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

date of compilation: 2023-05-08 Revision: 2023-05-09 article number: 1T51 Version: 2.0 en

Replaces version of: 2023-05-08

Version: (1)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Multi-Element ICP - Standard Solution CR-19

ROTI®Star 10 elements in 5 % HCl

Article number 1T51

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290

For full text of abbreviations: see SECTION 16

#### 2.2 **Label elements**

#### Labelling

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

Signal word Warning

**Pictograms** 

GHS05



#### **Hazard statements**

H290 May be corrosive to metals

### **Precautionary statements**

### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X	5	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a) GHS-HC IOELV
Palladium(II) chloride	CAS No 7647-10-1 EC No 231-596-2	< 0,1	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Eye Dam. 1 / H318 Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>**</u>	

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

article number: 1T51

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Mercury(II) chloride	CAS No 7487-94-7 EC No 231-299-8 Index No 080-010-00-X	< 0,1	Acute Tox. 1 / H300 Acute Tox. 1 / H310 Skin Corr. 1B / H314 Muta. 2 / H341 Repr. 2 / H361f STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IOELV

#### Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7	Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-	-	
Palladium(II) chloride	CAS No 7647-10-1 EC No 231-596-2	-	M-factor (acute) = 100	576 <sup>mg</sup> / <sub>kg</sub>	oral
Mercury(II) chloride	CAS No 7487-94-7 EC No 231-299-8	-	M-factor (acute) = 100	1 <sup>mg</sup> / <sub>kg</sub> 41 <sup>mg</sup> / <sub>kg</sub>	oral dermal

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

United Kingdom (en) Page 4 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures are necessary.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	tin, inorganic com- pounds		IOELV		2					Sn	91/322/ EEC
EU	mercury com- pounds, divalent in- organic	7487-94- 7	IOELV		0,02					Hg	2022/ 431/EU
EU	hydrogen chloride	7647-01- 0	IOELV	5	8	10	15				2000/39/ EC
GB	tin, inorganic com- pounds		WEL		2		4			Sn	EH40/ 2005
GB	antimony com- pounds	10025- 91-9	WEL		0,5					Sb	EH40/ 2005
GB	mercury com- pounds, divalent in- organic	7487-94- 7	WEL		0,02					Hg	EH40/ 2005

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

article number: 1T51

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	hydrogen chloride	7647-01- 0	WEL	1	2	5	8			ga	EH40/ 2005

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

ga Hg Sb Sn STEL As gases and aerosols

As gases and aerosols
Calculated as Hg (mercury)
Calculated as Sb (antimony)
Calculated as Sn (tin)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Palladium(II) chlor- ide	7647-10-1	DNEL	59,37 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Palladium(II) chlor- ide	7647-10-1	DNEL	16,84 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

### **Relevant PNECs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Palladium(II) chlor- ide	7647-10-1	PNEC	0,027 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Palladium(II) chlor- ide	7647-10-1	PNEC	0,003 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Palladium(II) chlor- ide	7647-10-1	PNEC	1,46 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Palladium(II) chlor- ide	7647-10-1	PNEC	0,274 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Palladium(II) chlor- ide	7647-10-1	PNEC	0,027 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Palladium(II) chlor- ide	7647-10-1	PNEC	0,012 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom (en) Page 6 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

#### 8.2 Exposure controls

#### **Individual protection measures (personal protective equipment)**

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 100 °C at 1.013 hPa

range

Flammability non-combustible

Lower and upper explosion limit not determined

Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density ~1 g/<sub>cm³</sub> at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

United Kingdom (en) Page 8 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

Miscibility

completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

different metals

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Palladium(II) chloride	7647-10-1	oral	576 <sup>mg</sup> / <sub>kg</sub>
Mercury(II) chloride	7487-94-7	oral	1 <sup>mg</sup> / <sub>kg</sub>
Mercury(II) chloride	7487-94-7	dermal	41 <sup>mg</sup> / <sub>kg</sub>

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Palladium(II) chloride	7647-10-1	oral	LD50	576 <sup>mg</sup> / <sub>kg</sub>	rat
Mercury(II) chloride	7487-94-7	oral	LD50	1 <sup>mg</sup> / <sub>kg</sub>	rat
Mercury(II) chloride	7487-94-7	dermal	LD50	41 <sup>mg</sup> / <sub>kg</sub>	rat

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

#### • If in eyes

causes slight to moderate irritation

#### • If inhaled

irritant effects

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

#### 11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Palladium(II) chloride	7647-10-1	LC50	306 <sup>µg</sup> / <sub>l</sub>	fish	96 h
Palladium(II) chloride	7647-10-1	EC50	35,19 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Palladium(II) chloride	7647-10-1	ErC50	5,88 <sup>µg</sup> / <sub>I</sub>	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Palladium(II) chloride	7647-10-1	EC50	61 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

United Kingdom (en) Page 11 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 8 corrosive

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 1789 IMDG-Code UN 1789 ICAO-TI UN 1789

### 14.2 UN proper shipping name

ADRRID HYDROCHLORIC ACID

IMDG-Code HYDROCHLORIC ACID

ICAO-TI Hydrochloric acid

#### 14.3 Transport hazard class(es)

ADRRID 8
IMDG-Code 8
ICAO-TI 8

#### 14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

### **14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name HYDROCHLORIC ACID

Particulars in the transport document UN1789, HYDROCHLORIC ACID, 8, II, (E)

Classification code C1
Danger label(s) 8



Special provisions (SP) 520

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) E

Hazard identification No 80

Emergency Action Code 2R

## Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1
Danger label(s) 8



Special provisions (SP) 520
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 80

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name HYDROCHLORIC ACID

Particulars in the shipper's declaration UN1789, HYDROCHLORIC ACID, 8, II

Marine pollutant Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-A, S-B
Stowage category C

United Kingdom (en) Page 13 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

**Segregation group** 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Hydrochloric acid

Particulars in the shipper's declaration UN1789, Hydrochloric acid, 8, II

Danger label(s) 8



Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 14 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

article number: 1T51

#### Water Framework Directive (WFD)

### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Mercury(II) chloride	mercury compounds		b)	HAZ
Mercury(II) chloride	mercury compounds	7439-97-6	c)	
Mercury(II) chloride	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Mercury(II) chloride	Metals and their compounds		a)	
Palladium(II) chloride	Metals and their compounds		a)	

#### Legend

A) B) Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance C) HAZ

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Hydrochloric acid %	7647-01-0	5	Category 3	2806 10 00	

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Mercury(II) chloride	mercury, inorganic compounds		0,0135	p(1) p(2)	b b
Mercury(II) chloride	mercury, inorganic compounds		0,0135	р	

#### Legend

b Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation

Category: p - pesticides Sub-category: p(1) - pesticide in the group of plant protection products Sub-category: p(2) - other pesticide including biocides

p p(1) p(2)

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

United Kingdom (en) Page 15 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

article number: 1T51

#### National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

#### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17) **CAS No** Name of substance No Name acc. to inventory Mercury(II) chloride 18 Mercury compounds

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid %	7647-01-0	Table II	2806.10

#### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC CICR Australian Inventory of Industrial Chemicals

CSCL-ENCS DSL ECSI

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Inventory of Existing and New Chemical Substances (ISHA-ENCS) Korea Existing Chemicals Inventory ISHA-ENCS

United Kingdom (en) Page 16 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCI

article number: 1T51

Legend

NDSL Non-domestic Substances List (NDSL)

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 <sup>9</sup> / <sub>l</sub>	yes
15.1		Regulation on drug precursors: change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes

#### **Abbreviations and acronyms**

	and deronyms
Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
91/322/EEC	Commission Directive on establishing indicative limit values by implementing Council Directive 80/1107/ EEC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CN Code	Combined Nomenclature

United Kingdom (en) Page 17 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: **1T51** 

Abbr.	Descriptions of used abbreviations	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
Met. Corr.	Substance or mixture corrosive to metals	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to th aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	
Muta.	Germ cell mutagenicity	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	

United Kingdom (en) Page 18 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H361f	Suspected of damaging fertility.

United Kingdom (en) Page 19 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-19 ROTI®Star 10 elements in 5 % HCl

article number: 1T51

Code	Text
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20